

Nutech Quick Reference Roof Coating Guide



Nutech Paint
For a perfect finish!

Product	1st Coat	Compatible with	Recoat @ 25°C	Internal	External	Uses	Additional	Application Rate per coat	Tip Size
Primers & Sealers									
Nuprime	No Dilution	All roof top coats	1 hour	Yes	Yes	Powdery oxidised roof tiles and paint	Saturation coating Milky, dries clear	1 coat @ 4m ² / litre	517-521
Supa-prime	No Dilution	All roof top coats	1-2 hours	Yes	Yes	Powdery oxidised roof tiles and paint	Saturation coating Milky, dries clear	1 coat @ 4m ² / litre	519-521
Master Sealer	No Dilution	All roof top coats	1-2 hours	Yes	Yes	Stable cement roof tiles and paint	Saturation coating Milky, dries clear	1 coat @ 4m ² / litre	519-521
Nubond	No Dilution	All roof top coats	2-4 hours	Yes	Yes	Rough, porous roof tiles and gloss enamel	Milky dries clear	1 coat @ 4m ² / litre	519-521
Flexible Membrane	No Dilution	All roof top coats	2-4 hours Not same day in cool/wet conditions	Yes	Yes	Unstable previously painted surfaces	Can be tinted to most colours	1 coat @ 4m ² / litre	525-531
GP Primer	No Dilution	All roof top coats	2-4 hours Not same day in cool/wet conditions	Yes	Yes	Very rough cement roof tiles	Light Grey colour	1 coat @ 4m ² / litre	523-525
Metal Primer	No Dilution	All roof top coats	2-4 hours Not same day in cool/wet conditions	Yes	Yes	Metal sheet roofing	Light Grey colour	1 coat @ 5-6m ² / litre	523-525
Asbestos Sealer	No Dilution	All roof top coats	1-2 hours	Yes	Yes	Asbestos sheeting	Opaque White	1 coat @ 4m ² / litre	519-521
Top Coats									
Nuflex	No Dilution	All roof primers & sealers NOTE: Use Metal Primer for metal substrates	1-2 hours	Yes	Yes	Trade quality	10 year warranty	2 coats @ 4m ² / litre per coat	519-521
Flexi-Shield Low Sheen	No Dilution		2-4 hours	Yes	Yes	High quality	10 year warranty	2 coats @ 5m ² / litre per coat	519-523
Flexi-Shield Matt	No Dilution		2-4 hours	Yes	Yes	High quality	10 year warranty	2 coats @ 5m ² / litre per coat	519-523
Tileflex	No Dilution		1-2 hours	Yes	Yes	Premium quality	12 year warranty	2 coats @ 4m ² / litre per coat	519-523
NXT Cool Zone	No Dilution		1-2 hours	Yes	Yes	Ultra Quality Heat reflective	15 year warranty	2 coats @ 4m ² / litre per coat	519-523
Waterproofing									
Aqua Stop Silicon Sealer	No Dilution	Silicon in water	1 hour	Yes	Yes	Most porous surfaces	Do Not allow to pool on surface	2 coats @ 1-3m ² / litre per coat depending on substrate	515-519

NOTE: This is a quick reference guide only

Primers and Sealers must be top coated

For complete information on all product refer to Nutech Product Data Sheets, Application Guidelines and Material Safety Data Sheets