

Safety Data Sheet



NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **910-LINE ARMORSPRAY AG**

Synonyms	Product Code	Bar Code
(sell Kinetic Version 9107301K-CK) 000000021334	9107301Q-CK	
A.G FOREST GREEN	91058486-KG	
A.G YELLOW GOLD	91033617-KG	
A.G. POWDERKOTE A.G. BLACK KG	91057350-KG	
A.G. POWDERKOTE AG BLACK KG	91057198-KG	
A.G. POWDERKOTE AG HOLLY GREEN KG	91057189-KG	
A.G. POWDERKOTE AG LIME GREEN KG	91057126-KG	
A.G. POWDERKOTE AG POST RED KG	91057197-KG	
A.G. POWDERKOTE AG RIPPLE ADDITIVE KG	91057257-KG	
A.G. POWDERKOTE AG SMOKE BLUE KG	91057206-KG	
A.G. POWDERKOTE AG WHITE KG	91057196-KG	
A.G. POWDERKOTE DRESS BLUE RIPPLE KG	91084864-KG	
A.G. POWDERKOTE HILL GREEN KG	91084866-KG	
A.G. POWDERKOTE JCD GREEN KG	91084619-KG	
A.G. POWDERKOTE NOTREDAME AG KG	91036672-KG	
A.G. POWDERKOTE NZ POST RED KG	91059803-KG	
A.G. POWDERKOTE OPALINE G32 KG	91084854-KG	
A.G. POWDERKOTE SILVER GREY AG KG	91057351-KG	
A.G. POWDERKOTE SUPRACOAT GREEN AG KG	91084352-KG	
AB GREEN	91097514-KG	
ABB OLIVE GREEN	91096088-KG	
AG ARCTIC WHITE	91096914-KG	
AG AZURITE CRYSTAL	91085095-KG	
AG BBQ PEWTER	91081890-KG	
AG BBQ PEWTER BASE	91081890-C	
AG BLACK RIPPLE	9109051Z-KG	
AG BLACK SATIN	9109024S-KG	
AG BP GREEN	9106276G-KG	
AG BP PEARL	9102154G-KG	
AG BRUNSWICK GREEN	9106156G-KG	
AG CLEAR	91081797-KG	
AG CLEAR (change to 9121030G)	9101030G-KG	
AG DESERT SAND	91094542-KG	
AG ELECTRIC COW	91096881-KG	
AG ELECTRIC COW BASE	91096881-C	
AG FOREST GREEN RIPPLE	9106118Z-KG	
AG FRENCH WHITE	9101124G-KG	
AG GAS ORANGE SR	9104216G-KG	
AG GHOST GREY	91057188-KG	
AG MID GREY	91097202-KG	
AG MOSSVALE SANDS	91033019-KG	
AG NATURAL STEEL BASE	9107301Q-C	
AG PEC WHITE	9101126G-KG	
AG RAL 7037 SATIN	9107657S-KG	
AG RAPID RED	9104098G-KG	
AG SANDSTONE GREY	91058706-KG	
AG SATIN BLACK	91097257-KG	
AG SILVER 2K	9107362Q-KG	
AG ST ELMO'S FIRE	9107276Q-KG	
AG TRANSFORMER GREY	9107503S-KG	

Product Name: 910-LINE ARMORSPRAY AG

Reference No: DLXDGLEN001471

Issued: 19 October 2020

Version: 2.1

Page 1 of 9

Safety Data Sheet



AG WEDGEWOOD	91050279-KG
AG WIZARD	9105250G-KG
ALPINE HAZE	91088197-KG
ANTI GRAFFITI-AG SLATE GREY GLOSS	91088152-KG
ANTI GRAFFITI-AZURITE CRYSTAL RIPPLE	91087344-KG
ANTI GRAFFITI-SHADED ICE GLOSS	91085020-KG
ANTI GRAFFITI-TACTILE GLOSS	91088175-KG
APO GREY	91052260-KG
APO GREY	91032786-KG
ARMORSPRAY AG CB BUSHLAND SAT (2009)	9106115S-KG
ARMORSPRAY AG CB PALE EUC SAT	91084221-KG
ARMORSPRAY AG MIDNIGHT HAZE SAT	9105102S-KG
ARMORSPRAY BE ACS CLEAR BASE 18L	9109010G-KG
ARMORSPRAY BE ACS CLEAR BASE 4L	91096116-KG
ARMORSPRAY BE ACS DEEP BASE 18L	9107255S-KG
ARMORSPRAY BE ACS DEEP BASE 4L	91097511-KG
ARMORSPRAY BE MID TONE BASE 18L	91089560-KG
ARMORSPRAY BE MID TONE BASE 4L	9105137G-KG
ARMORSPRAY BLACK 15L	9106180Q-KG
ARMORSPRAY DELLO BLUE 15L	9106058G-KG
ARMORSPRAY DELLO BLUE 180L	91097201-KG
ARMORSPRAY EP OFFWHITE	9102037S-KG
ARMORSPRAY EP PERMANENT GREEN SAT	9106181S-KG
ARMORSPRAY FD ACS CLEAR BASE 18L	9106056G-KG
ARMORSPRAY FD ACS LIGHT BASE 18L	9106013G-KG
ARMORSPRAY FD ACS LIGHT BASE 4L	91097085-KG
ARMORSPRAY LEAD FREE KOMATSU YELLOW 180L	91019143-KG
ARMORSPRAY PERMANENT GREEN	91097077-KG
ARMORSPRAY RAL 9010 WHITE	9101146G-KG
ARMORSPRAY RAL6029 MINT GREEN HIOPAC 15L	91058861-KG
ARMORSPRAYPOLY BE DUCRYL SLD WHITE LTRS	91089557-KG
ARMOURSPRAY AG BLUE BERRY GLOSS	9105111G-KG
ASH BUS BLUE	91096985-KG
ASH WHITE	91088198-KG
B&W QUARTZ GREY	9107388S-KG
B25 AQUA SATIN	9105132S-KG
DARK AG GREEN	9106112S-KG
DRESS BLUE RIPPLE BASE	91084864-C
DRESS BLUE SATIN	9105130S-KG
EAST COAST AG GREEN BASE	9106180Q-C
EMECH BLUE ARMOURSPRAY	91096888-KG
F&P WHITE GLOSS	9101222G-KG
HAMER BLUE	91097038-KG
HT ANTIQUE STEEL	91057127-C
INTERNEK METALLIC BLUE	91097395-KG
INTERNEK METALLIC BLUE BASE	91097395-C
IZUZU AG WHITE	9101216G-KG
JASPER BLUE	91096842-KG
LAWN GREEN	9106126G-KG
LEADMAN	91088389-KG
LIME FIZZ GLOSS	9102041G-KG
MAGENTA GLOSS	9104093G-KG
MAROOCHY TEAL GLOSS	9106059G-KG
MAZDA WHITE GLOSS	91089578-KG
MESH BLACK AG SATIN	91084548-KG
MIGHTY RIVER	91096951-KG
MILTON MOON	9107493G-KG
MIST GREEN	91081882-KG
NATURAL STEEL CLINIKILL KINETIC	9107301K-CK
NEW RODEO WHITE	91089735-KG

Safety Data Sheet



NEW RODEO WHITE GLOSS	91089577-KG	
OLDE PEWTER	91050243-KG	
PALE BLUE PMS 290C SATIN	9105069S-KG	
PALM GREEN SATIN	9106135S-KG	
PAN BLUE	9105232S-KG	
PAN GREY	9107495S-KG	
PARCHMENT Y43	91088196-KG	
PATROL WHITE	91082549-KG	
PEC AG TITANIA	9102100G-KG	
PELLET CHARCOAL BASE	9109035Q-C	
PELLET CHARCOAL METALLIC	9109035Q-KG	
POWDERS AG YELLOW SOUTH HANDLE SCYLLA	9102194Z-20KGS	9300611546166
POWDERS AMOURSpray AG AG POTTERY SATIN	9103133S-20KGS	9300611522610
POWDERS ANTI GRAFFITI CHARCOAL GLOSS 20KG	9109010G-20KGS	9300611351357
POWDERS ANTI GRAFFITI WHITE BIRCH RIPPLE 20KG	91088699-20KGS	9300611319937
POWDERS ARMORSpray ANTIGRAFFITI BLK 20KG	9109024S-20KGS	9400513180458
POWDERS ARMORSpray ANTIGRAFFITI BRIDGE GREY N44 SAT	9107447S-20KGS	9300611524614
POWDERS ARMORSpray ANTIGRAFFITI CB BUSHLAND SATIN	9106115S-20KGS	9300611476906
POWDERS ARMORSpray ANTIGRAFFITI CHARCOAL SAT	9109141S-20KGS	9300611529145
POWDERS ARMORSpray ANTIGRAFFITI DRESS BLUE SAT	9105130S-20KGS	9300611483058
POWDERS ARMORSpray ANTIGRAFFITI DRESS BLUE SCYLLA	9105269Z-20KGS	9300611544674
POWDERS ARMORSpray ANTIGRAFFITI MALAY GREY GL	9107406G-20KGS	9300611516459
POWDERS ARMORSpray ANTIGRAFFITI PANTONE GREEN 355	9106253G-20KGS	9300611528339
POWDERS ARMORSpray ANTIGRAFFITI RAIL HANDRAIL YELLOW	9102174G-20KGS	9300611536754
POWDERS ARMORSpray ANTIGRAFFITI SHALE GREY SAT	9107464S-20KGS	9300611526601
POWDERS ARMORSpray ANTIGRAFFITI SMOKE BLUE GL 20KG	9106034G-20KGS	9300611356437
POWDERS ARMORSpray ANTIGRAFFITI STORM GREY N42 GL	9106140G-20KGS	9300611484994
POWDERS ARMORSpray ANTIGRAFFITI STREETWISE PRESTIGE SHI	9107483Q-20KGS	9300611529343
POWDERS ARMORSpray ANTIGRAFFITI STREETWISE SILVER	9107049Q-20KGS	9300611355645
POWDERS ARMORSpray ANTIGRAFFITI STREETWISE YELLOW GL	9102018G-20KGS	9300611355560
POWDERS ARMORSpray ANTIGRAFFITI TEAL TRIP SAT	9106243S-20KGS	9300611526670
POWDERS ARMORSpray ANTIGRAFFITI TPP HILL GREEN GL	9106294G-20KGS	9300611541499
POWDERS ARMORSpray ANTIGRAFFITI TUNA SAT	9107395S-20KGS	9300611513823
POWDERS ARMORSpray ANTIGRAFFITI VELOCITY GREEN GL	91033709-20KGS	9300611311719
POWDERS ARMORSpray ANTIGRAFFITI WHITE PRIMROSE	91019143-20KGS	9300611311726
PW ARMORSpray AG DRESS BLUE SCYLLA	91084365-KG	
RAINFOREST GLOW GLOSS	9109009G-KG	
RAL 1016 YELLOW	9106057G-KG	
ROCKY ROAD	91097490-KG	
SEALEGS STROMBOLI ARMOURSpray	91097052-KG	
SHAPE MOSS GREEN	9104136G-KG	
SIGNAL RED	9106245S-KG	
SILVER GREY	91088505-KG	
	9107448S-KG	

Safety Data Sheet



SILVER PEARL	91056960-KG
SILVER PEARL BASE (A)	91056960-A
SILVER PEARL BASE (B)	91056960-B
SLATE G64	91088195-KG
SMOKE BLUE	9106034G-KG
SPENCER BLUE SATIN	91089595-KG
SPRING LEAF	9106074G-KG
SPRING LEAF	9106029S-KG
STACK GLOSS	9107230G-KG
STORM GREY N42 GLOSS	9106140G-KG
STREETWISE CREAM GLOSS	9102017G-KG
STREETWISE MAROON GLOSS	9104021G-KG
STREETWISE SILVER BASE	9107049Q-C
STREETWISE SILVER GLOSS	9107049Q-KG
STREETWISE UTE GLOSS	91084561-KG
STREETWISE YELLOW GLOSS	9102018G-KG
SUBLIMATION BEIGE	9103085Z-KG
SUPER CHEAP RED	9104181G-KG
TELECOM GREEN	9106028S-KG
TELSTRA SATURN GREEN	91094653-KG
TPP HILL GREEN GLOSS	9106294G-KG
VELOCITY CHARCOAL	9109024G-KG
VELOCITY GREEN	91033709-KG
VELOCITY SMOKE	91084777-KG
VELOCITY STORM GLOSS	9105022G-KG
WHITE BIRCH RIPPLE	91088699-KG
X53 GOLDEN TAN SATIN	9108126S-KG
YELLOW SOUTH HANDLE SCYLLA	9102194Z-KG
G15 RAINFOREST GREEN	9106391G-KG
RAL 9003 SIGNAL WHITE	9101115G-KG
YARRA BEIGE GLOSS	9103192G-KG

Recommended use: Powder coating. Applied by electrostatic spray.

Supplier: Dulux Australia, a division of DuluxGroup (Australia) Pty Ltd
ABN: 67 000 049 427
Street Address: 1956 Dandenong Road
Clayton VIC 3168
Australia
Telephone: 13 25 25

Emergency Telephone number: +61 3 9663 2130

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

Safety Data Sheet



CHEMICAL ENTITY

Ingredients determined to be non-hazardous or below reporting limits

100 % (w/w)

100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating

Safety Data Sheet



dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
Inspirable dust	-	10	-	-	-

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask. When using this material, use explosive dust handling controls to minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks and flame; prevent the build-up of static charges with appropriate earthing of equipment and personnel.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, DUST MASK.

Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or

Safety Data Sheet



smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	Various
Odour:	Mild, characteristic
Solubility:	N Av
Specific Gravity:	1.1 - 1.6
Relative Vapour Density (air=1):	N App
Vapour Pressure:	N App
Flash Point (°C):	N App
Explosion/Flammability Limits:	20 g/m ³ - 70 g/m ³
Autoignition Temperature (°C):	N Av
Melting Point/Range (°C):	N Av
Boiling Point/Range (°C):	N Av
pH:	N App
Viscosity:	N App
Total VOC (g/Litre):	N Av

(Typical values only - consult specification sheet)
N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Avoid the generation of airborne dust, ensure all potential ignition sources are eliminated, including the build-up of static charges

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: Airborne dust may result in an explosion if ignited by static discharge or other sources of ignition. Keep away from heat, hot surfaces, sparks and flame.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Safety Data Sheet



Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 5.0$ mg/L for dust.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000$ mg/Kg bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000$ mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or $BCF < 500$ and/or $\log K_{ow} < 4$.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal

Safety Data Sheet



protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: Formulations where all components AIIC listed.

16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.