

ANCHORWELD 2700 SUPER RED Revision Number 2

Revision date 18-Nov-2021 Supersedes Date: 18-Nov-2021

Continue 4. Identifications Dradue	t identifier and chamical identify
Section 1: Identification: Produc Product identifier	t identifier and chemical identity
Product Name	ANCHORWELD 2700 SUPER RED
Product Code(s) 30608522 30608512; 30608522	
Other means of identification	
Proper Shipping Name	Adhesives
UN number or ID number	UN1133
Pure substance/mixture	Mixture
Recommended use of the chemi	cal and restrictions on use
Recommended use	Adhesive
Uses advised against	No information available
Details of manufacturer or impor	ter
<u>Supplier</u> Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	
ABN: 79 003 893 838	
E-mail address	au-bostik-sds@bostik.com
Emergency telephone number	
Emergency telephone number	24-hr Emergency: 1800 033 111
Section 2: Hazard(s) identification	n

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Flammable liquids	Category 2 - (H225)
Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2A - (H319)
Reproductive toxicity	Category 2 - (H361)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

ANCHORWELD 2700 SUPER RED Revision Number 2 Revision date 18-Nov-2021 Supersedes Date: 18-Nov-2021

Label elements

Flame Exclamation mark Health hazard



Signal word Danger

Hazard statements

- H225 Highly flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H361 Suspected of damaging fertility or the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P281 Use personal protective equipment as required
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P235 Keep cool
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
- **Precautionary Statements Response**
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical advice/attention
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P363 Wash contaminated clothing before reuse
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

- P405 Store locked up
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- **Precautionary Statements Disposal**
- P501 Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

- Harmful to aquatic life
- Toxic to aquatic life with long lasting effects

ANCHORWELD 2700 SUPER RED

In use, may form flammable/explosive vapor-air mixture

<u>Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)</u> Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number S5

Label requirements in accordance with SUSMP CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Naphtha, petroleum, hydrotreated light, <0.1% Benzene	64742-49-0	30 - 60
Acetone	67-64-1	10 - <30
Toluene	108-88-3	10 - <30
Pentane	109-66-0	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4:	First aid	measures
------------	-----------	----------

Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Description of first aid measures	
General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

ANCHORWELD 2700 SUPER RED Revision Number 2

	resuscitation. Avoid contact with skin, eyes or clothing.
Most important symptoms and eff	ects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
Castion 5. Firstighting massures	
Section 5: Firefighting measures	
Suitable Extinguishing Media	
Suitable extinguishing media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the	chemical
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products	Carbon oxides. Carbon dioxide (CO2). Hydrogen chloride.
Special protective actions for fire-	fighters
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Hazchem code	•3YE
Section 6: Accidental release mea	sures
Personal precautions, protective e	equipment and emergency procedures
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containn	nent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

	vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect	
	runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
Precautions to prevent secondary	hazards	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Section 7: Handling and storage, i	ncluding how the chemical may be safely used	
Precautions for safe handling		
Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.	
Conditions for safe storage, inclue	ding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.	
Recommended storage temperature	Keep at temperatures between 41 and 77 °F / 5 and 25 °C.	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.	
This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations		

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia
Acetone	500 ppm TWA
67-64-1	1185 mg/m³ TWA
	1000 ppm STEL
	2375 mg/m ³ STEL
Toluene	50 ppm TWA
108-88-3	191 mg/m ³ TWA
	150 ppm STEL

ANCHORWELD 2700 SUPER RED Revision Number 2

	574 mg/m ³ STEL
Pentane	600 ppm TWA
109-66-0	1770 mg/m³ TWA
	750 ppm STEL
	2210 mg/m ³ STEL

Appropriate engineering controls		
Engineering controls	Showers, eyewash stations, and ventilation systems.	
Individual protection measures, su	uch as personal protective equipment	
Eye/face protection	Tight sealing safety goggles.	
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.	
Hand protection	Wear suitable gloves. Impervious gloves. Butyl rubber. Nitrile rubber. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Recommended filter type:. Organic gases and vapors filter conforming to EN 14387.	
Environmental exposure controls	No information available.	

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

	!	
Physical state	Liquid	
Appearance	Liquid	
Color	Red	
Odor	Solvent	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling	> 56 °C	(Acetone)
range		
Flash point	-18 °C	CC (closed cup) (based on components) (Acetone)
Evaporation rate	No data available	
Flammability	Not applicable for liquids .	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	2.2	kPa
Relative vapor density	No data available	
Relative density	0.83	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	536 °C	
Decomposition temperature	No data available	
· ·		

Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No data available 250 400 mPa s No information available No information available	
Other information Solid content (%) Density VOC Content (%)	No information available No information available 472 g/L SCAQMD Method 304-91	
Section 10: Stability and reactivity		
Reactivity		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	Yes.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.	
Hazardous decomposition product	ts	
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating and toxic gases and vapors.	
Section 11: Toxicological informat	ion	
Acute toxicity		
Information on likely routes of exp	osure	
Product Information		
Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.	
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	

ANCHORWELD 27	'00	SUPER RED)
Revision Number	2		

Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	10,329.80
ATEmix (dermal)	7,832.60
ATEmix (inhalation-vapor)	10,316.70

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated light, <0.1% Benzene	>5000 mg/kg (Rattus)	> 3160 mg/kg (Oryctolagus cuniculus)	=73680 ppm (Rattus) 4 h
Acetone	=5800 mg/kg (Rattus) 3000 mg/Kg (mouse)	>15800 mg/Kg (Rattus)	=79 mg/l(Rattus) 4 h
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus cuniculus)	>20 mg/L (Rattus) 4 h
Pentane	>2000 mg/kg (Rattus)	= 3000 mg/kg (Oryctolagus cuniculus)	=364 g/m ³ (Rattus) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	SafeWork Australia	European Union	IARC
Naphtha, petroleum, hydrotreated light, <0.1% Benzene 64742-49-0	Carc. 1A		
Toluene 108-88-3			Group 3

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

Contains a known or suspected reproductive toxin.

Component Information			
Toluene (108-88-3)			
Method		Species	Results
OECD 407		in vivo	Reproductive toxicant
STOT - single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.		
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	May be fa	tal if swallowed and enters airways.	

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha, petroleum, hydrotreated light, <0.1% Benzene 64742-49-0	-	LC50: =8.41mg/L (96h, Oncorhynchus mykiss)	-	LC50: =2.6mg/L (96h, Chaetogammarus marinus)
Acetone 67-64-1	-	LC50 96 h 4.74 - 6.33 mL/L (Oncorhynchus mykiss)	EC50 = 14500 mg/L 15 min	EC50 48 h 10294 - 17704 mg/L (Daphnia magna Static)
Toluene 108-88-3	EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 5.89 - 7.81 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)	EC50 = 19.7 mg/L 30 min	EC50: =11.5mg/L (48h, Daphnia magna) EC50: 5.46 - 9.83mg/L (48h, Daphnia magna)
Pentane 109-66-0	-	LC50: =11.59mg/L (96h, Pimephales promelas) LC50: =9.87mg/L (96h, Oncorhynchus mykiss) LC50: =9.99mg/L (96h, Lepomis macrochirus)	-	EC50: =9.74mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability

No information available.

Component Information			
Acetone (67-64-1)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	91 % Readily biodegradable
Biodegradability: CO2 Evolution		_	
Test (TG 301 B)			

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical na	mo	Partition coefficient	
Acetone		-0.24	
67-64-1			
Toluene 108-88-3		2.7	
Pentane		3.39	
109-66-0			
Mobility			
Mobility in soil	No information available.		
Mobility	No information available.		
Other adverse effects			
Other adverse effects	No information available.		
Section 13: Disposal consideration	ns		
Disposal methods			
Waste from residues/unused products		to the environment. Dispose of in accordance with local aste in accordance with environmental legislation.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.		
Section 14: Transport information			
ADG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Limited quantity (LQ) Description	UN1133 Adhesives 3 II * 5 L UN1133, Adhesives, 3, I	I	
Hazchem code	•3YE		
IATA UN number or ID number Transport hazard class(es) Packing group ERG Code Special Provisions Limited quantity (LQ) Description	UN1133 3 II 3L A3 1 L UN1133, Adhesives, 3, I	Ι	
IMDG UN number or ID number Transport hazard class(es) Packing group EmS-No Limited Quantity (LQ) Marine pollutant Description	UN1133 3 II F-E, S-D 5 L NP UN1133, Adhesives, 3, I	I, (-18°C c.c.)	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

ANCHORWELD 2700 SUPER RED

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** S5

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Named hazardous chemicals

Hazardous chemical

Liquids that meet the criteria for Class 3 Packing Group II or III Liquids with flash points <61°C kept above their boiling points at ambient conditions

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Acetone	10 tonne/yr Threshold category 1
67-64-1	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Toluene	10 tonne/yr Threshold category 1
108-88-3	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Pentane	20 MW Threshold category 2b total
109-66-0	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

AIIC	Listed
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

Australia - EN

Threshold quantity (T) 50 000 200

ANCHORWELD 2700 SUPER RED Revision Number 2

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information				
Prepared By	Product Safety	& Regulatory Affairs		
Revision date	Revision date 18-Nov-2021			
Revision Note The symbol (*) in the margin of this SDS indicates that this line has been revised.				
Key or legend to abbreviations and acronyms used in the safety data sheet				
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)				
Ceiling	Maximum limit value	*	Skin designation	

C Carcinogen Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet