

RLA Polymers Pty Ltd

Version No: 2.1 Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements Issue Date: 02/03/2023 Print Date: 09/03/2023 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier				
Product name	307 Water Resistant PVA Adhesive			
Chemical Name	Not Applicable			
Synonyms	307-20, 307-5			
Chemical formula	Not Applicable			
Other means of identification	Not Available			

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Woodworking adhesive.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	RLA Polymers Pty Ltd			
Address	5 Colchester Road, Kilsyth VIC 3137 Australia			
Telephone	1 3 9728 1644			
Fax	Not Available			
Website	Not Available			
Email	Not Available			

Emergency telephone number

Association / Organisation	RLA Polymers Pty Ltd	CHEMWATCH EMERGENCY RESPONSE (24/7)		
Emergency telephone numbers	+61 3 9728 1644	+61 1800 951 288		
Other emergency telephone numbers	1800 242 931	+61 3 9573 3188		

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification ^[1]	Not Applicable
abel elements	
Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable
Hazard statement(s) Not Applicable Precautionary statement(s) Pre Iot Applicable	vention
Precautionary statement(s) Res	sponse
Precautionary statement(s) Sto Not Applicable	rage
Precautionary statement(s) Dis	posal

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name				
108-05-4	<0.5 vinyl acetate					
Not Available	Ingredients determined not to be hazardous					
Legend: 1. Classification by vendor; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available						

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

There is no restriction on the type of extinguisher which may be used.

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and produces: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by all means available, spillage from entering drains or water courses.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. 				
Storage incompatibility	Avoid reaction with oxidising agents			

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA									
Source	Ingredient	Material name TW		VA	STEL		Peak	Notes	
Australia Exposure Standards	vinyl acetate	Vinyl acetate 10 ppm / 35 mg/m3		ppm / 35 mg/m3	70 mg/m3 / 20 ppm		Not Available	Not Available	
Emergency Limits									
Ingredient	TEEL-1			TEEL-2		ΤE	TEEL-3		
vinyl acetate	Not Available			Not Available		No	Not Available		
Ingredient	Original IDLH Revised IDLH								
vinyl acetate	Not Available				Not Available				

Exposure controls

Exposure controis	
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. • Wear chemical protective gloves, e.g. PVC. • Wear safety footwear or safety gumboots, e.g. Rubber
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

• Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White liquid with slight mild odour; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	~1.1
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	2.5-3.6	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7	
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. 	
Possibility of hazardous reactions	See section 7	
Conditions to avoid	See section 7	
Incompatible materials	See section 7	
Hazardous decomposition products	See section 5	

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

307 Water Resistant PVA	TOXICITY	IRRITATION	
Adhesive	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
	Dermal (rabbit) LD50: 2335 mg/kg ^[2]	Eye (human): 22	2 ppm irritant
vinyl acetate	Inhalation(Rat) LC50: 11.4 mg/L4h ^[2]	Eye (rabbit): 500) mg/24h mild
	Oral (Rat) LD50: 2920 mg/kg ^[2]	Skin (rabbit): 10	mg/24h open irritant
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
	known as reactive airways dysfunction syndrome (RA criteria for diagnosing RADS include the absence of p asthma-like symptoms within minutes to hours of a do airflow pattern on lung function tests, moderate to sev lymphocytic inflammation, without eosinophilia.	revious airways disease in a non-atop ocumented exposure to the irritant. Oth rere bronchial hyperreactivity on meth	bic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversib
VINYL ACETATE	 Benefatiy, including and branched orland and respective of the second sec	s the component alcohols and carbox of the 67 esters of aliphatic acyclic pri esters is demonstrated by oral LD50 ng the following esters of aliphatic acy stearate and the structurally related is s in this group would not present safe saturated carboxylic acids are general p to 3000 mg/kg) are permitted in foo	mary alcohols and aliphatic linear saturated carboxyl values greater than 1850 mg/kg bw rclic primary alcohols and aliphatic linear saturated pamyl formate and demonstrates that these ty concerns at the current levels of intake the esters ly used as flavouring substances up to average d categories such as chewing gum and hard candy.
VINYL ACETATE	most tissues throughout the body. Following hydrolysi Oral acute toxicity studies have been reported for 51 c acids. The very low oral acute toxicity of this group of Genotoxicity studies have been performed in vitro usin carboxylic acids: methyl acetate, butyl acetate, butyl s substances are not genotoxic. The JEFCA Committee concluded that the substances aliphatic acyclic primary alcohols and aliphatic linear s maximum levels of 200 mg/kg. Higher levels of use (u WARNING: This substance has been classified by the	s the component alcohols and carbox of the 67 esters of aliphatic acyclic pri esters is demonstrated by oral LD50 ng the following esters of aliphatic acy stearate and the structurally related is s in this group would not present safe saturated carboxylic acids are general p to 3000 mg/kg) are permitted in foo	ylic acids are metabolized mary alcohols and aliphatic linear saturated carboxy values greater than 1850 mg/kg bw cricic primary alcohols and aliphatic linear saturated boamyl formate and demonstrates that these ty concerns at the current levels of intake the esters ly used as flavouring substances up to average d categories such as chewing gum and hard candy. Degenic to Humans.
	most tissues throughout the body. Following hydrolysi Oral acute toxicity studies have been reported for 51 c acids. The very low oral acute toxicity of this group of Genotoxicity studies have been performed in vitro usin carboxylic acids: methyl acetate, butyl acetate, butyl s substances are not genotoxic. The JEFCA Committee concluded that the substances aliphatic acyclic primary alcohols and aliphatic linear s maximum levels of 200 mg/kg. Higher levels of use (u WARNING: This substance has been classified by the X	s the component alcohols and carbox of the 67 esters of aliphatic acyclic pri esters is demonstrated by oral LD50 ing the following esters of aliphatic acy stearate and the structurally related is saturated carboxylic acids are general p to 3000 mg/kg) are permitted in foo e IARC as Group 2B: Possibly Carcino Carcinogenicity Reproductivity	ylic acids are metabolized mary alcohols and aliphatic linear saturated carboxy values greater than 1850 mg/kg bw rclic primary alcohols and aliphatic linear saturated boamyl formate and demonstrates that these ty concerns at the current levels of intake the esters ly used as flavouring substances up to average d categories such as chewing gum and hard candy. bgenic to Humans.
Acute Toxicity Skin Irritation/Corrosion	most tissues throughout the body. Following hydrolysi Oral acute toxicity studies have been reported for 51 c acids. The very low oral acute toxicity of this group of Genotoxicity studies have been performed in vitro usin carboxylic acids: methyl acetate, butyl acetate, butyl s substances are not genotoxic. The JEFCA Committee concluded that the substances aliphatic acyclic primary alcohols and aliphatic linear s maximum levels of 200 mg/kg. Higher levels of use (u WARNING: This substance has been classified by the	s the component alcohols and carbox of the 67 esters of aliphatic acyclic pri esters is demonstrated by oral LD50 ing the following esters of aliphatic acy stearate and the structurally related is s in this group would not present safe saturated carboxylic acids are general ip to 3000 mg/kg) are permitted in foo e IARC as Group 2B: Possibly Carcino Carcinogenicity	ylic acids are metabolized mary alcohols and aliphatic linear saturated carboxy values greater than 1850 mg/kg bw cricic primary alcohols and aliphatic linear saturated boamyl formate and demonstrates that these ty concerns at the current levels of intake the esters ly used as flavouring substances up to average d categories such as chewing gum and hard candy. Degenic to Humans.
Acute Toxicity	most tissues throughout the body. Following hydrolysi Oral acute toxicity studies have been reported for 51 c acids. The very low oral acute toxicity of this group of Genotoxicity studies have been performed in vitro usin carboxylic acids: methyl acetate, butyl acetate, butyl s substances are not genotoxic. The JEFCA Committee concluded that the substances aliphatic acyclic primary alcohols and aliphatic linear s maximum levels of 200 mg/kg. Higher levels of use (u WARNING: This substance has been classified by the X	s the component alcohols and carbox of the 67 esters of aliphatic acyclic pri esters is demonstrated by oral LD50 ing the following esters of aliphatic acy stearate and the structurally related is saturated carboxylic acids are general p to 3000 mg/kg) are permitted in foo e IARC as Group 2B: Possibly Carcino Carcinogenicity Reproductivity	ylic acids are metabolized mary alcohols and aliphatic linear saturated carboxy values greater than 1850 mg/kg bw rclic primary alcohols and aliphatic linear saturated boamyl formate and demonstrates that these ty concerns at the current levels of intake the esters ly used as flavouring substances up to average d categories such as chewing gum and hard candy. bgenic to Humans.

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
307 Water Resistant PVA Adhesive	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
vinyl acetate	LC50	96h	Fish	14mg/l	4
	EC50	72h	Algae or other aquatic plants	7.48mg/l	2
	EC50	48h	Crustacea	12.6mg/l	2
	NOEC(ECx)	816h	Fish	0.551mg/l	2
Legend:	Ecotox databas		CHA Registered Substances - Ecotoxicological Informa Aquatic Hazard Assessment Data 6. NITE (Japan) - E		

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
vinyl acetate	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation	
vinyl acetate	LOW (BCF = 2.34)	

Mobility in soil

Ingredient	Mobility	
vinyl acetate	LOW (KOC = 6.131)	

SECTION 13 Disposal considerations

Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers.
------------------------------	--

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
vinyl acetate	Not Available

Transport in bulk in accordance with the IGC Code

vipul acetata Net Available	Product name	Ship Type
Viriyi acetate Not Available	vinyl acetate	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

vinyl acetate is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (vinyl acetate)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	02/03/2023
Initial Date	02/03/2023

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

end of SDS