

NON-Hazardous Chemical, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: PH3-LINE PORTER'S CHALK EMULSION PAINT

Synonyms	Product Code	Bar Code
PORTERS CHALK EMULSION ANISEED 1L	PH3D0858-1L	9328119027642
PORTERS CHALK EMULSION ANISEED 500mL	PH3D0858-500ML	9328119027635
PORTERS CHALK EMULSION BLACK BASE 15L	PH3D0811-15L	9328119027512
PORTERS CHALK EMULSION CLEAR BASE 15L	PH3D0805-15L	9328119027505
PORTERS CHALK EMULSION DEEP BASE 15L	PH3D0803-15L	9328119027499
PORTERS CHALK EMULSION DUSTY MULE 1L	PH3D0855-1L	9328119027581
PORTERS CHALK EMULSION DUSTY MULE 500mL	PH3D0855-500ML	9328119027574
PORTERS CHALK EMULSION GREY PEPPER 1L	PH3D0856-1L	9328119027604
PORTERS CHALK EMULSION GREY PEPPER 500mL	PH3D0856-500ML	9328119027598
PORTERS CHALK EMULSION JAGUAR 1L	PH3D0857-1L	9328119027628
PORTERS CHALK EMULSION JAGUAR 500mL	PH3D0857-500ML	9328119027611
PORTERS CHALK EMULSION MID BASE 15L	PH3D0802-15L	9328119027482
PORTERS CHALK EMULSION OLD CHURCH WHITE 1L	PH3D0854-1L	9328119027567
PORTERS CHALK EMULSION OLD CHURCH WHITE	PH3D0854-500ML	9328119027550
500mL		
PORTERS CHALK EMULSION POPCORN 1L	PH3D0853-1L	9328119027543
PORTERS CHALK EMULSION POPCORN 500mL	PH3D0853-500ML	9328119027536
PORTERS CHALK EMULSION RED BASE 15L	PH3D0806-15L	9328119027529
PORTERS CHALK EMULSION STANDARD BASE 15L	PH3D0800-15L	9328119027475
PORTERS CHALK EMULSION BLACK	PH3D0811-B	
PORTERS CHALK EMULSION BLACK BASE 1L	PH3D0811-1L	9328119017315
PORTERS CHALK EMULSION BLACK BASE 500ML	PH3D0811-500ML	9328119017308
PORTERS CHALK EMULSION CLEAR	PH3D0805-B	
PORTERS CHALK EMULSION CLEAR BASE 1L	PH3D0805-1L	9328119015748
PORTERS CHALK EMULSION CLEAR BASE 2L	PH3D0805-2L	9328119026867
PORTERS CHALK EMULSION CLEAR BASE 500ML	PH3D0805-500ML	9328119015700
PORTERS CHALK EMULSION DEEP BASE	PH3D0803-B	
PORTERS CHALK EMULSION DEEP BASE 1L	PH3D0803-1L	9328119015731
PORTERS CHALK EMULSION DEEP BASE 2L	PH3D0803-2L	9328119026843
PORTERS CHALK EMULSION DEEP BASE 500ML	PH3D0803-500ML	9328119015694
PORTERS CHALK EMULSION MID	PH3D0802-B	
PORTERS CHALK EMULSION MID BASE 1L	PH3D0802-1L	9328119015724
PORTERS CHALK EMULSION MID BASE 2L	PH3D0802-2L	9328119026836
PORTERS CHALK EMULSION MID BASE 500ML	PH3D0802-500ML	9328119015687
PORTERS CHALK EMULSION RED	PH3D0806-B	
PORTERS CHALK EMULSION RED BASE 1L	PH3D0806-1L	9328119017339
PORTERS CHALK EMULSION RED BASE 500ML	PH3D0806-500ML	9328119017322
PORTERS CHALK EMULSION STANDARD	PH3D0800-B	
PORTERS CHALK EMULSION STANDARD BASE	PH3D0800-500ML	9328119015670
PORTERS CHALK EMULSION STANDARD BASE 1L	PH3D0800-1L	9328119015717
PORTERS CHALK EMULSION STANDARD BASE 2L	PH3D0800-2L	9328119026829

Recommended use: For painting furniture, giving a decorative matt finish with a soft, chalky appearance.

Supplier: Porter's Paints, a division of DuluxGroup (Australia) Pty Ltd

ABN: 67 000 049 427

Street Address: 1956 Dandenong Road

Clayton VIC 3168

Australia

Telephone: 13 25 25

Product Name: PH3-LINE PORTER'S CHALK EMULSION PAINT Reference No: DLXGHSEN001308 Issued: 23 March 2016 Version: 1.2 Page 1 of 6



Emergency Telephone number: Australia – 1800 033 111 New Zealand – 0800 734 607

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY CAS NO PROPORTION

Ingredients determined to be Non-Hazardous

100 %

100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Product Name: PH3-LINE PORTER'S CHALK EMULSION PAINT Reference No: DLXGHSEN001308

Issued: 23 March 2016 Version: 1.2 Page 2 of 6



Reference No: DLXGHSEN001308

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Fire fighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Product Name: PH3-LINE PORTER'S CHALK EMULSION PAINT

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

Issued: 23 March 2016 Version: 1.2 Page 3 of 6



9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Viscous Liquid Colour: Coloured

Odour: Mild, characteristic

Solubility: Miscible with water.

Specific Gravity (20 °C): 1.56 - 1.68

Density: N Av
Relative Vapour Density (air=1): >1
Vapour Pressure (20 °C): N Av
Flash Point (°C): N App
Flammability Limits (%): N App
Autoignition Temperature (°C): N Av
Melting Point/Range (°C): N Av

Boiling Point/Range (°C): Approx. 100

Decomposition Point (°C): N Av pH: N Av

Viscosity: >21 mm2/s @ 40°C

Total VOC (g/Litre): N Av

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.

Acute toxicity

Product Name: PH3-LINE PORTER'S CHALK EMULSION PAINT Reference No: DLXGHSEN001308

Issued: 23 March 2016 Version: 1.2 Page 4 of 6



Reference No: DLXGHSEN001308

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist or LC50 > 20,000 ppm for gas

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg bw

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Product Name: PH3-LINE PORTER'S CHALK EMULSION PAINT

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in

Issued: 23 March 2016 Version: 1.2 Page 5 of 6



accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).
- All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

16. OTHER INFORMATION

Reason for issue: Minor text changes

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since DuluxGroup (Australia) Pty Ltd and DuluxGroup (New Zealand) Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Product Name: PH3-LINE PORTER'S CHALK EMULSION PAINT Reference No: DLXGHSEN001308

Issued: 23 March 2016 Version: 1.2 Page 6 of 6