

# Safety Data Sheet



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

## 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

**Product name:** CRAIG & ROSE 1829 CHALKY EMULSION

**Relevant identified uses of the substance or mixture and uses advised against:** Water-based matt sheen, decorative paint. No information for uses advised against.

**Supplier:** Craig and Rose Ltd  
**Company number:** 09968464  
**Street Address:** Suite 10524, 5 Fitzwilliam Square  
Dublin 2, Ireland  
DO2 R744  
**Telephone:** Scotland (44) 13 8374 0011  
**Email:** enquiries@craigandrose.com

**Emergency Telephone number:** 0800 085 6522

## 2. HAZARDS IDENTIFICATION

**Classification of the substance or mixture:** Based on available information, this material is not classified as hazardous according to the criteria of Regulation (EC) No. 1272/2008 (CLP).

### Hazard Classification

Not applicable

### Label Elements

### Hazard Pictogram(s)

Not applicable

### Signal Word

Not applicable

### Hazard Statement

Not applicable

### Prevention Precautionary Statements

P102 Keep out of reach of children.  
P103 Read label before use.

### Response Precautionary Statement

Not applicable

### Storage Precautionary Statement

Not applicable

### Disposal Precautionary Statement

Not applicable

### Supplemental hazard information:

EUH208 — Contains 1,2-Benzisothiazol-3(2H)-one, 3-Isothiazolone, 2-methyl-, 3-Isothiazolone, 2-methyl- and mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4] and 2-methyl-2H-isothiazol-3-one [CAS No. 2682-20-4] (3:1). May produce an allergic reaction.

EUH210 - Safety Data Sheet available on request

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

# Safety Data Sheet

## Other hazards:

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 3. COMPOSITION INFORMATION

Name	CAS No.	EC No.	Proportion (% w/w)	Classification
1,2-Benzisothiazol-3(2H)-one	2634-33-5	220-120-9	0.005 -< 0.05	Acute Toxicity - Oral - Category 4 – H302 Skin Corrosion/Irritation - Category 2 – H315 Serious Eye Damage/Irritation - Category 1 – H318 Sensitisation - Skin - Category 1 – H317 (>= 0.05%) Acute Hazard to the Aquatic Environment - Category 1 – H400 Chronic Hazard to the Aquatic Environment - Category 1 – H410
3-Isothiazolone, 2-methyl-	2682-20-4	220-239-6	0.00015 -< 0.0015	Acute Toxicity - Oral - Category 3 – H301 Acute Toxicity - Dermal - Category 3 – H311 Acute Toxicity - Inhalation- Category 2 – H330 Skin Corrosion/Irritation - Category 1B– H314 Serious Eye Damage/Irritation - Category 1 – H318 Sensitisation - Skin - Category 1A – H317 (>= 0.0015%) Acute Hazard to the Aquatic Environment - Category 1 – H400 (M=10) Chronic Hazard to the Aquatic Environment - Category 1 – H410
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4] and 2-methyl-2Hisothiazol-3-one [CAS No. 2682-20-4] (3:1)	55965-84-9	611-341-5	0.00015 -< 0.0015	Acute Toxicity - Oral - Category 3 – H301 Acute Toxicity - Dermal - Category 2 – H310 Acute Toxicity - Inhalation- Category 2 – H330 Skin Corrosion/Irritation - Category 1C– H314 Serious Eye Damage/Irritation - Category 1 – H318 Sensitisation - Skin - Category 1A – H317 (>= 0.0015%) Acute Hazard to the Aquatic Environment - Category 1 – H400 (M=100) Chronic Hazard to the Aquatic Environment - Category 1 – H410 (M=100)

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP).

### 4. FIRST AID MEASURES

**Description of first aid measures:** If poisoning occurs, contact a doctor, ambulance (phone 999), or the National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland (phone 01 809 2166).

**Inhalation:** Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

# Safety Data Sheet

**Self-protection for the first aider:** Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Most important symptoms and effects, both acute and delayed:** Refer to Section 11 for Toxicological Information.

**Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Hazchem Code:** Not applicable.

**Extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

**Specific hazards arising from the substance or mixture:** Non-combustible material.

**Advice for firefighters:** Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

**Environmental precautions:** Contain - prevent run off into drains and waterways. If contamination of sewers or waterways has occurred advise local emergency services.

### Methods and material for containment and cleaning up

**Small spills:** Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage.

**Large spills:** Clear area of all unprotected personnel. Use absorbent (soil, sand or other inert material). Use a spark-free shovel.

**Reference to other sections:** Refer to Section 13 for Disposal Considerations

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

**Conditions for safety storage, including any incompatibilities:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

**Specific end use:** Observe instructions of use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters

**Occupational exposure limits:** No value assigned for this specific material by the Health and Safety Authority (H&SA).

**Biological Limit Values:** No biological monitoring required.

### Exposure Controls

**Engineering Measures:** Natural ventilation should be adequate under normal use conditions.

**Personal Protection Equipment:** SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

When handling individual retail packs no personal protection equipment is required.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Environmental Exposure Controls:** Keep containers closed when not in use. Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form:** Liquid  
**Colour:** White or transparent  
**Odour:** Mild, characteristic

<b>Solubility:</b>	Dispersible in water
<b>Specific Gravity:</b>	1.2 – 1.4
<b>Density:</b>	N Av
<b>Relative Vapour Density (air=1):</b>	N Av
<b>Vapour Pressure (20 °C):</b>	N Av
<b>Flash Point (°C):</b>	N App
<b>Flammability Limits (%):</b>	N App
<b>Autoignition Temperature (°C):</b>	N App
<b>Melting Point/Range (°C):</b>	N Av
<b>Boiling Point/Range (°C):</b>	Approx. 100
<b>pH:</b>	8 - 10
<b>Viscosity:</b>	N Av
<b>Evaporation Rate (n-Butyl acetate=1):</b>	N Av
<b>Partition Coefficient:</b>	N Av
<b>Total VOC (g/Litre):</b>	N Av
<b>Odour Threshold:</b>	N Av
<b>Explosive properties:</b>	N App
<b>Oxidising properties:</b>	N App

(Typical values only - consult specification sheet)  
N Av = Not available, N App = Not applicable

## 10. STABILITY AND REACTIVITY

Product Name: CRAIG & ROSE 1829 CHALKY EMULSION

Reference No: DLXIRLEN002913

Issued: 2022-11-21

Version: 3.0

Page 4 of 7

# Safety Data Sheet

**Chemical stability:** This material is thermally stable when stored and used as directed.

**Conditions to avoid:** Elevated temperatures and sources of ignition.

**Incompatible materials:** Oxidising agents.

**Hazardous decomposition products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.

**Hazardous reactions:** No known hazardous reactions.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Information on Toxicological Effects

**Inhalation:** Material may be an irritant to mucous membranes and respiratory tract.

**Skin contact:** Contact with skin may result in irritation. May cause skin sensitisation in sensitive individuals.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Eye contact:** May be an eye irritant.

### Acute toxicity

**Inhalation:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist or LC50 > 20,000 ppm for gas

**Skin contact:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg bw

**Ingestion:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg bw

**Corrosion/Irritancy:** Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

**Aspiration hazard:** This material has been classified as non-hazardous.

**Specific target organ toxicity (single exposure):** This material has been classified as non-hazardous.

### Chronic Toxicity

**Mutagenicity:** This material has been classified as non-hazardous.

**Carcinogenicity:** This material has been classified as non-hazardous.

**Reproductive toxicity (including via lactation):** This material has been classified as non-hazardous.

**Specific target organ toxicity (repeat exposure):** This material has been classified as non-hazardous.

# Safety Data Sheet

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Acute aquatic hazard:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

**Long-term aquatic hazard:** This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): > 100 mg/L, where the substance is not rapidly degradable and/or BCF  $\geq$  500 and/or log  $K_{ow} \geq$  4.

**Ecotoxicity:** No information available.

**Persistence and degradability:** No information available.

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

**Results of PBT and vPvB assessment:** A PBT/vPvB assessment is not required for this material.

**Other adverse effects:** No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods:** Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose of in accordance with the countries' Environmental Protection Authority.

**Waste code:** 08 01 12

## 14. TRANSPORT INFORMATION

### ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of "The European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR)", "The Regulations Concerning the International Carriage of Dangerous Goods by Rail (RID)" and "The European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN)".

### MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

# Safety Data Sheet

**Safety, health and environmental regulations/legislation specific for the substance or mixture:** This Safety Data Sheet has been written in accordance with Regulation (EC) No. 1272/2008 (CLP) and ECHA corresponding Guidance on the Classification, Labelling and Packaging of Substances and Mixtures (2015, Version 4.1)

**This material is not subject to the following international agreements:**

Montreal Protocol (Ozone depleting substances)  
The Stockholm Convention (Persistent Organic Pollutants)  
The Rotterdam Convention (Prior Informed Consent)  
Basel Convention (Hazardous Waste)  
International Convention for the Prevention of Pollution from Ships (MARPOL)

**Chemical safety assessment:** No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## 16. OTHER INFORMATION

**Indications of changes:** Revised

### Literatures sources and abbreviations

CLP Classification, Labelling and Packaging  
EC European Commission  
EC No. EINECS Number  
ECHA European Chemicals Agency  
HSE Health and Safety Executive  
PVT Persistent, Bioaccumulative and Toxic  
vPVB Very Persistent and very Bioaccumulative

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since DuluxGroup (Australia) Pty Ltd and DuluxGroup (New Zealand) Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.