

NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: 288-LINE PACIFIC GOLD PG288 (non-haz)

Synonyms	Product Code	Bar Code
2 DEGREES BLUE MATT	2885322M-KG	
A.P.O GREY RIPPLE *	28857283-KG	
ABB LIGHT GREY *	28857348-KG	
ABB OLIVE GREEN *	28857324-KG	
ACCOR GREENLANE RED *	2884129G-KG	
ADOBE TAN *	28897119-KG	
AE CREAM SATIN #	2882114S-KG	
AI SIGNAL RED *	28897483-KG	
AIR NEW ZEALAND BLUE *	28897251-KG	
AIRPORT GOLD *	28897493-KG	
ALBION BEIGE *	28894551-KG	
ALUCO GLOSS WHITE #	2881260G-KG	
AMCAL TURQUOISE*	28897250-KG	
AMYC AMNESIA *	2885174Q-KG	
ANTIQUE BRUSHED BRONZE *	28850730-KG	
ANTIQUE FRESCO *	28858503-KG	
ANTIQUE FRESCO RIPPLE *	28897505-KG	
ANTIQUE TEXTURE #	28897519-KG	
ANZ BLUE *	2885144S-KG	
APPLIANCE WHITE RIPPLE	2881206Z-KG	
APT BEIGE #	2883150S-KG	
AQUA TEXTURE *	28857471-KG	
AQUARIUS *	28858569-KG	
ARC GREY	28894575-KG	
ARGENT METALLIC	28896754-KG	
ASB YELLOW *	2882150M-KG	
ASEA BEIGE *	28857461-KG	
ASH BUS BLUE *	28896985-KG	
ASHBURTON RED *	2884078G-KG	
ASPEC MATT SILVER *	2887292Q-KG	
AT BLUE #	2885280G-KG	
ATLANTIC *	28897424-KG	
AUBERGINE	28884591-KG	
AUCOM BLUE TEXTURE #	2885051Z-KG	
AUCOM TEXTURE #	2882089Z-KG	
AZZURA *	28897425-KG	
B&W RHEEM WHITE #	2882142S-KG	
BARNEY PURPLE	28897007-KG	
BASE GREY TEXTURE #	2887154Z-KG	
BASEL	28896073-KG	
BAT GREY #	2887595G-KG	
BAT NEW WORLD BROWN	2888291G-KG	
BAY LEAF #	28857497-KG	
BCS DEEP BLUE #	2885236S-KG	
BIG SMOKE CLINIKILL	2889115Q-CK	
BISTRO BROWN #	28859739-KG	
BITTER CHRISTINA *	2886194Q-KG	
BITTER CHRISTINA CLINIKILL	2886194Q-CK	
BLACK BURGANDY *	28856931-KG	
BLACK GLOSS 6C *	28897223-KG	
BLACK HAZE DOUBLE STRENGTH *	2881060S-KG	
BLACK SAND TEXTURE #	28857242-KG	

Safety Data Sheet



BLACK WHITE #	2881273M-KG
BLACK WHITE *	2881077S-KG
BLAIR GREY TEXTURE *	2887089Z-KG
BLANC CLINIKILL	2881248G-CK
BLAST GREY 3 METALLIC	28896611-KG
BLUE (PANTONE 2766C) *	2885106S-KG
BLUE BAYOU #	2885293S-KG
BLUE BELL #	2885158S-KG
BLUEBELL RIPPLE	2885319Z-KG
BLUFF (CLINIKILL BASE) #	2887525G-KG
BLUFF CLINIKILL #	2887525G-CK
BOISE GREEN *	28896773-KG
BOKARA GREY	28897013-KG
BONE WHITE RIPPLE *	2881054Z-KG
BOYSENBERRY *	28897217-KG
BP GREEN #	28885376-KG
BP GREEN RIPPLE *	2886054Z-KG
BRIGHT RED #	28858413-KG
BRIGHT RED GLOSS #	2884290G-KG
BRIGHT RED RIPPLE *	2884058Z-KG
BRIGHT RED TRESURE	2884314Z-KG
BROWN	28896776-KG
BRUNSWICK GREEN *	28885420-KG
BURGER FUEL PURPLE NPM *	2885152G-KG
BURNT SIENNA	28896724-KG
CALTEX CORAL *	28858410-KG
CALTEX DEEP OCEAN GREEN *	28858567-KG
CALTEX DEEP OCEAN GREEN TEXTURE *	28897480-KG
CALTEX TURQUOISE *	28894561-KG
CAMEO BEIGE *	2883020S-KG
CARDEN GREEN #	28857435-KG
CARLSTONE	2888104M-KG
CARTERS GREEN #	2886035G-KG
CARTERTON *	2882140S-KG
CEDAR *	28858762-KG
CF ALMOND RIPPLE	2883202Z-KG
CF WHITE LUSTRE #	28897039-KG
CH RAL 7004 *	2887076S-KG
CHALCEDONY TEXTURE #	28837552-KG
CHALK USA #	28858864-KG
CHALK USA GLOSS *	28873713-KG
CHARCOAL TEXTURE #	28852065-KG
CHERRY	28896794-KG
CHOCOLATE *	2888197S-KG
CINDER	28896921-KG
CITY BUS GREEN	2886061G-KG
CLOUGH FLAME RED #	28896847-KG
CLOUGH SAFETY YELLOW #	28896905-KG
CODE RED *	2884097G-KG
COLONIAL WHITE	28857233-KG
COLOURCODE RAL 7038	2887667G-KG
COMMERCIAL GREY TEXTURE	28857285-KG
COMPAC BLACK #	2889133Z-KG
COMPAC BLUE PMS 2192C #	2885271S-KG
COMPAC BLUE RIPPLE	2885331Z-KG
COMPAC WHITE 2 #	2881286Z-KG
COSMIC GOLD *	2882156Q-KG
CREAM #	28858863-KG
CREAM RIPPLE *	28897503-KG
CREAMING SODA CLINIKILL #	2883117Q-CK
CRIMSON	28896723-KG

Safety Data Sheet



CTLS CHARCOAL TEXTURE #	2889078Z-KG
CUSTOMBILT RED	28856927-KG
DANFOS SILVER GREY TEXTURE #	2887169Z-KG
DARK GULL BLUE	2885334G-KG
DARK VIOLET #	28851926-KG
DAROCH GREEN	28896607-KG
DAVID BEIGE *	2883051G-KG
DAVINS BLUE	28896787-KG
DAVINS RED *	28896786-KG
DAWN PINK	28894647-KG
DEEP BRONZE #	28885125-KG
DEEP BRUNSWICK GREEN *	28881879-KG
DEEP TEAL MATT	28897020-KG
DELETED SELL 2887445K now.	28885398-KG
DESIGN MATT CHARCOAL	2887458Q-KG
DOC GREEN #	28896617-KG
DONOVAN GREEN	28896630-KG
DRIFTWOOD *	28857302-KG
DULUX BLUE #	28858610-KG
DUNEDIN SAFETY YELLOW #	2882192S-KG
DUSK BLUE *	28857305-KG
EARTH #	28858725-KG
EAST COAST ORANGE	28884594-KG
EASY ACCESS ORANGE #	2884244S-KG
EAU DE NIL RIPPLE	2886224Z-KG
ECOGLO BLACK TEXTURE	28897078-KG
ECOGLO COLA RED #	2884248Z-KG
ECOGLO GREY TEXTURE #	2887103Z-KG
ECOGLO SUNFLOWER YELLOW TEXTURE #	2882081Z-KG
ECOGLO TITANIA TEXTURE #	2882138Z-KG
ECOGLO YELLOW TEXTURE #	2882040Z-KG
EFTPOS CHARCOAL TEXTURE	2889176Z-KG
ELECTRICAL GREY RIPPLE *	28897264-KG
ELITE MUSTARD #	28896918-KG
ELSTEEL GREY RIPPLE	2887665Z-KG
EMECH BLUE	28896888-KG
ENVIROWASTE BLUE #	2885185G-KG
ETL GREY TEXTURE	28894689-KG
EURO YELLOW #	2882165M-KG
F & P DRAW BLUE *	28896841-KG
F & P WHITE 2	2881306G-KG
F&P FRIDGE WHITE #	2881088G-KG
F&P PRE-PAINT WHITE #	2881112G-KG
FARINA #	28894673-KG
FAST CURE POTTERY *	28857187-KG
FENTON SATIN WHITE #	2881253M-KG
FETA	28897105-KG
FIELDMASTER GREEN	2886359-KG
FIELDMASTER RED #	2884235G-KG
FIELDMASTER YELLOW #	2882177G-KG
FIELDON SPACE BLUE *	28897408-KG
FIELDON WHITE #	28897261-KG
FIRE	28897104-KG
FIRE IN THE DISCO *	2884178G-KG
FLAME RED #	2884155G-KG
FLEECE TEXTURE	28896969-KG
FLUORESCENT ORANGE *	28857178-KG
FONTERRA BLUE *	2885095G-KG
FOODSTUFFS SILVER PEARL *	2887357Z-KG
FORD BLUE	2885317Q-KG
FORD BLUE *	28897246-KG

Safety Data Sheet



FRASER GREY	28896900-KG
FREIBURG GREEN	28896036-KG
FRIGATE CREAM	28897069-KG
FUJI XEROX PURPLE TEXTURE *	28897497-KG
GAEL CREAM #	28897412-KG
GHOST GREY RIPPLE CLINIKILL	2887041Z-CK
GHOST GREY TEXTURE *	28896835-KG
GLIDEPATH BLUE #	2885135G-KG
GLINKS GULLY #	2887381G-KG
GLOSS GREEN *	28896867-KG
GMF PURPLE	2885224S-KG
GOKART BLUE	2885311Q-KG
GOLD #	28885153-KG
GOLD CHAMPAGNE	28896034-KG
GOLDSTAR ORANGE X15	28896962-KG
GRASS GREEN #	28883228-KG
GREEN PASTURE	28897097-KG
GREY FRIARS RIPPLE	2887280Z-KG
GREY NURSE TEXTURE #	28837543-KG
GREY TEXTURE #	2887504Z-KG
GREY WASH	28894539-KG
GREY WHITE #	2882101G-KG
GREY X TEXTURE (BASE) *	28897268-KG
GREY/WHITE	28894554-KG
HALF TEA SATIN #	2883080S-KG
HAWORTH GREY TONE *	2887352M-KG
HIGH GLOSS CHARCOAL #	2889120G-KG
HITMAN GREEN	28896060-KG
HOKI *	28856984-KG
HOLIC BLUE #	28896610-KG
HOLLY GREEN TEXTURE	28896094-KG
HOLMES BLUE *	2885145Q-KG
HOMELUX LIGHT GREY	28896633-KG
HOUHORA #	2882141S-KG
HUNTER GARDENIA MATT #	2882063M-KG
HUNZA BRONZE #	2888202F-KG
HUNZA BRONZE *	28896838-KG
HUNZA OLIVE #	2886242Z-KG
HUNZA SILVER STAR	2887450F-KG
HURSTMERE ROAD #	2885186S-KG
HUSS 632 CABERNET *	2884091G-KG
ICE WHITE *	28857319-KG
IMPERIAL IVY GREEN *	28857183-KG
INFLIGHT YELLOW *	2882091Q-KG
INTENSITY CITRUS *	2882023M-KG
INTERSTATE GREEN	28896784-KG
IVY *	28857434-KG
JASPER *	28897422-KG
JAYMOR ORANGE *	2884141S-KG
JAZZY BLUE #	28858612-KG
JET STAR ORANGE *	2884123G-KG
JETS PURPLE	28896792-KG
JEWEL PRINCESS *	2885175Q-KG
JH SUNSET GLOSS *	2884203Q-KG
JMP YELLOW #	2882182G-KG
JOEY GREY MATT #	28896785-KG
JOHN DEERE GLOSS	2882219G-KG
JOHN DEERE GREEN #	2886141S-KG
JUCY PURPLE #	2885308G-KG
JURALCO COCO	2888216Q-KG
JURALCO FLANNEL	2887449Q-KG

Safety Data Sheet



JURALCO GREIGE #	2887452Q-KG
JURALCO PEWTER #	2887451Q-KG
JURALCO ROUGE #	2884215G-KG
JURALCO SERATONE POP TART *	2884183Q-KG
JURALCO SERATONE SIENNA *	2884182Q-KG
JURALCO SERATONE STEALTH CLINIKILL	2888190Q-CK
JURALCO SPRING #	2886233Q-KG
JURALCO STONE #	2883138Q-KG
JURALCO TOAST #	2883139Q-KG
JURALCO TURQUOISE	2885221Q-KG
KASHMIR *	28859020-KG
KINETIC RED #	2884066G-KG
KINETIC RED RIPPLE *	2884080Z-KG
KITSCH	2885324S-KG
KIWI FRUIT GREEN	28896890-KG
KODAK GREY *	2887261G-KG
KOHLER BLUE *	28896862-KG
KOMATSU YELLOW #	2882193G-KG
KURVE ORANGE TEXTURE *	28896734-KG
LAGOON BLUE	28897116-KG
LANCELOT SILVER *	28856963-KG
LAWN GREEN #	2886126G-KG
LAWN MASTER ORANGE	28896889-KG
LAZERLITE BLUE #	28896035-KG
LEMON YELLOW #	28832120-KG
LETTUCE *	28897213-KG
LIGHT BLUE	28896091-KG
LIGHT BLUE SATIN	28897031-KG
LIGHT BLUSH SATIN #	2884229S-KG
LIGHT GREY RAL 7035 #	2887196G-KG
LIGHT MAKERS SILVER *	2887048Q-KG
LIMED WHITE #	2883113S-KG
LOGSTRUP GREY #	28857329-KG
LOTTO BLUE *	28858482-KG
LOTTO PURPLE #	2885182S-KG
LOTUS 1375 *	2884202G-KG
LOTUS 1375 CLINIKILL *	2884202G-CK
LUCENT CHAR #	2889045G-KG
LUCENT CRYSTAL BLUE *	2885123G-KG
LUCENT EMERALD *	2886066G-KG
LUCENT GOLD #	2882046G-KG
LUCENT ORANGE #	2884068G-KG
LUCENT RUBY #	2884067G-KG
LUCENT SAPPHIRE #	2885072G-KG
LUCENT YELLOW #	2882045G-KG
LYSAGHT WHITE *	2881103G-KG
M10 GARDEN GREEN	28896788-KG
MACHINE GREEN RIPPLE	28857328-KG
MACLEANS CREAM #	2882204G-KG
MACQUARIE GOODMAN BLUE *	28897499-KG
MAGIC MUSHROOM CLINIKILL	2888187Q-CK
MAGNOLIA *	28832658-KG
MAINLAND SILVER *	28894667-KG
MAIZE	28896643-KG
MAN GREY *	28896053-KG
MANFIELD #	2886205S-KG
MANFIELD RIPPLE #	2886205Z-KG
MANHATTAN *	28897258-KG
MANNEX BLUE *	2885208Z-KG
MANNEX BROWN *	2888199Z-KG
MANNEX COOL BEIGE #	2883128Z-KG

Safety Data Sheet



MANNEX COOL GREY #	2887424Z-KG
MANNEX NZ BRIGHT SILVER #	2887462Z-KG
MANNEX RED #	2884204Z-KG
MANNEX ROYAL BLUE #	2885272S-KG
MANNEX YELLOW #	2882158Z-KG
MARBLE *	28857457-KG
MASTER TRADE BLUE *	2885074M-KG
MATANGI GREEN	2886382G-KG
MATT CRAFT	2885329M-KG
MATT PIPE GREY #	2887286M-KG
MATT PIPE GREY *	2887186M-KG
MATT TSB BANK VIOLET	2885330M-KG
MCKECHNIES WHITE	28896744-KG
MDF BEIGE #	2883165G-KG
MERCURY GREY	28896739-KG
MERTON BEIGE	2883194G-KG
MERTON CHARCOAL	2889175G-KG
METALLIC ALU BOND *	28857462-KG
METALLIC DARK GREY	2887482Q-KG
METRO PURPLE *	28896049-KG
MILAN KENT BROWN RIPPLE	28897237-KG
MILANO RED	2884104G-KG
MIRROR BLACK TEXTURE #	28885035-KG
MIST WHITE TEXTURE *	28897495-KG
MISTLETOE #	28858571-KG
MITRE 10 ORANGE #	28896796-KG
MITRE 10 YELLOW *	28896837-KG
MINIBISHI ORANGE SATIN *	2884082S-KG
MODEM COKE TEXTURE *	28896099-KG
MODEM CREAM TEXTURE	28897041-KG
MODEM GREY TEXTURE *	28896098-KG
MOJAVE TAN #	28896096-KG
MOONSHINE CLINIKILL	2882135Q-CK
MOSSVALE SANDS RIPPLE *	28897400-KG
MOSSVALE SANDS TEXTURE	28896095-KG
MOUNTAIN MIST *	28894607-KG
MOUNTAIN MIST SATIN #	2887430S-KG
MS MATT BLACK #	2889138Z-KG
MUSTARD *	28858811-KG
N.Z POST RED *	28857258-KG
NATIONAL BLUE #	2885219S-KG
NAUTILUS CLINIKILL #	2887524G-CK
NAUTILUS CLINIKILL (BASE) #	2887524G-KG
NAVY	28858615-KG
NEW ANZ BLUE #	2885223G-KG
NEW KABATA ORANGE *	2884119S-KG
NEW SISTEMA BLUE #	2885306G-KG
NIGHT CAT	28896722-KG
NIMBUS WHITE #	2881258F-KG
NO FRILLS SATIN BLACK	28857286-KG
NUDE *	28894560-KG
NZ DX BLUE *	2885156S-KG
NZ POST RED 2004	28897103-KG
OFF WHITE BAR #	2887586S-KG
OLD WINEBERRY #	2884316G-KG
OLIVE DRAB	28894501-KG
OLIVE GREEN #	28897487-KG
ONYX *	28897421-KG
ONYX BLACK (BASE) *	28897420-KG
ONYX GREY (BASE) *	28897419-KG
ORANGE X15 #	28851439-KG

Safety Data Sheet

Dulux®

POWDER COATINGS

OVEN BLUE *	28897485-KG
OZONE #	28858570-KG
PAK & SAVE LIME GREEN #	28896783-KG
PAK N SAVE YELLOW #	28897006-KG
PALM GREEN RIPPLE *	2886069Z-KG
PAN BLUE *	28897188-KG
PANTONE 1765C PINK *	28896793-KG
PANTONE 3145C GREEN	28896609-KG
PANTONE 375C	2886055G-KG
PANTONE 485C #	2884213S-KG
PANTONE 7443C #	2885220S-KG
PANTONE 7445C #	2885243S-KG
PAPERBARK	2883130G-KG
PARBURY WHITE #	2881152G-KG
PASTEL CREAM TEXTURE *	2882048Z-KG
PAW PAW GREEN #	2886310M-KG
PAW PAW GREEN SATIN	2886310S-KG
PBW WHITE GLOSS #	2881167G-KG
PEARL BLUE	28896894-KG
PEARL WHITE *	28850277-KG
PEARL WHITE TEXTURE *	28896733-KG
PEBBLE #	28857395-KG
PENCARROW #	2887382S-KG
PENROSE WHITE #	28857265-KG
PENROSE WHITE TEXTURE	28896063-KG
PG WINDOWARE BIRCH WHITE	2881159S-KG
PG288 APRICOT KG	28833741-KG
PG288 COKE TEXTURE	288/57475-KG
PG288 TEMPERTAN	28857282-KG
PINK BATTS	28896104-KG
PINOTAGE #	28857367-KG
PIONEER WHITE GLOSS *	2881198G-KG
PIPI	2883162G-KG
PIPI CLINIKILL	2883162G-CK
PLACEMAKERS BLUE #	2885030G-KG
PLACEMAKERS GREY #	2887509S-KG
PLINTH TEAL PMS 7711C #	2886339G-KG
PLINTH VIOLET #	2885299G-KG
PMS 130C #	2882214S-KG
PMS 201C #	2884317S-KG
PMS 207C #	2884231S-KG
PMS 274 PURPLE	28896656-KG
PMS 2745C PURPLE *	2885129G-KG
PMS 2925C #	2885284S-KG
PMS 3295C #	2886349S-KG
PMS 349C GREEN #	28884589-KG
PMS 368 GREEN *	2886145S-KG
PMS 369C #	2886312S-KG
PMS 376 *	2886166G-KG
PMS 382C #	2886007S-KG
PMS 388C #	2882190S-KG
PMS 389 LIME	28896655-KG
PMS 427 SILVER GREY	28896051-KG
PMS MAGENTA C #	2884288G-KG
POLAR WHITE CLINIKILL	2881272G-CK
POMMEL BLUE #	28857262-KG
POMMEL BLUE RIPPLE #	2885273Z-KG
PORT #	2884318G-KG
PPG BLUE	28897207-KG
PRECIOUS BRONZE PEARL *	28894686-KG
PRECIOUS COPPER PEARL	28896605-KG

Safety Data Sheet

Dulux®

POWDER COATINGS

PRECISION PEARL #	2882159S-KG
PRESS BLUE TEXTURE *	2885085Z-KG
PRIMARY GREEN *	28896613-KG
PRINTING BLUE	28897030-KG
PRO DESIGN RED *	28897064-KG
PROTEC GREEN *	28896747-KG
PURPLE PAN *	28857072-KG
QUICK JUMP AQUA #	2886247S-KG
QUICK JUMP GREEN #	2886246S-KG
RAIL BLUE #	2885259S-KG
RAL 1013 #	2883160G-KG
RAL 1023 TRAFFIC YELLOW #	2882206S-KG
RAL 3002 RED #	2884209S-KG
RAL 5009 #	2885242S-KG
RAL 5019 #	2885277S-KG
RAL 6017 MAY GREEN *	2886169S-KG
RAL 7001 SILVER GREY #	2887513S-KG
RAL 7012 BASALT GREY #	2887195G-KG
RAL 7015 TEXTURE #	2887231Z-KG
RAL 7024 GREY *	2887138S-KG
RAL 7038 GREY	28896730-KG
RAL 7042 GREY #	2887617S-KG
RAL 9003 SIGNAL WHITE #	2881115S-KG
RAL 9016 *	2881109S-KG
RAL7043 TRAFFIC GREY	2887642S-KG
RANCH BROWN	28896912-KG
RANCH BROWN *	28833593-KG
RAPID RED #	28857264-KG
REGIONAL COUNCIL BLUE *	28897402-KG
REPCO GREY #	2887530G-KG
REPCO ORANGE *	28897404-KG
REPCO RED *	28897121-KG
RESENE ARMADILLO 2GR10 *	2887159G-KG
RESENE CEDAR 1B050 *	2888103S-KG
RESENE CONTI YELLOW *	2882065G-KG
RESENE RUSTIC RED *	2884153S-KG
RESENE TEAL BLUE	2885318S-KG
RH PAGE NEW BLUE *	28897508-KG
RHEEM WHITE 2 #	2881285S-KG
RHEEM WHITE TEXTURE #	2881142Z-KG
RICE CAKE *	2882050S-KG
RILEY GREEN	28858473-KG
ROCK LEMON YELLOW #	2882184G-KG
ROCK PERMA YELLOW #	2882185G-KG
ROCK SPRAY	28897012-KG
ROSE RED	28897482-KG
ROYAL BLUE #	28857273-KG
RPC CABINET OFF WHITE *	2881144S-KG
RUSSET *	2884212Q-KG
SAFETY ORANGE	28894613-KG
SAFETY YELLOW	28896703-KG
SAFETY YELLOW GLOSS	2882183G-KG
SAN MARINO *	2885070G-KG
SANDSPIT #	2882139G-KG
SANDSTONE	28856948-KG
SANDY BAY CLINIKILL	2888188Q-CK
SATIN GOLD	28858417-KG
SCANNELL BLUE	28897229-KG
SCHWEPPE'S YELLOW	28859623-KG
SCOTCH MIST	28857259-KG
SEA BED	2886283S-KG

Safety Data Sheet



SEA SALT GREY	2887409G-KG
SEAFOAM (CLINIKILL BASE)	2883161G-KG
SEAFOAM CLINIKILL	2883161G-CK
SEAGULL GREY	28858729-KG
SENTINNEL BLUE	28857150-KG
SENTINNEL BLUE PEARL	28896978-KG
SENTINNEL BLUE RIPPLE	2885064Z-KG
SENTINNEL BLUE TEXTURE	28897255-KG
SHELL GREY	28894518-KG
SHOTOVER STREET	2886204S-KG
SHOWER ALMOND	28857247-KG
SHOWLINE BEIGE	28859651-KG
SIGNAL RED	28850735-KG
SIGNAL RED RIPPLE	28897216-KG
SIGNAL RED SATIN	28897214-KG
SILK STOCKINGS	28858731-KG
SILVER BULLET	2887370Q-KG
SILVER BULLET CLINIKILL	2887370Q-CK
SILVER FOX TEXTURE	28833899-KG
SILVER GREY KINETIC	2887445K-KG
SILVER GREY TEXTURE	2887153Z-KG
SILVER JEWELS	28859802-KG
SILVER METALLIC MATT	28897101-KG
SILVER ORBITOR	28896109-KG
SILVER QUILL	28858728-KG
SILVER QUILL CLINIKILL	28858728-CK
SILVER TEXTURE	2887099Z-KG
SILVER X TEXTURE	28897269-KG
SKOPE GREY CLADDING	2887042Q-KG
SKOPE SILVER CLAD	28897426-KG
SKY	28858613-KG
SNEAKY MIST CLINIKILL	2885176Q-CK
SOUTH STAR ORANGE	2884289G-KG
SOUTHERN PINE	28858574-KG
SPACE BLUE	28819990-KG
SPACE BLUE RIPPLE	28897489-KG
SPATIAL WHITE	28897248-KG
SPRING LEAF	28858568-KG
SPRINTER WHITE	28858422-KG
ST TROPEZ	28896753-KG
STAGECOACH BLUE	28896737-KG
STEVES BLUE	2885283S-KG
STONE GREY	28857301-KG
STONE GREY METALLIC	28894549-KG
SUPALITE GREEN	28894577-KG
SUPER BANK PINK	28897189-KG
SUPER HOT CHILLI	28897086-KG
SUPERIOR YELLOW	2882118G-KG
SUPERIOR YELLOW *	28896971-KG
SUPREME CREAM RIPPLE	2882117Z-KG
SWITCH ORANGE SATIN	2884160S-KG
SWITCHBOARD BLUE	2885245S-KG
SYFT BLUE TEXTURE PEARL	2885107Z-KG
T SATIN WHITE	2881257S-KG
TAIT BLACK TEXTURE	2889033Z-KG
TANGELO	2884315S-KG
TAUPE	28896090-KG
TEAL GLOSS	2885275G-KG
TECHRON GREEN	2886277F-KG
TEEN GREEN	2886067M-KG
TELECOM GREEN	28858566-KG

Safety Data Sheet



THAIN RED	28897195-KG
THREADBOW WHITE	28896646-KG
THREE KINGS	2884185S-KG
TICKLE PINK	2884056G-KG
TICKLE PINK PEARL	2884116Q-KG
TICKLE PINK RIPPLE	2884308Z-KG
TIDE	28897183-KG
TITAN GOLD	2888294Q-KG
TITANIUM	2887343Z-KG
TIVOLI	28857496-KG
TOI TOI	2882178G-KG
TOI TOI CLINIKILL	2882178G-CK
TOLL TEA TEXTURE	2883048Z-KG
TORONTO GREEN	28896696-KG
TRAFFIC RED RAL 3020	2884024G-KG
TRANS GREY	28897073-KG
TRANSFORMER GREY	28832186-KG
TREDSURE SCHWEPPES YELLOW	2882202Z-KG
TRIMAX RED	2884325G-KG
TROPICAL YELLOW	2882074S-KG
TRU GREEN	2886313G-KG
TUSCAN RED	28858412-KG
TUSK IVORY	28885309-KG
UNISHELF GREEN	28894547-KG
UNISILVER	28857176-KG
USA GREEN	28897002-KG
VANDA MATT WHITE	2881169M-KG
VAUDRY GREY WHITE	28896795-KG
VIOLET FEMMES	28857177-KG
VIOLET FEMMES TEXTURE	28894687-KG
VIPER GAS METALLIC RINNAI	28896726-KG
VODAFONE BOYSENBERRY	2885096S-KG
VODAFONE LETTUCE	2886284S-KG
WAR BLUE	2885276S-KG
WASABI G64-096-015	2886049G-KG
WATER CHESTNUT	28858504-KG
WATER CHESTNUT RIPPLE	28897504-KG
WATERFORCE BLUE	2885087G-KG
WEXFORD FOG	28858730-KG
WHITCO SILVER KINETIC	2887536K-KG
WHITE BIRCH	2882034S-KG
WHITE BUCKS	28884544-KG
WHITE X TEXTURE (BASE)	28897267-KG
WINEBERRY	28857074-KG
WINEBERRY PEARL	2884076Q-KG
WINSTONE ALABASTER	2881237F-KG
WORMALD SAND	28896736-KG
X-BOX GREEN	2886023S-KG
YELLOW GOLD	28833617-KG
YUNGA SILVER	28896111-KG
ZIP STOP ORANGE	2884193G-KG
ZODIAC GREY	2887120G-KG
CONCEPT SILVER GLOSS	2887684Q-KG
RAYROLLE GREY RIPPLE	2887688Z-KG
AXIAM OLIVE DRAB	2886385M-KG
HV GREEN RIPPLE	2886386Z-KG
NCS-S-0502-Y WARM WHITE	2883210S-KG
SEPIA BROWN	2888316M-KG
F & P ALL WHITE	2881325G-KG
WON EGGSHELL RIPPLE	28857488-KG
PORTER ORANGE	2884333G-KG

Safety Data Sheet



SWITCH WARM WHITE MATT	2883213M-KG
RAL 5011	2885345S-KG
RAL 2012	2884334S-KG
QUARTER FUSCOUS GREY	2887706M-KG
REFLEX BLUE	2885346G-KG
PRECISION CHINA GREY	2887707S-KG
HUNZA BLACK TEXTURE	2889185Z-KG
MATT LUCENT CHAR	2889045M-KG
METAL MAGIC WHITE	2881327S-KG
CASTING WHITE	28885496-KG
PANTONE 7647C	2884340S-KG
PMS 303	2885353S-KG
WON SANDLEWOOD RIPPLE	28857489-KG
WON COLONIAL BLUE RIPPLE	28896645-KG
GUNMETAL BEIGE	2887716S-KG
POLISHED BRASS	2888342Q-KG
PINK QUARTER MARBLE	2884345M-KG
BARRIER BLUE	28857136-KG
SANDSTONE GREY MATT RIPPLE	2887217Z-KG
APGT GREY	2887063M-KG
PX3 BLUE	2885359Q-KG

Recommended use: Powder coating. Applied by electrostatic spray.

Supplier: Dulux Powder & Industrial Coatings, a division of DuluxGroup (New Zealand) Pty Ltd
Company No.: 55 133 404 118 / Co. 2355191
Street Address: 150 Hutt Park Road
Lower Hutt
New Zealand
Telephone: 0800 800 975

Emergency Telephone number: Australia – 1800 220 770; New Zealand – 0800 220 770

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of EPA New Zealand.

EPA Group Standard: NA - Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Ingredients determined to be non-hazardous or below reporting limits		100 % (w/w)
		100%

4. FIRST AID MEASURES

Product Name: 288-LINE PACIFIC GOLD PG288 (non-haz)

Reference No: DLXNZLEN001357

Issued: 7 August 2020

Version: 7.1

Page 11 of 17

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE



Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
Particulates not otherwise classified (Respirable dust)		3			

As published by WorkSafe New Zealand.

WES-TWA (Workplace Exposure Standard - Time-weighted average). The average airborne concentration of a substance calculated over an eight-hour working day.

WES-Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded at any time during any part of the working day.

WES-STEL (Workplace Exposure Standard - Short-term exposure limit). The 15-minute time weighted average exposure standard. Applies to any 15-minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Exposures at concentrations between the WES-TWA and the WES-STEL should be less than 15 minutes, should occur no more than four times per day, and there should be at least 60 minutes between successive exposures in this range.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the WorkSafe New Zealand the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask. When using this material, use explosive dust handling controls to minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks and flame; prevent the build-up of static charges with appropriate earthing of equipment and personnel.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, DUST MASK.

Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	Various
Odour:	Mild, characteristic
Solubility:	Insoluble in water.
Specific Gravity:	1.1 - 1.6
Relative Vapour Density (air=1):	N App
Vapour Pressure (20 °C):	N App
Flash Point (°C):	N App
Explosion/Flammability Limits:	20 g/m ³ - 70 g/m ³
Autoignition Temperature (°C):	N App
Melting Point/Range (°C):	N Av
Boiling Point/Range (°C):	N Av
pH:	N App
Viscosity:	N App
Total VOC (g/Litre):	N Av

(Typical values only - consult specification sheet)
N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Avoid the generation of airborne dust, ensure all potential ignition sources are eliminated, including the build-up of static charges

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: Airborne dust may result in an explosion if ignited by static discharge or other sources of ignition. Keep away from heat, hot surfaces, sparks and flame.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 5.0 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation):

This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity in the soil environment: This material has been classified as non-hazardous.

Ecotoxicity to terrestrial vertebrates: This material has been classified as non-hazardous.

Ecotoxicity to terrestrial invertebrates: This material has been classified as non-hazardous.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

- All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

EPA Group Standard: NA - Not Applicable

Approved handler	No
Location test certificate	No
Fire extinguishers	No
Signage	No
Emergency response	No
Hazardous atmosphere zone	No

16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards

Safety Data Sheet



**POWDER
COATINGS**

described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.