



## Hazardous, NON-Dangerous Goods

### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product Name: **INTERGRAIN NATURALSTAIN**

#### Synonyms

Intergrain NaturalStain Cedar/Cypress 250mL  
 Intergrain NaturalStain Cedar/Cypress 1L  
 Intergrain NaturalStain Cedar/Cypress 4L  
 Intergrain NaturalStain Cedar/Cypress 10L  
 Intergrain NaturalStain Charcoal 250mL  
 Intergrain NaturalStain Charcoal 1L  
 Intergrain NaturalStain Charcoal 4L  
 Intergrain NaturalStain Charcoal 10L  
 Intergrain NaturalStain Jarrah/Redgum 250mL  
 Intergrain NaturalStain Jarrah/Redgum 1L  
 Intergrain NaturalStain Jarrah/Redgum 4L  
 Intergrain NaturalStain Jarrah/Redgum 10L  
 Intergrain NaturalStain Merbau 250mL  
 Intergrain NaturalStain Merbau 1L  
 Intergrain NaturalStain Merbau 4L  
 Intergrain NaturalStain Merbau 10L  
 Intergrain NaturalStain Tint Base 250mL  
 Intergrain NaturalStain Tint Base 1L  
 Intergrain NaturalStain Tint Base 4L  
 Intergrain NaturalStain Redwood 250mL  
 Intergrain NaturalStain Redwood 1L  
 Intergrain NaturalStain Redwood 4L  
 Intergrain NaturalStain Redwood 10L  
 Intergrain UltraDeck Timber Stain Cedar/Cypress 250mL  
 Intergrain UltraDeck Timber Stain Cedar/Cypress 1L  
 Intergrain UltraDeck Timber Stain Cedar/Cypress 4L  
 Intergrain UltraDeck Timber Stain Cedar/Cypress 10L  
 Intergrain UltraDeck Timber Stain Charcoal 250mL  
 Intergrain UltraDeck Timber Stain Charcoal 1L  
 Intergrain UltraDeck Timber Stain Charcoal 4L  
 Intergrain UltraDeck Timber Stain Charcoal 10L  
 Intergrain UltraDeck Timber Stain Jarrah/Redgum 250mL  
 Intergrain UltraDeck Timber Stain Jarrah/Redgum 1L  
 Intergrain UltraDeck Timber Stain Jarrah/Redgum 4L  
 Intergrain UltraDeck Timber Stain Jarrah/Redgum 10L  
 Intergrain UltraDeck Timber Stain Merbau 250mL  
 Intergrain UltraDeck Timber Stain Merbau 1L  
 Intergrain UltraDeck Timber Stain Merbau 4L  
 Intergrain UltraDeck Timber Stain Merbau 10L  
 Intergrain UltraDeck Timber Stain Tint Base 250mL  
 Intergrain UltraDeck Timber Stain Tint Base 1L  
 Intergrain UltraDeck Timber Stain Tint Base 4L  
 Intergrain UltraDeck Timber Stain Redwood 250mL  
 Intergrain UltraDeck Timber Stain Redwood 1L  
 Intergrain UltraDeck Timber Stain Redwood 4L  
 Intergrain UltraDeck Timber Stain Redwood 10L  
 Intergrain UltraDeck Timber Stain Merbau 250mLz  
 Intergrain UltraDeck Timber Stain Merbau 1L z  
 Intergrain UltraDeck Timber Stain Merbau 4Lz  
 Intergrain UltraDeck Timber Stain Merbau 10Lz

#### Product Code

55294808-250mL  
 55294808-1L  
 55294808-4L  
 55294808-10L  
 55294741-250mL  
 55294741-1L  
 55294741-4L  
 55294741-10L  
 55294811-250mL  
 55294811-1L  
 55294811-4L  
 55294811-10L  
 55294923-250mL  
 55294923-1L  
 55294923-4L  
 55294923-10L  
 55297673-250mL  
 55297673-1L  
 55297673-4L  
 55294739-250mL  
 55294739-1L  
 55294739-4L  
 55294739-10L  
 55294808-250mL  
 55294808-1L  
 55294808-4L  
 55294808-10L  
 55294741-250mL  
 55294741-1L  
 55294741-4L  
 55294741-10L  
 55294811-250mL  
 55294811-1L  
 55294811-4L  
 55294811-10L  
 55294923-250mL  
 55294923-1L  
 55294923-4L  
 55294923-10L  
 55297673-250mL  
 55297673-1L  
 55297673-4L  
 55294739-250mL  
 55294739-1L  
 55294739-4L  
 55294739-10L  
 552W0364-250mL  
 552W0364-1L  
 552W0364-4L  
 552W0364-10L

#### Bar Code

9300611532954  
 9316028040012  
 9316028040043  
 9316028040104  
 9300611532961  
 9300611300034  
 9300611300041  
 9300611300058  
 9300611532947  
 9316028041019  
 9316028041040  
 9316028041101  
 9300611532930  
 9300611464873  
 9300611464828  
 9300611464835  
 9300611532329  
 9300611513779  
 9300611513762  
 9300611532855  
 9300611299635  
 9300611299796  
 9300611300003  
 9300611532954  
 9316028040012  
 9316028040043  
 9316028040104  
 9300611532961  
 9300611300034  
 9300611300041  
 9300611300058  
 9300611532947  
 9316028041019  
 9316028041040  
 9316028041101  
 9300611532930  
 9300611464873  
 9300611464828  
 9300611464835  
 9300611532329  
 9300611513779  
 9300611513762  
 9300611532855  
 9300611299635  
 9300611299796  
 9300611300003  
 9400513208008  
 9400513207995  
 9400513208015  
 9400513207988

# Safety Data Sheet



Intergrain UltraDeck Timber Stain Charcoal 250mLz	552W0361-250mL	9400513207926
Intergrain UltraDeck Timber Stain Charcoal 1Lz	552W0361-1L	9400513207919
Intergrain UltraDeck Timber Stain Charcoal 4Lz	552W0361-4L	9400513207933
Intergrain UltraDeck Timber Stain Charcoal 10Lz	552W0361-10L	9400513207902
Intergrain UltraDeck Timber Stain Kowhai 250mLz	552W0360-250mL	9400513207889
Intergrain UltraDeck Timber Stain Kowhai 1Lz	552W0360-1L	9400513207872
Intergrain UltraDeck Timber Stain Kowhai 4Lz	552W0360-4L	9400513207896
Intergrain UltraDeck Timber Stain Kowhai 10Lz	552W0360-10L	9400513207865
Intergrain UltraDeck Timber Stain Redwood 250mLz	552W0362-250mL	9400513207964
Intergrain UltraDeck Timber Stain Redwood 1Lz	552W0362-1L	9400513207957
Intergrain UltraDeck Timber Stain Redwood 4Lz	552W0362-4L	9400513207971
Intergrain UltraDeck Timber Stain Redwood 10Lz	552W0362-10L	9400513207940
Intergrain UltraDeck Timber Stain Driftwood 250mLz	552W0452-250mL	9400513208145
Intergrain UltraDeck Timber Stain Driftwood 1Lz	552W0452-1L	9400513208138
Intergrain UltraDeck Timber Stain Driftwood 4Lz	552W0452-4L	9400513208121
Intergrain UltraDeck Timber Stain Driftwood 10Lz	552W0452-10L	9400513208114

**Recommended Use:** Exterior wood stain. Applied by brush, roller, applicator pad or spray.

**Supplier:** Cabot's Australia, a division of DuluxGroup (Australia) Pty Ltd  
**ABN:** 67 000 049 427  
**Street Address:** 1956 Dandenong Road  
Clayton VIC 3168  
Australia  
**Telephone:** 1800 011 006

**Emergency Telephone Number:** Australia – 1800 220 770; New Zealand – 0800 220 770

## 2. HAZARDS IDENTIFICATION

This material is hazardous according to the criteria of Safe Work Australia GHS 7.



### Signal Word

Warning

### Hazard Classification

Sensitisation - Skin - Category 1

### Hazard Statement

H317 May cause an allergic skin reaction.

### Prevention Precautionary Statements

P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing including eye/face protection.

### Response Precautionary Statements

P101 If medical advice is needed, have product container or label at hand.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet



P362+P364 Take off contaminated clothing and wash it before reuse

## Storage Precautionary Statement

Not allocated

## Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

**Poison Schedule:** Not Applicable

## DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

## 3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
1,2-Benzisothiazol-3(2H)-one (BIT)	2634-33-5	<0.05 % (w/w)
2-Methyl-2H-isothiazol-3-one (MIT)	2682-20-4	<0.05 % (w/w)
2-Octyl-2H-isothiazol-3-one (OIT)	26530-20-1	<0.05 % (w/w)
Ingredients determined to be non-hazardous or below reporting limits		Balance
		100%

## 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:** Effects may be delayed. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye Contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**PPE for First Aiders:** Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Notes to Physician:** Treat symptomatically. Effects may be delayed.

## 5. FIRE FIGHTING MEASURES

Product Name: INTERGRAIN NATURALSTAIN

Reference No: DLXGHSEN003479

Issued: 2 December 2024

Version: 2.1

Page 3 of 7

# Safety Data Sheet



**Hazchem Code:** Not applicable.

**Suitable Extinguishing Media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

**Specific Hazards:** Non-combustible material.

**Fire Fighting Further Advice:** Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

## 6. ACCIDENTAL RELEASE MEASURES

### SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

### LARGE SPILLS

Clear area of all unprotected personnel. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

**Dangerous Goods - Initial Emergency Response Guide No:** Not applicable

## 7. HANDLING AND STORAGE

**Handling:** Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.

**Storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**National Occupational Exposure Limits:** No value assigned for this specific material by Safe Work Australia.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

**Engineering Measures:** Natural ventilation should be adequate under normal use conditions.

**Personal Protection Equipment:** SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Hygiene Measures:** Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of . Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# Safety Data Sheet



**Colour:** Various  
**Odour:** Mild

**Solubility:** Miscible with water  
**Specific Gravity:** 1.05  
**Relative Vapour Density (air=1):** >1  
**Vapour Pressure:** N Av  
**Flash Point (°C):** N App  
**Explosion/Flammability Limits:** N App  
**Autoignition Temperature (°C):** N Av  
**Melting/Freezing Point/Range (°C):** N Av  
**Boiling Point/Range (°C):** N Av  
**pH:** 8  
**Viscosity:** >20.5 mm<sup>2</sup>/s @ 40 °C  
**Total VOC (g/Litre):** N Av

(Typical values only - consult specification sheet)  
N Av = Not available, N App = Not applicable

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** This material is thermally stable when stored and used as directed.

**Conditions to Avoid:** Elevated temperatures and sources of ignition.

**Incompatible Materials:** Oxidising agents.

**Hazardous Decomposition Products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.

**Hazardous Reactions:** No known hazardous reactions.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Acute Effects

**Inhalation:** Material may be an irritant to mucous membranes and respiratory tract.

**Skin Contact:** Contact with skin may result in irritation. A skin sensitizer. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Eye Contact:** May be an eye irritant.

### Acute Toxicity

**Inhalation:**

**Skin Contact:** This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): LD<sub>50</sub> > 2,000 mg/Kg bw

**Ingestion:** This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity

# Safety Data Sheet



estimate (based on ingredients): LD<sub>50</sub> > 2,000 mg/Kg bw

**Corrosion/Irritancy:** Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as a Category 1 Hazard (skin sensitiser).

**Aspiration Hazard:** This material has been classified as not an aspiration hazard.

**Specific Target Organ Toxicity (Single Exposure):** This material has been classified as not a specific hazard to target organs by a single exposure.

## Chronic Toxicity

**Mutagenicity:** This material has been classified as not a mutagen.

**Carcinogenicity:** This material has been classified as not a carcinogen.

**Reproductive Toxicity (Including via Lactation):** This material has been classified as not a reproductive toxicant.

**Specific Target Organ Toxicity (Repeat Exposure):** This material has been classified as not a specific hazard to target organs by repeat exposure.

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Acute Aquatic Hazard:** This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

**Long-Term Aquatic Hazard:** This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K<sub>ow</sub> < 4.

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulative Potential:** No information available.

**Mobility:** No information available.

## 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

## 14. TRANSPORT INFORMATION

# Safety Data Sheet



## ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

## MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

## AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

### This Material is not Subject to the Following International Agreements:

Montreal Protocol (Ozone depleting substances)  
The Stockholm Convention (Persistent Organic Pollutants)  
The Rotterdam Convention (Prior Informed Consent)  
Basel Convention (Hazardous Waste)  
International Convention for the Prevention of Pollution from Ships (MARPOL)

### This Material/Constituent(s) is Covered by the Following Requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

NZ EPA Status: All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

**HSNO Group Standard:** HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020

## 16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd ([chemdata.com.au](http://chemdata.com.au)) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since the company cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.