

NON-Hazardous Chemical, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR LOW SHEEN

Synonyms	Product Code	Bar Code
Dulux Weathershield Exterior Low Sheen Black 1L	54L00070-1L	9300611609113
Dulux Weathershield Exterior Low Sheen Black 4L	54L00070-4L	9300611609120
Dulux Weathershield Exterior Low Sheen Black 10L	54L00070-10L	9300611609106
Dulux Weathershield Exterior Low Sheen Blue 1L	54L87662-1L	9300611609441
Dulux Weathershield Exterior Low Sheen Blue 4L	54L87662-4L	9300611609458
Dulux Weathershield Exterior Low Sheen Blue 10L	54L87662-10L	9300611609434
Dulux Weathershield Exterior Low Sheen Bold Yellow 1L	54L84473-1L	9300611609397
Dulux Weathershield Exterior Low Sheen Bold Yellow 4L	54L84473-4L	9300611609403
Dulux Weathershield Exterior Low Sheen Bold Yellow 10L	54L84473-10L	9300611609380
Dulux Weathershield Exterior Low Sheen Brunswick Green 1L	54L33797-1L	9300611609328
Dulux Weathershield Exterior Low Sheen Brunswick Green 4L	54L33797-4L	9300611609335
Dulux Weathershield Exterior Low Sheen Brunswick Green 10L	54L33797-10L	9300611609311
Dulux Weathershield Exterior Low Sheen Classic Cream 4L	54L84918-4L	9300611612878
Dulux Weathershield Exterior Low Sheen Classic Cream 10L	54L84918-10L	9300611612908
Dulux Weathershield Exterior Low Sheen Deep 1L	54L04914-1L	9300611609205
Dulux Weathershield Exterior Low Sheen Deep 2L	54L04914-2L	9300611609212
Dulux Weathershield Exterior Low Sheen Deep 4L	54L04914-4L	9300611609229
Dulux Weathershield Exterior Low Sheen Deep 10L	54L04914-10L	9300611609182
Dulux Weathershield Exterior Low Sheen Deep 15L	54L04914-15L	9300611609199
Dulux Weathershield Exterior Low Sheen Deep Blue 10L	54LD0179-10L	9300611609519
Dulux Weathershield Exterior Low Sheen Extra Bright Base 1L	54L87663-1L	9300611609489
Dulux Weathershield Exterior Low Sheen Extra Bright Base 2L	54L87663-2L	9300611609496
Dulux Weathershield Exterior Low Sheen Extra Bright Base 4L	54L87663-4L	9300611609502
Dulux Weathershield Exterior Low Sheen Extra Bright Base 10L		9300611609465
Dulux Weathershield Exterior Low Sheen Extra Bright Base 15L		9300611609472
Dulux Weathershield Exterior Low Sheen Indian Red 1L	54L50101-1L	9300611609342
Dulux Weathershield Exterior Low Sheen Indian Red 4L	54L50101-4L	9300611609359
Dulux Weathershield Exterior Low Sheen Ironstone 4L	54L89971-4L	9300611614797
Dulux Weathershield Exterior Low Sheen Ironstone 10L	54L89971-10L	9300611614780
Dulux Weathershield Exterior Low Sheen Mission Brown 1L	54L13589-1L	9300611609243
Dulux Weathershield Exterior Low Sheen Mission Brown 4L	54L13589-4L	9300611609250
Dulux Weathershield Exterior Low Sheen Mission Brown 10L	54L13589-10L	9300611609236
Dulux Weathershield Exterior Low Sheen Monument 4L	54L89968-4L	9300611612861
Dulux Weathershield Exterior Low Sheen Monument 10L	54L89968-10L	9300611612892
Dulux Weathershield Exterior Low Sheen Orange 1L	54L84474-1L	9300611609410
Dulux Weathershield Exterior Low Sheen Orange 4L	54L84474-4L	9300611609427
Dulux Weathershield Exterior Low Sheen True Red 1L	54L84472-1L	9300611609366
Dulux Weathershield Exterior Low Sheen True Red 4L	54L84472-4L	9300611609373
Dulux Weathershield Exterior Low Sheen True Red 10L	54L84472-10L	9300611612632
Dulux Weathershield Exterior Low Sheen Ultra Deep Tone 1L	54L16101-1L	9300611609281
Dulux Weathershield Exterior Low Sheen Ultra Deep Tone 2L	54L16101-2L	9300611609298
Dulux Weathershield Exterior Low Sheen Ultra Deep Tone 4L	54L16101-4L	9300611609304
Dulux Weathershield Exterior Low Sheen Ultra Deep Tone 10L	54L16101-10L	9300611609267
Dulux Weathershield Exterior Low Sheen Ultra Deep Tone 15L	54L16101-15L	9300611609274
Dulux Weathershield Exterior Low Sheen Vivid White 1L	54L04912-1L	9300611609151
Dulux Weathershield Exterior Low Sheen Vivid White 2L	54L04912-2L	9300611609168
Dulux Weathershield Exterior Low Sheen Vivid White 4L	54L04912-4L	9300611609175
Dulux Weathershield Exterior Low Sheen Vivid White 10L	54L04912-10L	9300611609137
Dulux Weathershield Exterior Low Sheen Vivid White 15L	54L04912-15L	9300611609144
Dulux Weathershield Exterior Low Sheen Woodland Grey 4L	54L60342-4L	9300611612885

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 1 of 7



Dulux Weathershield Exterior Low Sheen Woodland Grey 10L 54L60342-10L

9300611612915

Recommended use: Surface coating. Applied by brush, roller or spray.

Supplier: Dulux New Zealand, a division of DuluxGroup (New Zealand) Pty Ltd

Company No.: 55 133 404 118 / Co. 2355191

Street Address: 150 Hutt Park Road

Lower Hutt New Zealand

Telephone: 0800 800 424

Emergency Telephone number: Australia – 1800 033 111 New Zealand – 0800 734 607

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of EPA New Zealand.

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY CAS NO PROPORTION

Ingredients determined to be non-hazardous 100 % (w/w)

100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 2 of 7



re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Fire fighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by WorkSafe New Zealand.

Biological Limit Values: As per the WorkSafe New Zealand the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions...

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 3 of 7



conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Viscous Liquid

Colour: Various

Odour: Mild, characteristic

Solubility: Miscible with water.

Specific Gravity: 1.0 - 1.4Relative Vapour Density (air=1): >1 Vapour Pressure (20 °C): N Av Flash Point (°C): N App N App Flammability Limits (%): **Autoignition Temperature (°C):** N Av Melting Point/Range (°C): N Av **Boiling Point/Range (°C):** N Av **Decomposition Point (°C):** N Av pH: 8 - 10 Viscosity: N Av Total VOC (g/Litre): N Av

> (Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 4 of 7



Eye contact: May be an eye irritant.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist or LC50 > 5,000 ppm gas

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation):

This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity in the soil environment: This material has been classified as non-hazardous.

Ecotoxicity to terrestrial vertebrates: This material has been classified as non-hazardous.

Ecotoxicity to terrestrial invertebrates: This material has been classified as non-hazardous.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 5 of 7



Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

- All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).
- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since DuluxGroup (Australia) Pty Ltd and DuluxGroup (New Zealand) Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 6 of 7



If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Product Name: 54L-LINE DULUX WEATHERSHIELD EXTERIOR Reference No: DLXNZLEN003376

LOW SHEEN

Issued: 18 March 2019 Version: 1.2 Page 7 of 7