



# SAFETY DATA SHEET

## AVISTA WATERBASED TINTER

Infosafe No.: LQ01W  
Version No.: 1.0  
ISSUED Date: 15/07/2014  
ISSUED BY Parchem Construction  
Supplies Pty Ltd

### 1. IDENTIFICATION

---

**GHS Product Identifier**

AVISTA WATERBASED TINTER

**Company Name**

Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

**Address**

7 Lucca Road Wyong  
NSW 2259 Australia

**Telephone/Fax Number**

Tel: 02 4350 5000  
Fax: 02 4351 2024

**Emergency phone number**

1800 638 556 (available 24/7)

**Recommended use of the chemical and restrictions on use**

Used to colour cement or water dispersed polymer coatings.

**Other Information**

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

[www.parchem.com.au](http://www.parchem.com.au)

## 2. HAZARD IDENTIFICATION

---

### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

### Supplemental Information

The information under this heading is not mandatory under WHS Regulations. It is provided as information on other GHS hazard classes and categories and/or environmental hazards that are outside the scope of the WHS Regulations.

GHS classification: Acute Toxicity - Oral: Category 5. Hazard statement: H303. Precautionary statement: P312, P331, P501

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

### Information on Composition

Water Based Tinter and/ or Concentrate.

### Ingredients

Name	CAS	Proportion
Carbon Black	1333-86-4	40-50 %
Diethylene glycol	111-46-6	<=10 %
Ingredients determined not to be hazardous, including water		Balance

## 4. FIRST-AID MEASURES

---

### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### First Aid Facilities

Eyewash and normal washroom facilities.

**Advice to Doctor**

Treat symptomatically.

**Other Information**

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

---

**5. FIRE-FIGHTING MEASURES**

---

**Suitable Extinguishing Media**

Use appropriate fire extinguisher for surrounding environment.

**Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

**Specific Hazards Arising From The Chemical**

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

**Decomposition Temperature**

Not available

**Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

---

**7. HANDLING AND STORAGE**

---

**Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

### Storage Temperatures

Do not store below 0°C or above 50°C.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below:

Safe Work, Australia Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Diethylene glycol	23	100	-	-	-
Carbon Black	-	3	-	-	-

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

### Biological Limit Values

No biological limits allocated.

### Appropriate Engineering Controls

Use with good general ventilation. If dust is produced, local exhaust ventilation should be used.

### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/ mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

**Hand Protection**

Wear gloves of impervious material e.g. PVC. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

**Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**Appearance**

Viscous liquid

**Colour**

Various colours, including black

**Odour**

Not available

**Decomposition Temperature**

Not available

**Melting Point**

Not available

**Boiling Point**

>100°C

**Solubility in Water**

Miscible

**Specific Gravity**

Various, depending on pigment used

**pH**

8.5 - 9.5

**Vapour Pressure**

<23 mmHg (at 20°C)

**Vapour Density (Air=1)**

Not available

**Evaporation Rate**

Not available

**Odour Threshold**

Not available

**Viscosity**

Not available

**Partition Coefficient: n-octanol/water**

Not available

**Flash Point**

Not applicable

**Flammability**

Non-combustible

**Auto-Ignition Temperature**

Not applicable

**Flammable Limits - Lower**

Not applicable

**Flammable Limits - Upper**

Not applicable

**10. STABILITY AND REACTIVITY**

---

**Reactivity**

Refer to Sec 10: Possibility of hazardous reactions

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Conditions to Avoid**

Heat, open flames and other sources of ignition.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: carbon dioxide, carbon monoxide and oxides of nitrogen.

**Possibility of hazardous reactions**

Will react with incompatibles

**Hazardous Polymerization**

Will not occur

**11. TOXICOLOGICAL INFORMATION**

---

**Toxicology Information**

No toxicity data available for this material.

**Ingestion**

May be harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

**Inhalation**

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

**Skin**

May be irritating to skin. The symptoms may include redness, itching and swelling.

**Eye**

May be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

Carbon black is listed as a Group 3 carcinogen: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

**14. TRANSPORT INFORMATION**

---

**Transport Information**

Road and Rail Transport:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**15. REGULATORY INFORMATION**

---

**Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

**Poisons Schedule**

Not Scheduled



## **Australia (AICS)**

All components of this product are listed on the Australian Inventory of Chemical Substances (AICS), or otherwise are in compliance with the NICNAS requirements

## **16. OTHER INFORMATION**

---

### **Date of preparation or last revision of SDS**

SDS Reviewed: July 2014

MSDS Supersedes: May 2011

### **References**

-Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice

-Standard for the Uniform Scheduling of Medicines and Poisons.

-Australian Code for the Transport of Dangerous Goods by Road & Rail.

-Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

-Workplace exposure standards for airborne contaminants, Safe work Australia.

-American Conference of Industrial Hygienists (ACGIH)

-Globally Harmonised System of classification and labelling of chemicals.

### **Contact Person/Point**

Technical Support: 1800 812 864

---

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.