

Enviro Tech Chemical Services Brommax Enviro Tech Chemical Services

Chemwatch: 93-2687 Version No: 3.1.1.1 Material Safety Data Sheet according to NOHSC and ADG requirements Chemwatch Hazard Alert Code: 3 Issue Date: 01/11/2019

Print Date: 08/01/2021 S.Local.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Enviro Tech Chemical Services Brommax
Chemical Name	Not Applicable
Synonyms	Not Available
Proper shipping name	CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide)
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Nelevani luentineu uses Water treatment antimicrobial solution.	Relevant identified uses	Water treatment antimicrobial solution.
---	--------------------------	---

Details of the supplier of the safety data sheet

Registered company name	Enviro Tech Chemical Services
Address	500 Winmoore Way Modesto CA 95358 United States
Telephone	+1 209 581 9576
Fax	+1 209 581 9653
Website	http://envirotech.com/
Email	orders@envirotech.com

Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+61 2 9186 1132
Other emergency telephone numbers	+61 1800 951 288

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

Poisons Schedule	Not Applicable	
Risk Phrases ^[1]	R34 R41 R52	Causes burns. Risk of serious damage to eyes. Harmful to aquatic organisms.
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Classification ^[1]	Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1B, Serious Eye Damage Category 1, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Acute Aquatic Hazard Category 3	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)	
Signal word	Danger

Hazard statement(s)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H402	Harmful to aquatic life.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P234	Keep only in original container.

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Label elements



Relevant risk statements are found in section 2

Indication(s) of danger	C	
Safety advice		
S01	Keep locked up.	
S02	Keep out of reach of children.	
S04	Keep away from living quarters.	
S20	When using do not eat or drink.	
S21	When using do not smoke.	
S23	Do not breathe gas/fumes/vapour/spray.	
S26	In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.	
S28	After contact with skin, wash immediately with plenty of water.	
S35	This material and its container must be disposed of in a safe way.	
S36	Wear suitable protective clothing.	
S 37	Wear suitable gloves.	
S39	Wear eye/face protection.	
S40	To clean the floor and all objects contaminated by this material, use water.	
S45	In case of accident or if you feel unwell IMMEDIATELY contact Doctor or Poisons Information Centre (show label if possible).	
S46	If swallowed, seek medical advice immediately and show this container or label.	
S56	Dispose of this material and its container at hazardous or special waste collection point.	
S64	If swallowed, rinse mouth with water (only if the person is conscious).	

Other hazards

Ingestion may produce health damage*.

Cumulative effects may result following exposure*.

May be harmful to the foetus/ embryo*.

Vapours potentially cause drowsiness and dizziness*.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1004542-84-0	20-30	sodium bromosulfamate
1310-73-2	1-5	sodium hydroxide

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casuality can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

For acute or short-term repeated exposures to highly alkaline materials:

- Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- The presence of shock suggests perforation and mandates an intravenous line and fluid administration.

• Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue. Alkalis continue to cause damage after exposure.

INGESTION:

- Milk and water are the preferred diluents
- No more than 2 glasses of water should be given to an adult.
- Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated.
- * Activated charcoal does not absorb alkali
- * Gastric lavage should not be used.

Supportive care involves the following:

- Withhold oral feedings initially.
- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- ▶ Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.BCF (where regulations permit).

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: sulfur oxides (SOx) May emit corrosive fumes.
HAZCHEM	2X

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling				
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. DO NOT allow clothing wet with material to stay in contact with skin 			
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. DO NOT store near acids, or oxidising agents No smoking, naked lights, heat or ignition sources. 			

Conditions for safe storage, including any incompatibilities

••••••••••••••••••••••••••••••••••••••	
Suitable container	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. For low viscosity materials Drums and jerricans must be of the non-removable head type. Where a can is to be used as an inner package, the can must have a screwed enclosure. For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.): Removable head packaging; Cans with friction closures and low pressure tubes and cartridges may be used.
Storage incompatibility	 Sulfamic acid: reacts violently with chlorine, nitric acid, fuming nitric acid, strong bases, chlorine, hypochlorous acid, strong oxidising agents, sulfides, cyanides or when heated with nitrates, nitrites is strongly acidic in aqueous solution hydrolyses to ammonium bisulfate at elevated temperatures is incompatible with alkylene oxides, aliphatic amines, alkanolamines, amides, ammonia, epichlorohydrin, organic anhydrides, isocyanates, metal nitrates/ nitrites, oxidisers, vinyl acetate, common metals and their alloys, water Contact with metals may result in the evolution of hydrogen (H2) which can form explosive mixtures in air. Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. Avoid contact with copper, aluminium and their alloys.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient Material name		ne	TWA		STEL	Peak		Notes
Australia Exposure Standards	sodium hydroxide	Sodium hydi	roxide	Not Available	Э	Not Available 2 mg		g/m3	Not Available
Emergency Limits									
Ingredient	Material name TEEL-1		TE	TEEL-2		TEEL-3			
sodium hydroxide	Sodium hydroxide	Sodium hydroxide Not Available		N	Not Available		Not Available		
Ingredient	Original IDLH			Revised IDLH					
sodium bromosulfamate	Not Available			Not Available					
sodium hydroxide	10 mg/m3			Not Available					
Occupational Exposure Banding									
Ingredient	Occupational Exposure Band Rating		Occupational Exposure Band Limit						
sodium bromosulfamate	E	E			≤ 0.01 mg/m ³				
Notes:	Occupational exposure ban	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the							

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection: Enviro Tech Chemical Services Brommax

Enviro Tech Chemical Services Diomin

Material	СРІ
BUTYL	A
NAT+NEOPR+NITRILE	A
NATURAL RUBBER	A
NATURAL+NEOPRENE	A
NEOPRENE	A
NEOPRENE/NATURAL	A
NITRILE	A
NITRILE+PVC	A

PE	A
PE/EVAL/PE	A
PVC	A
SARANEX-23	A
SARANEX-23 2-PLY	A
TEFLON	A
VITON/CHLOROBUTYL	A

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Bright orange liquid with chlorine like odour; mixes with water.			
Physical state	Liquid	Relative density (Water = 1)	1.42-1.46	
Odour	Characteristic	Partition coefficient n-octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable	
pH (as supplied)	12-13	Decomposition temperature	Not Available	
Melting point / freezing point (°C)	<7 (freezing pt.)	Viscosity (cSt)	15-25 @20C	
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Applicable	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Applicable	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available	
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water	Miscible	pH as a solution (1%)	Not Available	
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available	

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo. Inhalation of sulfamic acid may cause bloody sputum, difficulty in breathing, low blood pressure, headache, dizziness, bluish skin colouration and lung congestion. Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.
Ingestion	The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Accidental ingestion of the material may be damaging to the health of the individual. Ingestion of sulfamic acid precipitates vomiting, diarrhoea, reduced blood pressure and breathing difficulty from swelling of the voice box. It may cause lesion of the stomach at a concentration of more than 10%. Fever following initial recovery may indicate inflammation of the chest and abdominal cavities usually from perforation of gullet and stomach. Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow.

Skin Contact	The material can produce chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Exposure to sulfamic acid can cause dose and duration dependent injury to the skin including burns. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Skin contact with alkaline corrosives may produce severe pain and burns; brownish stains may develop. The corroded area may be soft, gelatinous and necrotic; tissue destruction may be deep.			
Eye	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness.			
Chronic	Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There is some evidence from animal testing that exposure to this material may result in toxic effects to the unborn baby. Chronic poisoning from ionic bromides has historically resulted from medical use of bromides but not from exposure in the environment or workplace. In the absence of other signs of poisoning, there may be depression, hallucinations and schizophrenia-like psychosis. Bromides may also cause sedation, irritability, agitation, delirium, memory loss, confusion, disorientation, forgetfulness, inability to speak, difficulty speaking, weakness, fatigue, a spinning sensation, stupor, coma, decreased appetite, nausea, vomiting, an acne-like rash on the face (bronchoderma), legs and trunk, swelling of the bronchi and a profuse discharge from the nostrils. There may also be inco-ordination and very brisk reflexes.			
	ΤΟΧΙΟΙΤΥ	IRRITATION		
	Dermal (None) LD50: >2000 mg/kg* ^[2]	Not Available		
Services Brommax	Inhalation (None) I C50: 2.06 mg/l(mists)* ^[2]			
	Oral (None) LD50: >5000 mg/kg* ^[2]			
	ΤΟΧΙΟΙΤΥ	IRRITATION		
sodium bromosulfamate	Not Available	Not Available		
	TOXICITY IRRITATION			
	~500 mg/kg ^[2]	Eye (rabbit): 0.0	5 mg/24h SEVERE	
		Eye (rabbit):1 mg/24h SEVERE		
sodium hydroxide		Eye (rabbit):1 mg/30s rinsed-SEVERE		
		Eye: adverse effect observed (irritating) ^[1]		
		Skin (rabbit): 500 mg/24h SEVERE		
		Skin: adverse effect observed (corrosive) ^[1]		
Legend:	1 Value obtained from Europe ECHA Registered Substan	ces - Acute toxicity 2.* Value obta	ained from manufacturar's SDS Unloss attorning	
	specified data extracted from RTECS - Register of Toxic E	ffect of chemical Substances		
	specified data extracted from RTECS - Register of Toxic E	ffect of chemical Substances		
SODIUM BROMOSULFAMATE	specified data extracted from RTECS - Register of Toxic E	ffect of chemical Substances		
SODIUM BROMOSULFAMATE	specified data extracted from RTECS - Register of Toxic E No significant acute toxicological data identified in literature The material may produce severe irritation to the eye caus produce conjunctivitis. The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F	ffect of chemical Substances e search. ing pronounced inflammation. Re ed or repeated exposure and ma Repeated exposures may product	peated or prolonged exposure to irritants may y produce on contact skin redness, swelling, the e severe ulceration.	
SODIUM BROMOSULFAMATE SODIUM HYDROXIDE SODIUM BROMOSULFAMATE & SODIUM HYDROXIDE	Specified data extracted from RTECS - Register of Toxic E No significant acute toxicological data identified in literature The material may produce severe irritation to the eye caus produce conjunctivitis. The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F Asthma-like symptoms may continue for months or even yy known as reactive airways dysfunction syndrome (RADS) criteria for diagnosing RADS include the absence of previo asthma-like symptoms within minutes to hours of a docum airflow pattern on lung function tests, moderate to severe b lymphocytic inflammation, without eosinophilia.	ffect of chemical Substances e search. ing pronounced inflammation. Re ed or repeated exposure and ma Repeated exposures may produce ears after exposure to the materia which can occur after exposure to us airways disease in a non-atop ented exposure to the irritant. Oth pronchial hyperreactivity on metho	peated or prolonged exposure to irritants may y produce on contact skin redness, swelling, the e severe ulceration. al ends. This may be due to a non-allergic condition b high levels of highly irritating compound. Main ic individual, with sudden onset of persistent ter criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal	
SODIUM BROMOSULFAMATE SODIUM HYDROXIDE SODIUM BROMOSULFAMATE & SODIUM HYDROXIDE	specified data extracted from RTECS - Register of Toxic E No significant acute toxicological data identified in literature The material may produce severe irritation to the eye caus produce conjunctivitis. The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F Asthma-like symptoms may continue for months or even ye known as reactive airways dysfunction syndrome (RADS) or criteria for diagnosing RADS include the absence of previo asthma-like symptoms within minutes to hours of a docume airflow pattern on lung function tests, moderate to severe b lymphocytic inflammation, without eosinophilia.	ffect of chemical Substances e search. ing pronounced inflammation. Re ed or repeated exposure and ma Repeated exposures may produce ears after exposure to the materia which can occur after exposure to us airways disease in a non-atop ented exposure to the irritant. Oth pronchial hyperreactivity on method Carcinogenicity	peated or prolonged exposure to irritants may y produce on contact skin redness, swelling, the e severe ulceration. al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main ic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal	
SODIUM BROMOSULFAMATE SODIUM HYDROXIDE SODIUM BROMOSULFAMATE & SODIUM HYDROXIDE Acute Toxicity Skin Irritation/Corrosion	specified data extracted from RTECS - Register of Toxic E No significant acute toxicological data identified in literature The material may produce severe irritation to the eye caus produce conjunctivitis. The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F Asthma-like symptoms may continue for months or even ye known as reactive airways dysfunction syndrome (RADS) or criteria for diagnosing RADS include the absence of previo asthma-like symptoms within minutes to hours of a docume airflow pattern on lung function tests, moderate to severe b lymphocytic inflammation, without eosinophilia.	ffect of chemical Substances e search. ing pronounced inflammation. Re ed or repeated exposure and ma Repeated exposures may produce ears after exposure to the materia which can occur after exposure to us airways disease in a non-atop ented exposure to the irritant. Oth pronchial hyperreactivity on metha Carcinogenicity Reproductivity	peated or prolonged exposure to irritants may y produce on contact skin redness, swelling, the e severe ulceration. al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main ic individual, with sudden onset of persistent ner criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal	
SODIUM BROMOSULFAMATE SODIUM HYDROXIDE SODIUM BROMOSULFAMATE & SODIUM HYDROXIDE Acute Toxicity Skin Irritation/Corrosion Serious Eve Damace/Irritation	specified data extracted from RTECS - Register of Toxic E No significant acute toxicological data identified in literature The material may produce severe irritation to the eye caus produce conjunctivitis. The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F Asthma-like symptoms may continue for months or even yu known as reactive airways dysfunction syndrome (RADS) i criteria for diagnosing RADS include the absence of previo asthma-like symptoms within minutes to hours of a documu airflow pattern on lung function tests, moderate to severe b lymphocytic inflammation, without eosinophilia.	ffect of chemical Substances e search. ing pronounced inflammation. Re ed or repeated exposure and ma Repeated exposures may produce ears after exposure to the materia which can occur after exposure to us airways disease in a non-atop ented exposure to the irritant. Ott poronchial hyperreactivity on methe Carcinogenicity Reproductivity STOT - Single Exposure	peated or prolonged exposure to irritants may y produce on contact skin redness, swelling, the e severe ulceration. al ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main ic individual, with sudden onset of persistent ter criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal X	
SODIUM BROMOSULFAMATE SODIUM HYDROXIDE SODIUM BROMOSULFAMATE & SODIUM HYDROXIDE Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation	specified data extracted from RTECS - Register of Toxic E No significant acute toxicological data identified in literature The material may produce severe irritation to the eye caus produce conjunctivitis. The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F Asthma-like symptoms may continue for months or even ye known as reactive airways dysfunction syndrome (RADS) to criteria for diagnosing RADS include the absence of previo asthma-like symptoms within minutes to hours of a docum airflow pattern on lung function tests, moderate to severe b lymphocytic inflammation, without eosinophilia.	ffect of chemical Substances e search. ing pronounced inflammation. Re ed or repeated exposure and ma Repeated exposures may produce ears after exposure to the materia which can occur after exposure to us airways disease in a non-atop ented exposure to the irritant. Ott oronchial hyperreactivity on metho Carcinogenicity Reproductivity STOT - Single Exposure STOT - Repeated Exposure	peated or prolonged exposure to irritants may y produce on contact skin redness, swelling, the e severe ulceration. al ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main ic individual, with sudden onset of persistent ter criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal X X	

SECTION 12 Ecological information

Toxicity Endpoint Test Duration (hr) Species Value Source Enviro Tech Chemical Not Not Not Services Brommax Not Available Not Available Available Available Available

Legend:

X - Data either not available or does not fill the criteria for classification

Data available to make classification

	Endpoint	Test Duration (hr)	Species		Value	Source
sodium bromosulfamate	Not Available	Not Available	Not Available		Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	e	Source
sodium hydroxide	LC50	96	Fish	125m	ng/L	4
	EC50	48	Crustacea	-34.5	9-47.13mg/L	4
Legend:	Extracted from V3.12 (QSAR Data 6 NITE	n 1. IUCLID Toxicity Data 2. Europe ECHA Regis) - Aquatic Toxicity Data (Estimated) 4. US EPA, 1 (Janan) - Ricconcentration Data 7. METI (Janan)	tered Substances - Ecotoxicological Information Ecotox database - Aquatic Toxicity Data 5. ECE - Bioconcentration Data 8. Vendor Data	- Aquat ⁻ OC Aq	tic Toxicity 3. E uatic Hazard A	PIWIN Suite Assessment

Harmful to aquatic organisms.

For Bromide:

Environmental Fate: Bromide ions may be introduced to the environment after the breakdown of various salts and complexes or after the degradation of organic compounds that contain carbon bonded to bromine. Bromides may also affect the growth of micro-organisms and have been used for this purpose in industry. Bromides in drinking water are occasionally subject to disinfection processes involving ozone of chlorine. Bromide may be oxidize to produce hypobromous acid which in turn may react with natural organic matter to form brominated compounds.

Prevent, by any means available, spillage from entering drains or water courses. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium hydroxide	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation		
sodium hydroxide	LOW (LogKOW = -3.8796)		
Mobility in soil			
Ingredient	Mobility		
sodium hydroxide	LOW (KOC = 14.3)		

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).

SECTION 14 Transport information

Labels Required Image: Constraint of the second s

Land transport (ADG)

/				
UN number	1760			
UN proper shipping name	CORROSIV	CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide)		
Transport hazard class(es)	Class Subrisk	8 Not Applicable		

Packing group	Ш	
Environmental hazard	Not Applicable	
	Special provisions	223 274
Special precautions for user	Limited quantity	5 L

Air transport (ICAO-IATA / DGR)

UN number	1760			
UN proper shipping name	Corrosive liquid, n.o.s. *	Corrosive liquid, n.o.s. * (contains sodium hydroxide)		
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	8 Not Applicable 8L		
Packing group	Ш			
Environmental hazard	Not Applicable			
Special precautions for user	Special provisions Cargo Only Packing In Cargo Only Maximum Passenger and Cargo Passenger and Cargo Passenger and Cargo Passenger and Cargo	astructions Qty / Pack Packing Instructions Maximum Qty / Pack Limited Quantity Packing Instructions Limited Maximum Qty / Pack	A3 A803 856 60 L 852 5 L Y841 1 L	

Sea transport (IMDG-Code / GGVSee)

UN number	1760	
UN proper shipping name	CORROSIVE LIQU	ID, N.O.S. (contains sodium hydroxide)
Transport hazard class(es)	IMDG Class IMDG Subrisk	8 Not Applicable
Packing group	Ш	
Environmental hazard	Not Applicable	
Special precautions for user	EMS Number Special provision Limited Quantities	F-A, S-B s 223 274 s 5 L

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium bromosulfamate is found on the following regulatory lists Not Applicable

sodium hydroxide is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	No (sodium bromosulfamate)
Canada - DSL	No (sodium bromosulfamate)
Canada - NDSL	No (sodium bromosulfamate; sodium hydroxide)
China - IECSC	No (sodium bromosulfamate)
Europe - EINEC / ELINCS / NLP	No (sodium bromosulfamate)
Japan - ENCS	No (sodium bromosulfamate)
Korea - KECI	No (sodium bromosulfamate)
New Zealand - NZIoC	No (sodium bromosulfamate)
Philippines - PICCS	No (sodium bromosulfamate)
USA - TSCA	No (sodium bromosulfamate)

National Inventory	Status
Taiwan - TCSI	No (sodium bromosulfamate)
Mexico - INSQ	No (sodium bromosulfamate)
Vietnam - NCI	No (sodium bromosulfamate)
Russia - ARIPS	No (sodium bromosulfamate)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	01/11/2019
Initial Date	13/08/2019

SDS Version Summary

Version	Issue Date	Sections Updated
2.1.1.1	16/08/2019	Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Advice to Doctor, Appearance, Chronic Health, Classification, Disposal, Engineering Control, Environmental, Fire Fighter (fire/explosion hazard), Fire Fighter (fire incompatibility), First Aid (eye), First Aid (skin), Handling Procedure, Ingredients, Personal Protection (hands/feet), Physical Properties, Spills (minor), Storage (storage incompatibility), Storage (storage requirement), Storage (suitable container), Supplier Information, Synonyms, Transport Information, Use
3.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit₀ IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.