

constructive solutions

Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: FOSROC SUPERCAST PVC WATERSTOPS (HYDROFOIL & REARGUARD)

Synonyms	Product Code	Bar Code
FOSROC SUPERCAST HYDRO FOIL 150MM 3 WAY	FC020307-UNIT	9330221123440
FOSROC SUPERCAST HYDRO FOIL 150MM 4 WAY	FC020308-UNIT	9330221123433
FOSROC SUPERCAST HYDRO FOIL 150MM 90 DEG M.O.E	FC020310-UNIT	9330221123419
FOSROC SUPERCAST HYDRO FOIL 150MM M.O.F	FC020306-UNIT	9330221123457
FOSROC SUPERCAST HYDRO FOIL 150MM T.PCE	FC020309-UNIT	9330221123426
FOSROC SUPERCAST HYDRO FOIL 150MMX15M ROLL	FC020301-UNIT	9330221123488
FOSROC SUPERCAST HYDRO FOIL 200MM 3 WAY	FC020314-UNIT	9330221123396
FOSROC SUPERCAST HYDRO FOIL 200MM 4 WAY	FC020315-UNIT	9330221123389
FOSROC SUPERCAST HYDRO FOIL 200MM 90 DEG M.O.E	FC020317-UNIT	9330221123365
FOSROC SUPERCAST HYDRO FOIL 200MM M.O.F	FC020313-UNIT	9330221123402
FOSROC SUPERCAST HYDRO FOIL 200MM T.PCE	FC020316-UNIT	9330221123372
FOSROC SUPERCAST HYDRO FOIL 200MMX15M ROLL	FC020302-UNIT	9330221123471
FOSROC SUPERCAST HYDRO FOIL 250MM 3 WAY	FC020321-UNIT	9330221123341
FOSROC SUPERCAST HYDRO FOIL 250MM 4 WAY	FC020322-UNIT	9330221123334
FOSROC SUPERCAST HYDRO FOIL 250MM 90 DEG M.O.E.	FC020324-UNIT	9330221123310
FOSROC SUPERCAST HYDRO FOIL 250MM M.O.F	FC020320-UNIT	9330221123358
FOSROC SUPERCAST HYDRO FOIL 250MM TPIECE	FC020323-UNIT	9330221123327
FOSROC SUPERCAST HYDRO FOIL 250MMX12M ROLL	FC020303-UNIT	9330221123464
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE A)	FC020202-UNIT	9330221123686
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE B)	FC020203-UNIT	9330221123679
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE C)	FC020204-UNIT	9330221123662
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE D)	FC020205-UNIT	9330221123655
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE E)	FC020206-UNIT	9330221123648
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE F)	FC020207-UNIT	9330221123631
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE G)	FC020208-UNIT	9330221123624
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE H)	FC020209-UNIT	9330221123617
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE I)	FC020210-UNIT	9330221123600
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE J)	FC020211-UNIT	9330221123594
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE K)	FC020212-UNIT	9330221123587
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE L)	FC020213-UNIT	9330221123570
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE M)	FC020214-UNIT	9330221123563
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE N)	FC020215-UNIT	9330221123556
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE O)	FC020216-UNIT	9330221123549
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE P)	FC020217-UNIT	9330221123532
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE Q)	FC020218-UNIT	9330221123525
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE R)	FC020219-UNIT	9330221123518
FOSROC SUPERCAST INTERSECTION SPECIAL (TYPE S)	FC020220-UNIT	9330221123501
FOSROC SUPERCAST REAR GUARD R 150MM 270DEG	FC020373-UNIT	9330221123075
M.O.E FOSROC SUPERCAST REAR GUARD R 150MM 3 WAY	ECO20222 LINIT	022022442220
FOSROC SUPERCAST REAR GUARD R 150MM 3 WAY	FC020332-UNIT FC020333-UNIT	9330221123280
FOSROC SUPERCAST REAR GUARD R 150MM 4 WAY	FC020333-UNIT	9330221123273 9330221123105
M.O.E	FC020370-01111	9330221123103
FOSROC SUPERCAST REAR GUARD R 150MM M.O.F	FC020331-UNIT	0220221122207
FOSROC SUPERCAST REAR GUARD R 150MMX12M ROLL		9330221123297 9330221123303
FOSROC SUPERCAST REAR GUARD R 150MINATZW ROLL	FC020330-UNIT FC020374-UNIT	9330221123303
M.O.E	1 0020314-0NII	3330221123000
FOSROC SUPERCAST REAR GUARD R 200MM 3 WAY	FC020342-UNIT	9330221123235
I GONGO GUF LINGAGT INLAIN GUAND IN ZUUIVIIVI 3 WAT	I CUZUJ4Z-UNII	3000221123233

Product Name: FOSROC SUPERCAST PVC WATERSTOPS (HYDROFOIL & REARGUARD)

Reference No: PARNZLEN000180

Issued: 21 September 2015 Version: 1.1 Page 1 of 9



constructive solutions

FOSROC SUPERCAST REAR GUARD R 200MM 4 WAY	FC020343-UNIT	9330221123228
FOSROC SUPERCAST REAR GUARD R 200MM 90 DEG	FC020371-UNIT	9330221123099
M.O.E.		
FOSROC SUPERCAST REAR GUARD R 200MM M.O.F	FC020341-UNIT	9330221123242
FOSROC SUPERCAST REAR GUARD R 200MMX12M ROLL		9330221123259
FOSROC SUPERCAST REAR GUARD R 250MM 270DEG	FC020375-UNIT	9330221123051
	FC020375-UNIT	9330221123031
M.O.E		
FOSROC SUPERCAST REAR GUARD R 250MM 3 WAY	FC020362-UNIT	9330221123136
FOSROC SUPERCAST REAR GUARD R 250MM 4 WAY	FC020363-UNIT	9330221123129
FOSROC SUPERCAST REAR GUARD R 250MM 90 DEG	FC020372-UNIT	9330221123082
M.O.E		
FOSROC SUPERCAST REAR GUARD R 250MM M.O.F	FC020361-UNIT	9330221123143
FOSROC SUPERCAST REAR GUARD R 250MMX12M ROLL	FC020360-UNIT	9330221123150
FOSROC SUPERCAST REAR GUARD S 250MM 270DEG	FC020377-UNIT	9330221123037
M.O.E	1 0020077 01411	0000221120001
FOSROC SUPERCAST REAR GUARD S 250MM 3 WAY	FC020352-UNIT	9330221123181
FOSROC SUPERCAST REAR GUARD S 250MM 4 WAY	FC020353-UNIT	9330221123174
FOSROC SUPERCAST REAR GUARD S 250MM 90DEG	FC020376-UNIT	9330221123044
M.O.E		
FOSROC SUPERCAST REAR GUARD S 250MM M.O.F	FC020351-UNIT	9330221123198
FOSROC SUPERCAST REAR GUARD S 250MMX12M ROLL	FC020350-UNIT	9330221123204
FOSROC SUPERCAST SW30 5M ROLL	FC020226-UNIT	
FOSROC SUPERCAST SWX 600ML	FC020225-600ML	
SUPERCAST H/F 150MM 3 WAY	720307	
SUPERCAST H/F 150MM 4 WAY	720308	
SUPERCAST H/F 150MM 90 DEG M.O.E	720300	
SUPERCAST H/F 150MM M.O.F	720306	
SUPERCAST H/F 150MM T.PCE	720309	
SUPERCAST H/F 150MMX15M ROLL	720301	
SUPERCAST H/F 200MM 3 WAY	720314	
SUPERCAST H/F 200MM 4 WAY	720315	
SUPERCAST H/F 200MM 90 DEG M.O.E	720317	
SUPERCAST H/F 200MM M.O.F	720313	
SUPERCAST H/F 200MM T.PCE	720316	
SUPERCAST H/F 200MMX15M ROLL	720302	
SUPERCAST H/F 250MM 3 WAY	720321	
SUPERCAST H/F 250MM 4 WAY	720322	
SUPERCAST H/F 250MM 90 DEG M.O.E.	720324	
0		
SUPERCAST H/F 250MM M.O.F	720320	
SUPERCAST H/F 250MM T.PCE	720323	
SUPERCAST H/F 250MMX12M ROLL	720303	
SUPERCAST INTERSECTIO SPECIAL (TYPE D)	720205	
SUPERCAST INTERSECTION SPECIAL (TYPE E)	720206	
SUPERCAST INTERSECTION SPECIAL (TYPE A)	720202	
SUPERCAST INTERSECTION SPECIAL (TYPE B)	720203	
SUPERCAST INTERSECTION SPECIAL (TYPE C)	720204	
SUPERCAST INTERSECTION SPECIAL (TYPE F)	720207	
SUPERCAST INTERSECTION SPECIAL (TYPE G)	720208	
SUPERCAST INTERSECTION SPECIAL (TYPE H)	720209	
SUPERCAST INTERSECTION SPECIAL (TYPE I)	720210	
SUPERCAST R/G 'R' 150MM 270DEG M.O.E	720373	
SUPERCAST R/G 'R' 150MM 3 WAY	720332	
SUPERCAST R/G 'R' 150MM 4 WAY	720333	
SUPERCAST R/G 'R' 150MM 90 DEG M.O.E	720370	
SUPERCAST R/G 'R' 150MM M.O.F	720331	
SUPERCAST R/G 'R' 150MMX12M ROLL	720330	
SUPERCAST R/G 'R' 200MM 270DEG M.O.E	700074	
	720374	
SUPERCAST R/G 'R' 200MM 3 WAY	720374 720342	

Product Name: FOSROC SUPERCAST PVC WATERSTOPS (HYDROFOIL & REARGUARD)

Reference No: PARNZLEN000180

Issued: 21 September 2015 Version: 1.1 Page 2 of 9



constructive solutions

SUPERCAST R/G 'R' 200MM 4 WAY	720343
SUPERCAST R/G 'R' 200MM 90 DEG M.O.E.	720371
SUPERCAST R/G 'R' 200MM M.O.F	720341
SUPERCAST R/G 'R' 200MMX12M ROLL	720340
SUPERCAST R/G 'R' 250MM 270DEG M.O.E	720375
SUPERCAST R/G 'R' 250MM 3 WAY	720362
SUPERCAST R/G 'R' 250MM 4 WAY	720363
SUPERCAST R/G 'R' 250MM 90 DEG M.O.E	720372
SUPERCAST R/G 'R' 250MM M.O.F	720361
SUPERCAST R/G 'R' 250MMX12M ROLL	720360
SUPERCAST R/G 'S' 250MM 270DEG M.O.E	720377
SUPERCAST R/G 'S' 250MM 3 WAY	720352
SUPERCAST R/G 'S' 250MM 4 WAY	720353
SUPERCAST R/G 'S' 250MM 90DEG M.O.E	720376
SUPERCAST R/G 'S' 250MM M.O.F	720351
SUPERCAST R/G 'S' 250MMX12M ROLL	720350

Recommended use: Designed to provide an integral sealing network for joints in water retaining and water excluding concrete structures.

Supplier: Parchem Construction Supplies Pty Ltd

Company No.: 80 069 961 968
Street Address: 7 Lucca Road

Wyong NSW 2259

Australia

Telephone: (02) 4350 5000

Emergency Telephone number: Australia – 1800 033 111 New Zealand – 0800 734 607

2. HAZARDS IDENTIFICATION

This material is hazardous according to criteria of EPA New Zealand.

EPA Group Standard: HSR002544 - Construction Products (Subsidiary Hazard) Group Standard



Signal Word

Danger

Hazard Classifications

6.8A - Substances that are known or presumed human reproductive or developmental toxicants 6.9B (Repeated exposure) - Substances that are harmful to human target organs or systems 9.1C - Substances that are harmful in the aquatic environment (H412)

Hazard Statements

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Prevention Precautionary Statements

P102 Keep out of reach of children.

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180

(HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 3 of 9



constructive solutions

P103 Read label before use.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Response Precautionary Statements

P101 If medical advice is needed, have product container or label at hand.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

Storage Precautionary Statement

P405 Store locked up.

Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations..

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
1,2-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester Ingredients determined to be non-hazardous or below reporting limits	117-81-7	30-60 % Balance %
		100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating,

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180

(HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 4 of 9



drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or reusing.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Store locked up. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by WorkSafe New Zealand.

Biological Limit Values: As per the WorkSafe New Zealand the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions...

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180

(HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 5 of 9



Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Solid Colour: Blue Odour: slight

Solubility: Insoluble in water Specific Gravity: 0.5 - 0.8 @ 20°C

Density: N Av Relative Vapour Density (air=1): N App Vapour Pressure (20 °C): N App Flash Point (°C): N Av Flammability Limits (%): N Av Autoignition Temperature (°C): 580 Melting Point/Range (°C): 150 **Boiling Point/Range (°C):** N Av pH: N App Viscosity: N App Total VOC (g/Litre): N App

> (Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180

(HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 6 of 9



Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 5.0 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation):

This material has been classified as a 6.8A - Substances that are known or presumed human reproductive or developmental toxicants.

Specific target organ toxicity (repeat exposure): This material has been classified as a 6.9B - Substances that are harmful to human target organs or systems.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as a 9.1C - Substances that are harmful in the aquatic environment. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): 10 - 100 mg/L, where the substance is not rapidly degradable and/or BCF $\geq 500 \text{ and/or log } K_{\text{ow}} \geq 4$.

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180

(HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 7 of 9



constructive solutions

Ecotoxicity in the soil environment: This material has been classified as non-hazardous.

Ecotoxicity to terrestrial vertebrates: This material has been classified as non-hazardous.

Ecotoxicity to terrestrial invertebrates: This material has been classified as non-hazardous.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

EPA Group Standard: HSR002544 - Construction Products (Subsidiary Hazard) Group Standard

Approved handler No
Location test certificate No
Fire extinguishers No
Signage Yes
Emergency response Yes
Hazardous atmosphere zone No

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180

(HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 8 of 9



16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since DuluxGroup (Australia) Pty Ltd and DuluxGroup (New Zealand) Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Product Name: FOSROC SUPERCAST PVC WATERSTOPS Reference No: PARNZLEN000180 (HYDROFOIL & REARGUARD)

Issued: 21 September 2015 Version: 1.1 Page 9 of 9