

# Safety Data Sheet



Hazardous, NON-Dangerous Goods

## 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **51P-LINE DULUX COLOUR SAMPLE POTS**

### Synonyms

Dulux Sample Pot Vivid White 100mL  
Dulux Sample Pot Antique White Usa 100mL  
Dulux Sample Pot Stowe White 100mL  
Dulux Sample Pot China White 100mL  
Dulux Sample Pot Berkshire White 100mL  
Dulux Sample Pot Whisper White 100mL  
Dulux Sample Pot Hog Bristle Qt 100mL  
Dulux Sample Pot Lexicon 100mL  
Dulux Sample Pot Lexicon Quarter 100mL  
Dulux Sample Pot Whitewhite 100mL  
Dulux Sample Pot Natural White 100mL  
Dulux Sample Pot White Polar Quarter 100mL  
Dulux Sample Pot White Beach Quarter 100mL  
Dulux Sample Pot Casper White Quarter 100mL  
Dulux Sample Pot Snowy Mountains Half 100mL  
Dulux Sample Pot White Exchange Half 100mL  
Dulux Sample Pot Ancient Ruin 100mL  
Dulux Sample Pot Beige Antiquity 100mL  
Dulux Sample Pot Beige Calm 100mL  
Dulux Sample Pot Beige Intent 100mL  
Dulux Sample Pot Dieskau 100mL  
Dulux Sample Pot Grey Pail 100mL  
Dulux Sample Pot Grey Port 100mL  
Dulux Sample Pot Highgate 100mL  
Dulux Sample Pot Snow Seas 100mL  
Dulux Sample Pot Terrace White 100mL  
Dulux Sample Pot Vintage Beige 100mL  
Dulux Sample Int Antique White Usa 400mL  
Dulux Sample Int Pre School 400mL  
Dulux Sample Int Timeless Grey 400mL  
Dulux Sample Int Lilac Fluff 400mL  
Dulux Sample Int Citrino 400mL  
Dulux Sample Int Lexicon Half 400mL  
Dulux Sample Int Ecu 400mL  
Dulux Sample Int Lexicon Quarter 400mL  
Dulux Sample Int Flooded Gum 400mL  
Dulux Sample Ext Natural White 400mL  
Dulux Sample Ext Tranquil Retreat 400mL  
Dulux Sample Ext White On White 400mL  
Dulux Sample Ext Hog Bristle 400mL  
Dulux Sample Ext Miller Mood 400mL  
Dulux Sample Ext Terrace White 400mL  
Dulux Sample Ext Dieskau 400mL  
Dulux Sample Ext Snow Seas 400mL  
Dulux Sample Ext Pale Tendril 400mL  
Dulux Sample Int Hog Bristle Quarter 400mL  
Dulux Sample Int Poppy Leaf 400mL  
Dulux Sample Pot Lexicon Half 100mL  
Dulux Sample Pot Silver Tea Set 100mL  
Dulux Sample Pot Feather Soft 100mL  
Dulux Sample Pot Winter Fog 100mL  
Dulux Sample Pot Hammer Grey 100mL

### Product Code

51P04912-100ML  
51P73412-100ML  
51P88318-100ML  
51P88319-100ML  
51P88322-100ML  
51P88323-100ML  
51P89808-100ML  
51P89972-100ML  
51PA1041-100ML  
51PA1047-100ML  
51PA1048-100ML  
51PA3514-100ML  
51PA3517-100ML  
51PA4049-100ML  
51PA4073-100ML  
51PA4084-100ML  
51PA4267-100ML  
51PA4268-100ML  
51PA4269-100ML  
51PA4270-100ML  
51PA4272-100ML  
51PA4275-100ML  
51PA4276-100ML  
51PA4279-100ML  
51PA4280-100ML  
51PA4281-100ML  
51PA4282-100ML  
51PD0501-UNIT  
51PD0502-UNIT  
51PD0503-UNIT  
51PD0505-UNIT  
51PD0506-UNIT  
51PD0507-UNIT  
51PD0508-UNIT  
51PD0511-UNIT  
51PD0512-UNIT  
51PD0513-UNIT  
51PD0514-UNIT  
51PD0516-UNIT  
51PD0518-UNIT  
51PD0520-UNIT  
51PD0521-UNIT  
51PD0523-UNIT  
51PD0524-UNIT  
51PD0526-UNIT  
51PD0527-UNIT  
51PD0528-UNIT  
51PPN2A1-100ML  
51PSG6H1-100ML  
51PSN3A1-100ML  
51PSN4A6-100ML  
51PA4277-100ML

### Bar Code

9300611575807  
9300611575586  
9300611575777  
9300611575531  
9300611575524  
9300611575562  
9300611575784  
9300611575500  
9300611575548  
9300611575555  
9300611575579  
9300611575708  
9300611575678  
9300611575654  
9300611575661  
9300611575647  
9300611583314  
9300611583345  
9300611583376  
9300611583406  
9300611583444  
9300611583482  
9300611583499  
9300611583529  
9300611583536  
9300611583543  
9300611583550  
9300611611246  
9300611611253  
9300611611260  
9300611611284  
9300611611291  
9300611611307  
9300611611314  
9300611611512  
9300611611529  
9300611611536  
9300611611543  
9300611611567  
9300611611581  
9300611611604  
9300611611611  
9300611611673  
9300611611680  
9300611618399  
9300611618405  
9300611618429  
9300611575517  
9300611575685  
9300611575692  
9300611575487  
9300611583505

Product Name: 51P-LINE DULUX COLOUR SAMPLE POTS

Reference No: DLXGHSEN002865

# Safety Data Sheet



Dulux Sample Int Olive Leaf 400mL	51PD0504-UNIT	9300611611277
Dulux Sample Ext Rodham 400mL	51PD0522-UNIT	9300611611666
Dulux Sample Ext Malay Grey 400mL	51PD0525-UNIT	9300611618382
Dulux Sample Pot Grey Cabin 100mL	51PA4273-100ML	9300611583567
Dulux Sample Pot Grey Master 100mL	51PA4274-100ML	9300611583475
Dulux Sample Pot Dark Metal 100mL	51PA4271-100ML	9300611583437
Dulux Sample Pot Hardened Steel 100mL	51PA4278-100ML	9300611583512
Dulux Sample Int Ahoy 400mL	51PD0509-UNIT	9300611611321
Dulux Sample Int Army Fatigues 400mL	51PD0510-UNIT	9300611611505
Dulux Sample Ext Wayward Grey 400mL	51PD0517-UNIT	9300611611574
Dulux Sample Ext Domino 400mL	51PD0519-UNIT	9300611611598
Dulux Sample Pot Woodland Grey 100mL	51P60342-100ML	9300611695789
Dulux Sample Pot Monument 100mL	51P89968-100ML	9300611695758
Dulux Sample Pot Ironstone 100mL	51P89971-100ML	9300611695796
Dulux Sample Pot Classic Cream 100mL	51P84918-100ML	9300611696175
Dulux Sample Pot Tranquil Retreat 100mL	51PSN4G1-100ML	9300611698254
Dulux Sample Pot Surfmist 100mL	51P12228-100ML	9300611698247

**Recommended use:** Sample pots of paint. Applied by brush, roller or spray.

**Supplier:** Dulux Australia, a division of DuluxGroup (Australia) Pty Ltd  
**ABN:** 67 000 049 427  
**Street Address:** 1956 Dandenong Road  
Clayton VIC 3168  
Australia  
**Telephone:** 13 25 25

**Emergency Telephone number:** Australia – 1800 220 770; New Zealand – 0800 220 770

## 2. HAZARDS IDENTIFICATION

This material is hazardous according to the criteria of Safe Work Australia GHS 7.



### Signal Word

Warning

### Hazard Classification

Sensitisation - Skin - Category 1

### Hazard Statement

H317 May cause an allergic skin reaction.

### Prevention Precautionary Statements

P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P261 Avoid breathing dust, fume, gas, mist, vapours or spray..  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing including eye/face protection and suitable respirator.

### Response Precautionary Statements

P101 If medical advice is needed, have product container or label at hand.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet



P362+P364 Take off contaminated clothing and wash it before reuse

## Storage Precautionary Statement

Not allocated

## Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

**Poison Schedule:** Not Applicable

## DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

## 3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
1,2-Benzisothiazol-3(2H)-one (BIT)	2634-33-5	<0.02 % (w/w)
2-Methyl-2H-isothiazol-3-one (MIT)	2682-20-4	<0.02 % (w/w)
5-Chloro-2-methyl-4-isothiazolin-3-one (CMIT)	26172-55-4	<0.01 % (w/w)
Ingredients determined to be non-hazardous or below reporting limits		Balance
		100%

## 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:** Effects may be delayed. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**PPE for First Aiders:** Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Notes to physician:** Treat symptomatically. Effects may be delayed.

## 5. FIRE FIGHTING MEASURES

# Safety Data Sheet



**Hazchem Code:** Not applicable.

**Suitable extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

**Specific hazards:** Non-combustible material.

**Fire fighting further advice:** Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

## 6. ACCIDENTAL RELEASE MEASURES

### SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

### LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

**Dangerous Goods - Initial Emergency Response Guide No:** Not applicable

## 7. HANDLING AND STORAGE

**Handling:** Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.

**Storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**National occupational exposure limits:** No value assigned for this specific material by Safe Work Australia.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

**Engineering Measures:** Natural ventilation should be adequate under normal use conditions.

**Personal Protection Equipment:** SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Hygiene measures:** Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Product Name:** 51P-LINE DULUX COLOUR SAMPLE POTS

**Reference No:** DLXGHSEN002865

**Issued:** 6 July 2021

**Version:** 2.2

**Page** 4 of 7

# Safety Data Sheet



**Form:** Liquid  
**Colour:** Various  
**Odour:** Characteristic

**Solubility:** Miscible with water.  
**Specific Gravity:** 1.0 - 1.7  
**Relative Vapour Density (air=1):** >1  
**Vapour Pressure:** N Av  
**Flash Point (°C):** N App  
**Explosion/Flammability Limits:** N App  
**Autoignition Temperature (°C):** N Av  
**Melting Point/Range (°C):** N Av  
**Boiling Point/Range (°C):** N Av  
**pH:** N Av  
**Viscosity:** >21 mm<sup>2</sup>/s @ 40 °C  
**Total VOC (g/Litre):** N Av

(Typical values only - consult specification sheet)  
N Av = Not available, N App = Not applicable

## 10. STABILITY AND REACTIVITY

**Chemical stability:** This material is thermally stable when stored and used as directed.

**Conditions to avoid:** Elevated temperatures and sources of ignition.

**Incompatible materials:** Oxidising agents.

**Hazardous decomposition products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.

**Hazardous reactions:** No known hazardous reactions.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Acute Effects

**Inhalation:** Material may be an irritant to mucous membranes and respiratory tract.

**Skin contact:** Contact with skin may result in irritation. A skin sensitizer. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Eye contact:** May be an eye irritant.

### Acute toxicity

**Inhalation:** This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): LC<sub>50</sub> > 20.0 mg/L for vapours or LC<sub>50</sub> > 5.0 mg/L for dust and mist.

**Skin contact:** This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): LD<sub>50</sub> > 2,000 mg/Kg bw

**Ingestion:** This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity

# Safety Data Sheet



estimate (based on ingredients): LD<sub>50</sub> > 2,000 mg/Kg bw

**Corrosion/Irritancy:** Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as a Category 1 Hazard (skin sensitiser).

**Aspiration hazard:** This material has been classified as not an aspiration hazard.

**Specific target organ toxicity (single exposure):** This material has been classified as not a specific hazard to target organs by a single exposure.

## Chronic Toxicity

**Mutagenicity:** This material has been classified as not a mutagen.

**Carcinogenicity:** This material has been classified as not a carcinogen.

**Reproductive toxicity (including via lactation):** This material has been classified as not a reproductive toxicant.

**Specific target organ toxicity (repeat exposure):** This material has been classified as not a specific hazard to target organs by repeat exposure.

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Acute aquatic hazard:** This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

**Long-term aquatic hazard:** This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K<sub>ow</sub> < 4.

**Ecotoxicity:** No information available.

**Persistence and degradability:** No information available.

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

## 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

## 14. TRANSPORT INFORMATION

### ROAD AND RAIL TRANSPORT

# Safety Data Sheet



Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

## MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

## AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

### **This material is not subject to the following international agreements:**

Montreal Protocol (Ozone depleting substances)  
The Stockholm Convention (Persistent Organic Pollutants)  
The Rotterdam Convention (Prior Informed Consent)  
Basel Convention (Hazardous Waste)  
International Convention for the Prevention of Pollution from Ships (MARPOL)

### **This material/constituent(s) is covered by the following requirements:**

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

## 16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd ([chemdata.com.au](http://chemdata.com.au)) on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since the company cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.