

NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **272-LINE DURALLOY**

Synonyms

ALBURY ZINC GLOSS *
 AMCO GRAY GLOSS #
 AN METALLIC GLOSS
 ANOTEC XT MID BRONZE #
 ARROWHEAD GLOSS #
 AUSPLOW GREEN GLOSS
 BALKAN BLUE GREY GLOSS
 BERRY GREY GLOSS #
 BOEING BLUE MATT
 BORAL PRECIOUS SILVER PEARL
 BRISKET SATIN #
 BRYOPHYTE SATIN #
 C/B EVENING HAZE MATT *
 C/B GUNMETAL GREY SATIN *
 C/B LOFT MATT *
 C/B MONUMENT MATT #
 C/C DOMINO SATIN #
 CANOLA CREAM GLOSS #
 CASTING EDUCATION CHARCOAL #
 CHOCOLATE CAKE
 CITI PEARL GLOSS *
 CROWN BRIGHT BEIGE GLOSS *
 DEEP BAMBOO P13D7 GLOSS *
 DEEP BRONZE GREEN SATIN
 DURALLOY - ALBURY ZINC GLOSS - 20KG
 DURALLOY - AMCO GRAY GLOSS - 20KG
 DURALLOY - CITI PEARL GLOSS
 DURALLOY - ISUZE WHITE GLOSS
 DURALLOY - LIGHT COCOA PEARL GLOSS
 DURALLOY - METALLISED BRASS PEARL GLOSS
 DURALLOY - MOBY WHITE GLOSS
 DURALLOY - MULGA GLOSS -20KG
 DURALLOY - WEST WHITE GLOSS -20KG
 DURALLOY - WOODLAND GREY TREND
 DURALLOY -IKEA LIGHT GREY GLOSS
 DURALLOY -IKEA RACK GREY GLOSS
 DURALLOY -RAL 9010 GLOSS
 DURALLOY ANOTEC MID BRONZE MATT 20KG
 DURALLOY ANOTEC OFF WHITE MATT 20KG
 DURALLOY ANOTEC SILVER GREY MATT 20KG
 DURALLOY ARROWHEAD GLOSS 20KG
 DURALLOY BERRY GREY GLOSS 20KG
 DURALLOY BLACK GLOSS 20KG
 DURALLOY C/B DEEP OCEAN (2009) MATT
 DURALLOY C/B EVENING HAZE MATT (2009)
 DURALLOY C/B LOFT MATT (2009)
 DURALLOY C/B MONUMENT MATT (2009)
 DURALLOY C/B SURFMIST(2009)
 DURALLOY C/B WOODLAND GREY MATT
 DURALLOY CANOLA CREAM GLOSS 20KG
 DURALLOY CASTING EDUCATION CHARCOAL

Product Code

2727051G-KG
 2727086G-KG
 27289114-KG
 27251014-KG
 27250258-KG
 27288727-KG
 27288981-KG
 2727262G-KG
 2725310M-KG
 27296984-KG
 2728284S-KG
 2726341S-KG
 2723053M-KG
 27289124-KG
 2728106M-KG
 2729066M-KG
 2727367S-KG
 27281796-KG
 27288737-KG
 27289108-KG
 2727106Q-KG
 27289745-KG
 27289596-KG
 2726374S-KG
 2727051G-20KGS
 2727086G-20KGS
 2727106Q-20KGS
 2721072G-20KGS
 2728039Q-20KGS
 2728038Q-20KGS
 2727144G-20KGS
 27289096-20KGS
 2721007G-20KGS
 2727002M-20KGS
 2727094G-20KGS
 2727127G-20KGS
 2721052G-20KGS
 27251014-20KGS
 27251271-20KGS
 27251272-20KGS
 27250258-20KGS
 2727262G-20KGS
 2729090G-20KGS
 27289606-20KGS
 2723053M-20KGS
 2728106M-20KGS
 2729066M-20KGS
 27284758-20KGS
 2727197M-20KGS
 27281796-20KGS
 27288373-20KGS

Bar Code

9300611354587
 9300611357458
 9300611451620
 9300611455789
 9300611355553
 9300611355683
 9300611457608
 9300611332141
 9300611346568
 9300611343802
 9300611449849
 9300611454577
 9300611446459
 9300611315700
 9300611315687
 9300611315663
 9300611315816
 9300611483812
 9300611483805
 9300611473363
 9300611473394
 9300611472939
 9300611315427
 9300611513052

Safety Data Sheet

Dulux®

POWDER COATINGS

DURALLOY CHARAPIDCUREOAL GLOSS 20KG	2729086G-20KGS	9300611483959
DURALLOY CRI CEILING WHITE MATT 20KG	2721296M-20KGS	9300611560728
DURALLOY EARLY SPRING GLOSS	2726221G-20KGS	9300611517920
DURALLOY EFFECTA ORANGE BROWN SATIN	27289091-20KGS	9300611336835
DURALLOY GJ PEARL WHITE GLOSS	2721314G-20KGS	
DURALLOY GRAPHITE GREY GLOSS - 20KGS	2727065G-20KGS	9300611465214
DURALLOY HERITAGE GREEN MKII GLOSS 20KG	27289725-20KGS	9300611342195
DURALLOY HILLSIDE GREEN GLOSS	2726109G-20KGS	9300611476012
DURALLOY HITACHI EXTERNAL GREY GLOSS	2727374G-20KGS	9300611508058
DURALLOY HITACHI INTERNAL GREY GLOSS	2727373G-20KGS	9300611508072
DURALLOY HITACHI ORANGE GLOSS	2724177G-20KGS	9300611508096
DURALLOY HORIZON BLUE GLOSS 20KG	27233344-20KGS	9300611316073
DURALLOY JET STREAM GREEN 20KG	2726258G-20KGS	9300611529558
DURALLOY METROPOLIS SKY PEARL GLOSS 20KG	27284683-20KGS	9300611314970
DURALLOY MID GREY G.2	27258710-20KGS	9300611523891
DURALLOY MIST WHITE GLOSS	27285205-20KGS	9300611478610
DURALLOY NDF BEIGE GLOSS	2723084G-20KGS	9300611481092
DURALLOY NEW TOYOTA WHITE 058 20KG	2721036G-20KGS	9300611356611
DURALLOY ORO BEIGE GLOSS	2723060G-20KGS	9300611472304
DURALLOY ORO BEIGE GLOSS *	2723060G-KG	
DURALLOY PALM GREEN GLOSS 20KG	27251297-20KGS	9300611464941
DURALLOY PEARL WHITE GLOSS 20KG	2721114G-20KGS	9300611474728
DURALLOY PERIWINKLE GLOSS 20KG	27250276-20KGS	9300611315793
DURALLOY PITTWATER GREEN GLOSS	2726110G-20KGS	9300611476029
DURALLOY PSP WHITE BASE	2721059S-20KGS	9300611523884
DURALLOY RAL 9003 GLOSS	2721122G-20KGS	9300611476746
DURALLOY RAL 9003 GLOSS #	2721122G-KG	
DURALLOY SUNBURST PEARL MKII GLOSS 20KG	27289764-20KGS	9300611343451
DURALLOY TASMAN GREEN GLOSS	2726154G-20KGS	9300611490803
DURALLOY TEAL GLOSS 20KG	2726133G-20KGS	9300611486561
DURALLOY TOLL GREEN GLOSS	2726081G-20KGS	9300611465405
DURALLOY TOLL GREEN GLOSS *	2726081G-KG	
DURALLOY TOYOTA WHITE 040 *	2721096G-KG	
DURALLOY TOYOTA WHITE 040 20KG	2721096G-20KGS	9300611468642
DURALLOY WHITE BIRAPIDCUREH GLOSS 20KG	2722057G-20KGS	9300611465184
DURALLOY WIZARD GLOSS 20KG	27250283-20KGS	9300611315731
DURALLOY XT RED EARTH GLOSS	2724218G-20KGS	9300611526557
DURALLOY YELLOW MW61 GLOSS	2722069G-20KGS	9300611472168
DURALLOY-APO GREY GL-20KG	27289043-20KGS	9300611327581
DURALLOY-AUSPLOW GREEN GLOSS-20KG	27288727-20KGS	9300611326324
DURALLOY-BALKAN BLUE GREY GLOSS-20KG	27288981-20KGS	9300611327604
DURALLOY-C/B GUNMETAL GREY SATIN	27289124-20KGS	9300611337047
DURALLOY-CHARCOAL MET PEARL GLOSS-20KG	27218796-20KGS	9300611316240
DURALLOY-CHOCOLATE CAKE-20KG	27289108-20KGS	9300611331946
DURALLOY-CROWN BRIGHT BEIGE GLOSS	27289745-20KGS	9300611342713
DURALLOY-DEEP BAMBOO P13D7 GLOSS	27289596-20KGS	9300611341723
DURALLOY-EFFECTA RED BROWN GLOSS-20KG	27289092-20KGS	9300611331717
DURALLOY-G22 SERPENTINE GLOSS-20KG	27282466-20KGS	9300611324535
DURALLOY-MILL FLOUR GLOSS-20KG	272PW2B6-20KGS	9300611329851
DURALLOY-PEARL WHITE (TRIAL) -20KG	2721053G-20KGS	
DURALLOY-PRECIOUS ONYX PEARL GLOSS-20KG	27252052-20KGS	9300611315601
DURALLOY-PRECIOUS ONYX PEARL SATIN-B	27252052-B	
DURALLOY-PRECIOUS STEEL PEARL SATIN-20KG	27257127-20KGS	9300611315588
DURALLOY-PRIMROSE GLOSS-B	27284365-B	
DURALLOY-RIVERGUM BEIGE GLOSS-B	27236991-B	
DURALLOY-SERENE PRIMROSE	27288177-20KGS	9300611319951
DURALLOY-TOYO WHITE 058 GLOSS-20KG	27288726-20KGS	9300611325815
DURALLOY-TREND CHARCOAL MET GLOSS-20KG	27289114-20KGS	9300611336750
DURALLOY-WHITE BIRCH GLOSS-B	27237131-B	
DURALLOY-WIZARD GLOSS-B	27250283-B	
EFFECTA ORANGE BROWN SATIN *	27289091-KG	

Safety Data Sheet



EFFECTA RED BROWN GLOSS #	27289092-KG
FAIR BIANCA (PN1H3) #	2722211S-KG
FRENCH CHAMPAGNE	2723189K-KG
G22 SERPENTINE GLOSS *	27282466-KG
GLOBAL 1014 #	2723181S-KG
GRAPHITE GREY GLOSS *	2727065G-KG
GRAPHITE GREY SATIN	2727065S-KG
GUTTER CHARCOAL	2727661S-KG
HERITAGE GREEN MK II *	27289725-KG
HITACHI EXTERNAL GREY GLOSS #	2727374G-KG
HORIZON BLUE #	27233344-KG
IKEA LIGHT GREY GLOSS *	2727094G-KG
ISUZU WHITE GLOSS *	2721072G-KG
LIGHT COCOA PEARL GLOSS *	2728039Q-KG
MALI #	2728278S-KG
MATT HEADLAND #	27284615-KG
METALLISED BRASS PEARL *	2728038Q-KG
METROPOLIS SILVER GLO PEARL GLOSS *	27284623-KG
METROPOLIS SKY PEARL *	27284683-KG
MILDURA SATIN #	2726333S-KG
MIST WHITE GLOSS #	27285205-KG
MOBY WHITE GLOSS *	2727144G-KG
MULGA GLOSS *	27289096-KG
MUNCHKIN GLOSS	2726361G-KG
MUNSEL GREY 6PB3/3	2725314S-KG
NATURAL GREY SATIN	2727659Q-KG
NEW BODY SHOP GREEN	2726360M-KG
NEW TOYOTA WHITE 058 *	2721036G-KG
OLD MAUVE GLOSS	27251032-KG
PALLADIUM SILVER KINETIC *	2727136K-KG
PEARL WHITE GLOSS #	2721114G-KG
PERIWINKLE GLOSS #	27250276-KG
PG2F9 MUNDI SATIN #	2725292S-KG
PRECIOUS ONYX PEARL GLOSS *	27252052-KG
PRECIOUS SILVER PEARL *	27257225-KG
PRECIOUS SILVER PEARL KINETIC *	2727043K-KG
PRECIOUS STEEL PEARL SATIN *	27257127-KG
PW DURALLOY PALM GREEN GL	27251297-KG
PW DURALLOY YLW MW61 GL	2722069G-KG
SCI ABSOLUTE SILVER *	2727238K-KG
SNOWFLAKE BLUE	2725316S-KG
SUNBURST PEARL MKII *	27289764-KG
SYN GREY SATIN	2727641S-KG
TANAMI BEIGE #	2728259G-KG
TEAL GLOSS #	2726133G-KG
TEAL SATIN #	2726133S-KG
TOYO WHITE 058 GLOSS	27288726-KG
WEST WHITE GLOSS *	2721007G-KG
WISTOW SATIN #	2727587S-KG
WIZARD GLOSS #	27250283-KG
Y24 STRAW #	2722213S-KG
Y52 CHAMOIS #	2723188S-KG
YARRA BEIGE GLOSS	2723192G-KG
GREY BEIGE	2723215S-KG
RAL 8023 ORANGE BROWN	2728324S-KG
WOODEN DECK	2728323S-KG
RAL 6001 EMERALD GREEN	2726164S-KG
TRUE HEART	2724336S-KG
COLZA YELLOW	2722227S-KG
ASSALT	2725348S-KG
FIR GREEN	2726402S-KG

Safety Data Sheet



BRUSH	2726027S-KG
STEEL BLUE	2725347S-KG
RAL 7030 STONE GREY	2727709S-KG
MOROCCO TAN	2728336S-KG
BALTIC BEIGE	2727730S-KG
HANSON BLUE GLOSS	2725355G-KG
Y54 OATMEAL SATIN	2723220S-KG
AQUA B25 GLOSS	27251860-KG
PROCESS BLUE SATIN	2725056S-KG
THREADBO WHITE 2	2721333G-KG

Recommended use: Powder coating. Applied by electrostatic spray. Hazardous formulation variants.

Supplier: Dulux Powder & Industrial Coatings, a division of DuluxGroup (Australia) Pty Ltd
ABN: 67 000 049 427
Street Address: 1956 Dandenong Road
Clayton VIC 3168
Australia
Telephone: 13 25 25

Emergency Telephone number: Australia – 1800 220 770; New Zealand – 0800 220 770

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
1,2,4-benzenetricarboxylic acid, tris(oxiranylmethyl) ester	7237-83-4	<1 % (w/w)
1,4-Benzenedicarboxylic acid, bis(oxiranylmethyl) ester	7195-44-0	<1 % (w/w)
Ingredients determined to be non-hazardous or below reporting limits		Balance
		100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

Product Name: 272-LINE DURALLOY

Reference No: DLXGHSEN002560

Issued: 31 March 2021

Version: 2.1

Page 5 of 9

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
Inspirable dust	-	10	-	-	-

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask. When using this material, use explosive dust handling controls to minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks and flame; prevent the build-up of static charges with appropriate earthing of equipment and personnel.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, DUST MASK.

Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Powder
Colour: Various
Odour: Mild, characteristic

Solubility: Insoluble in water.
Specific Gravity: 1.1 - 1.6
Relative Vapour Density (air=1): N App
Vapour Pressure: N App
Flash Point (°C): N App
Explosion/Flammability Limits: 20 g/m3 - 70 g/m3
Autoignition Temperature (°C): N Av
Melting Point/Range (°C): N Av

Safety Data Sheet



**POWDER
COATINGS**

Boiling Point/Range (°C): N Av
pH: N App
Viscosity: N App
Total VOC (g/Litre): N Av

(Typical values only - consult specification sheet)
N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Avoid the generation of airborne dust, ensure all potential ignition sources are eliminated, including the build-up of static charges

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: Airborne dust may result in an explosion if ignited by static discharge or other sources of ignition. Keep away from heat, hot surfaces, sparks and flame.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 5.0$ mg/L for dust.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000$ mg/Kg bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000$ mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to

target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: Formulations where all components AIIC listed.

16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.