



NON-Hazardous, NON-Dangerous Goods

**1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION**

**Product name: 260-LINE RAPIDCURE**

Synonyms	Product Code	Bar Code
POWDERS DURALLOY RAPIDCURE ANOTEC DARK GREY MATT 20KG	2607538M-20KGS	9300611541789
POWDERS DURALLOY RAPIDCURE ANOTEC OFF WHITE MATT 20KG	2602181M-20KGS	9300611541802
POWDERS DURALLOY RAPIDCURE APO GREY SATIN 20KG	26032786-20KGS	9300611525451
POWDERS DURALLOY RAPIDCURE BASALT MATT 20KG	2607475M-20KGS	9300611528728
POWDERS DURALLOY RAPIDCURE BASALT SATIN 20KG	2607473S-20KGS	9300611529480
POWDERS DURALLOY RAPIDCURE BERRY GREY SATIN 20KG	26088362-20KGS	9300611528971
POWDERS DURALLOY RAPIDCURE BLACK GLOSS 20KG	2609132G-20KGS	9300611520999
POWDERS DURALLOY RAPIDCURE BLACK MATT 20KG	2609129M-20KGS	9300611522931
POWDERS DURALLOY RAPIDCURE BLACK SATIN 20KG	2609128S-20KGS	9300611520876
POWDERS DURALLOY RAPIDCURE BRIGHT WHITE GLOSS 20KG	26084636-20KGS	9300611528308
POWDERS DURALLOY RAPIDCURE C/B RIVERSAND MATT 20KG	2603193M-20KGS	9300611578228
POWDERS DURALLOY RAPIDCURE CHARAPIDCUREOAL SATIN 20KG	26088351-20KGS	9300611525437
POWDERS DURALLOY RAPIDCURE CHARCOAL SPARKLE 20KG	2607610Q-20KGS	9300611561879
POWDERS DURALLOY RAPIDCURE CLASSIC CREAM MATT 20KG	26084732-20KGS	9300611528988
POWDERS DURALLOY RAPIDCURE CLASSIC CREAM SATIN 20KG	2602095S-20KGS	9300611525420
POWDERS DURALLOY RAPIDCURE CLASSIC WHITE GLOSS 20KG	2601228G-20KGS	9300611523174
POWDERS DURALLOY RAPIDCURE COTTAGE GREEN MATT 20KG	2606304M-20KGS	9300611545091
POWDERS DURALLOY RAPIDCURE COTTAGE GREEN SATIN 20KG	26084219-20KGS	9300611529046
POWDERS DURALLOY RAPIDCURE COVE MATT 20KG	2606252M-20KGS	9300611528742
POWDERS DURALLOY RAPIDCURE COVE SATIN 20KG	2606250S-20KGS	9300611528452
POWDERS DURALLOY RAPIDCURE CUSTOM BLACK MATT 20KG	2609163M-20KGS	9300611565655
POWDERS DURALLOY RAPIDCURE DEEP BRUNSWICK GREEN GLOSS 20KG	2606134G-20KGS	9300611528599
POWDERS DURALLOY RAPIDCURE DEEP OCEAN MATT 20KG	2605267M-20KGS	9300611544858
POWDERS DURALLOY RAPIDCURE DEEP OCEAN SATIN 20KG	2605125S-20KGS	9300611528698
POWDERS DURALLOY RAPIDCURE DOESKIN SATIN 20KG	26032516-20KGS	9300611529329
POWDERS DURALLOY RAPIDCURE DUNE MATT 20KG	2607558M-20KGS	9300611544513
POWDERS DURALLOY RAPIDCURE WOODLAND GREY SATIN 20KG	2606255S-20KGS	9300611529176
POWDERS DURALLOY RAPIDCURE DUNE SATIN 20KG	2603087S-20KGS	9300611528575
POWDERS DURALLOY RAPIDCURE EVENING HAZE MATT 20KG	2603168M-20KGS	9300611541796
POWDERS DURALLOY RAPIDCURE EVENING HAZE SATIN 20KG	2603175S-20KGS	9300611544520
POWDERS DURALLOY RAPIDCURE GREY NURSE GLOSS 20KG	26050060-20KGS	9300611531551

# Safety Data Sheet



POWDERS DURALLOY RAPIDCURE GULLY MATT 20KG	2608235M-20KGS	9300611528568
POWDERS DURALLOY RAPIDCURE GULLY SATIN 20KG	2608233S-20KGS	9300611528551
POWDERS DURALLOY RAPIDCURE HAMMERSLEY BROWN SATIN 20KG	26084657-20KGS	9300611528469
POWDERS DURALLOY RAPIDCURE IRONSTONE MATT 20KG	2607556M-20KGS	9300611544810
POWDERS DURALLOY RAPIDCURE IRONSTONE SATIN 20KG	2607257S-20KGS	9300611528537
POWDERS DURALLOY RAPIDCURE JASPER MATT 20KG	2608252M-20KGS	9300611544643
POWDERS DURALLOY RAPIDCURE JASPER SATIN 20KG	2608122S-20KGS	9300611528490
POWDERS DURALLOY RAPIDCURE MANGROVE MATT 20KG	2606251M-20KGS	9300611528520
POWDERS DURALLOY RAPIDCURE SHOJI WHITE SATIN 20KG	26084682-20KGS	9300611528322
POWDERS DURALLOY RAPIDCURE MANGROVE SATIN 20KG	2606262S-20KGS	9300611531544
POWDERS DURALLOY RAPIDCURE MANOR RED MATT 20KG	2604292M-20KGS	9300611544537
POWDERS DURALLOY RAPIDCURE MANOR RED SATIN 20KG	2604134S-20KGS	9300611528865
POWDERS DURALLOY RAPIDCURE MONUMENT MATT 20KG	2609066M-20KGS	9300611528810
POWDERS DURALLOY RAPIDCURE MONUMENT SATIN 20KG	2609067S-20KGS	9300611525666
POWDERS DURALLOY RAPIDCURE NOTRE DAME GLOSS 20KG	26036672-20KGS	9300611528285
POWDERS DURALLOY RAPIDCURE OFF WHITE SATIN 20KG	2603149S-20KGS	9300611531308
POWDERS DURALLOY RAPIDCURE OLD PEWTER SATIN 20KG	26050243-20KGS	9300611528315
POWDERS DURALLOY RAPIDCURE OYSTER MATT 20KG	26036858-20KGS	9300611528964
POWDERS DURALLOY RAPIDCURE PALE EUCALYPT MATT 20KG	2606303M-20KGS	9300611545008
POWDERS DURALLOY RAPIDCURE PALE EUCALYPT SATIN 20KG	2606127S-20KGS	9300611528759
POWDERS DURALLOY RAPIDCURE PAPERBARK MATT 20KG	2603174M-20KGS	9300611544650
POWDERS DURALLOY RAPIDCURE PAPERBARK SATIN 20KG	2603135S-20KGS	9300611523129
POWDERS DURALLOY RAPIDCURE PEARL WHITE GLOSS 20KG	2601229G-20KGS	9300611520869
POWDERS DURALLOY RAPIDCURE PRIMROSE GLOSS 20KG	26084365-20KGS	9300611525406
POWDERS DURALLOY RAPIDCURE SAND Y44 GLOSS 20KGS	2603209G-20KGS	9300611591982
POWDERS DURALLOY RAPIDCURE SHALE GREY MATT 20KG	2607557M-20KGS	9300611544506
POWDERS DURALLOY RAPIDCURE SHALE GREY SATIN 20KG	26083246-20KGS	9300611528629
POWDERS DURALLOY RAPIDCURE STONE BEIGE MATT 20KG	26032538-20KGS	9300611529527
POWDERS DURALLOY RAPIDCURE STONE GREY SATIN 20KG	26078126-20KGS	9300611528957
POWDERS DURALLOY RAPIDCURE SURFMIST MATT 20KG	2603167M-20KGS	9300611541772
POWDERS DURALLOY RAPIDCURE SURFMIST SATIN 20KG	2601137S-20KGS	9300611525673
POWDERS DURALLOY RAPIDCURE TERRAIN MATT 20KG	2608234M-20KGS	9300611529077
POWDERS DURALLOY RAPIDCURE TERRAIN SATIN 20KG	2608232S-20KGS	9300611528674
POWDERS DURALLOY RAPIDCURE WALLABY MATT 20KG	2607476M-20KGS	9300611529107
POWDERS DURALLOY RAPIDCURE WALLABY SATIN 20KG	2607474S-20KGS	9300611528513
POWDERS DURALLOY RAPIDCURE WHITE BIRAPIDCUREH GLOSS 20KG	2602057G-20KGS	9300611525390

# Safety Data Sheet



POWDERS DURALLOY RAPIDCURE WHITE SATIN 20KG	2601139S-20KGS	9300611525413
POWDERS DURALLOY RAPIDCURE WINDSPRAY MATT 20KG	2607559M-20KGS	9300611545084
POWDERS DURALLOY RAPIDCURE WINDSPRAY SATIN 20KG	2607256S-20KGS	9300611528827
POWDERS DURALLOY RAPIDCURE WOODLAND GREY MATT 20KG	2606256M-20KGS	9300611529213
POWDERS DURALLOY RAPIDCURE ICS CHARCOAL GLOSS 20KGS	2609213G-20KGS	9300611624987
POWDERS DURALLOY RC MIRAGE BLACK MANNEX 20KGS	2609154Z-20KGS	9300611604385
POWDERS DURALLOY RC SILVER GREY N24 GLOSS 20KGS	2607472G-20KGS	9300611606662
POWDERS DURALLOY RC SRC MONUMENT MATT 20KGS	2609191M-20KGS	9300611605955
POWDERS DURALLOY RC SRC PEARL WHITE GLOSS 20KGS	2601339G-20KGS	9300611614742
POWDERS DURALLOY RC TEAL SATIN 20KGS	2606133S-20KGS	9300611612311
POWDERS PRECIOUS RAPIDCURE BUBBLY PEARL 20KG	2608229Q-20KGS	9300611528940
POWDERS PRECIOUS RAPIDCURE DEEP BRONZE PEARL 20KG	2608228Q-20KGS	9300611528889
POWDERS PRECIOUS RAPIDCURE ESSENTIAL SILVER PEARL 20KG	2603146Q-20KGS	9300611528735
POWDERS PRECIOUS RAPIDCURE GLOW PEARL 20KG	2607471Q-20KGS	9300611529138
POWDERS PRECIOUS RAPIDCURE JET PEARL 20KG	2609144Q-20KGS	9300611533579
POWDERS PRECIOUS RAPIDCURE PROPELLER PEARL 20KG	2608230Q-20KGS	9300611529206
POWDERS PRECIOUS RAPIDCURE STARRY NIGHT PEARL 20KG	2609139Q-20KGS	9300611529183
POWDERS PRECIOUS RAPIDCURE SUPREME SILVER PEARL 20KG	2607466Q-20KGS	9300611528933
POWDERS PRECIOUS RAPIDCURE SWORD PEARL 20KG	2607468Q-20KGS	9300611528896
POWDERS PRECIOUS RAPIDCURE TROPHY PEARL 20KG	2607470Q-20KGS	9300611528582
POWDERS PRECIOUS RAPIDCURE TYPHOON PEARL 20KG	2607469Q-20KGS	9300611528483
POWDERS PRECIOUS RAPIDCURE URBAN PEARL 20KG	2607467Q-20KGS	9300611528650
POWDERS RAPIDCURE BROWN X54 GLOSS 20KG	26088183-20KGS	9300611533043
POWDERS RAPIDCURE COFFEE SATIN	2608246S-20KGS	9300611540157
POWDERS RAPIDCURE FLEX WHITE BIRCH MATT 20KG	2602187M-20KGS	9300611544179
POWDERS RAPIDCURE FLEX WHITE MATT 20KG	2601268M-20KGS	9300611537829
POWDERS RAPIDCURE GREEN GREY GLOSS 20KG	26089726-20KGS	9300611534378
POWDERS RAPIDCURE ISUZU ARC WHITE GLOSS 20KG	2601292G-20KGS	9300611553560
POWDERS RAPIDCURE PEACOCK BLUE T53 GLOSS 20KG	2606266G-20KGS	9300611533050
POWDERS RAPIDCURE PEWTER N63 GLOSS 20KG	2607290G-20KGS	9300611534521
POWDERS RAPIDCURE POTTERY SATIN 20KG	2608268S-20KGS	9300611552501
POWDERS RAPIDCURE STOVEBRITE BLACK METALLIC 20KG	2609147Q-20KGS	9300611537881
POWDERS RAPIDCURE ZONE GREY SATIN 20KG	2607411S-20KGS	9300611523822
POWDERS DURALLOY RAPIDCURE ANOTEC OFF WHITE MATT	2602181M-KG	
POWDERS DURALLOY RAPIDCURE BASALT MATT	2607475M-KG	
POWDERS DURALLOY RAPIDCURE MONUMENT SATIN	2609067S-KG	
POWDERS DURALLOY RAPIDCURE BERRY GREY SATIN	26088362-KG	
POWDERS DURALLOY RAPIDCURE BLACK MATT	2609129M-KG	
POWDERS DURALLOY RAPIDCURE BLACK SATIN	2609128S-KG	
POWDERS DURALLOY RAPIDCURE COVE MATT	2606252M-KG	
POWDERS DURALLOY RAPIDCURE DOESKIN SATIN	26032516-KG	
POWDERS DURALLOY RAPIDCURE DEEP OCEAN MATT	2605267M-KG	
POWDERS DURALLOY RAPIDCURE DUNE MATT	2607558M-KG	
POWDERS DURALLOY RAPIDCURE EVE HAZE MATT	2603168M-KG	
POWDERS DURALLOY RAPIDCURE GREYNURSE GLOSS	26050060-KG	
POWDERS DURALLOY RAPIDCURE GULLY MATT	2608235M-KG	
POWDERS DURALLOY RAPIDCURE IRONSTONE MATT	2607556M-KG	
POWDERS DURALLOY RAPIDCURE JASPER MATT	2608252M-KG	

# Safety Data Sheet



**POWDER  
COATINGS**

POWDERS DURALLOY RAPIDCURE MONUMENT MATT	2609066M-KG	
POWDERS DURALLOY RAPIDCURE PALE EUCALYPT MATT	2606303M-KG	
POWDERS DURALLOY RAPIDCURE PALE EUCALYPT SATIN	2606127S-KG	
POWDERS DURALLOY RAPIDCURE PAPERBARK MATT	2603174M-KG	
POWDERS DURALLOY RAPIDCURE GLOSS PEARL WHITE	2601229G-KG	
POWDERS DURALLOY RAPIDCURE SATIN BASALT	2607473S-KG	
POWDERS DURALLOY RAPIDCURE SATIN GULLY	2608233S-KG	
POWDERS DURALLOY RAPIDCURE SHALE GREY MATT	2607557M-KG	
POWDERS DURALLOY RAPIDCURE SHOJI WHITE SATIN	26084682-KG	
POWDERS DURALLOY RAPIDCURE STONE BG MATT	26032538-KG	
POWDERS DURALLOY RAPIDCURE SURFMIST MATT	2603167M-KG	
POWDERS DURALLOY RAPIDCURE TERRAIN MATT	2608234M-KG	
POWDERS DURALLOY RAPIDCURE TERRAIN SATIN	2608232S-KG	9300611550200
POWDERS DURALLOY RAPIDCURE WALLABY MATT	2607476M-KG	9300611639264
POWDERS DURALLOY RAPIDCURE WALLABY SATIN	2607474S-KG	
POWDERS DURALLOY RAPIDCURE WOODLAND GREY MATT	2606256M-KG	
POWDERS DURALLOY RAPIDCURE ZONE GREY SATIN	2601139S-KG	
POWDERS DURALLOY RAPIDCURE WINDSPRAY MATT	2607559M-KG	
POWDERS DURALLOY RAPIDCURE WINDSPRAY SATIN	2607256S-KG	
POWDER MISCELLANEOUS GRAIN BIN ORANGE GLOSS	2640287G-20KGS	9300611628695
POWDERS DURALLOY RAPIDCURE BERRY GREY SATIN	2601137S-KG	
POWDERS DURALLOY RAPIDCURE MONUMENT MATT	2606251M-KG	
POWDERS DURALLOY RAPIDCURE BERRY GREY SATIN	26078126-KG	
POWDERS DURALLOY RAPIDCURE ANOTEC OFF WHITE MATT	26084657-KG	

**Recommended use:** Powder coating. Applied by electrostatic spray.

**Supplier:** Dulux Powder & Industrial Coatings, a division of DuluxGroup (New Zealand) Pty Ltd  
**Company No.:** 55 133 404 118 / Co. 2355191  
**Street Address:** 150 Hutt Park Road  
Lower Hutt  
New Zealand  
**Telephone:** 0800 800 975

**Emergency Telephone number:** Australia – 1800 220 770; New Zealand – 0800 220 770

## 2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of EPA New Zealand.

### DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

## 3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Ingredients determined to be non-hazardous or below reporting limits		100 % (w/w)
		100%

**Product Name:** 260-LINE RAPIDCURE

**Reference No:** DLXNZLEN001379

**Issued:** 27 August 2020

**Version:** 2.1

**Page 4 of 9**



#### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**PPE for First Aiders:** Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Notes to physician:** Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

**Hazchem Code:** Not applicable.

**Suitable extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

**Specific hazards:** Combustible material.

**Fire fighting further advice:** On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

#### 6. ACCIDENTAL RELEASE MEASURES

##### SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

##### LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

**Dangerous Goods - Initial Emergency Response Guide No:** Not applicable

### 7. HANDLING AND STORAGE

**Handling:** Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust.

**Storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**National occupational exposure limits:**

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
Particulates not otherwise classified (Respirable dust)		3			

As published by WorkSafe New Zealand.

**WES-TWA (Workplace Exposure Standard - Time-weighted average).** The average airborne concentration of a substance calculated over an eight-hour working day.

**WES-Ceiling (Workplace Exposure Standard - Ceiling).** A concentration that should not be exceeded at any time during any part of the working day.

**WES-STEL (Workplace Exposure Standard - Short-term exposure limit).** The 15-minute time weighted average exposure standard. Applies to any 15-minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Exposures at concentrations between the WES-TWA and the WES-STEL should be less than 15 minutes, should occur no more than four times per day, and there should be at least 60 minutes between successive exposures in this range.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

**Biological Limit Values:** As per the WorkSafe New Zealand the ingredients in this material do not have a Biological Limit Allocated.

**Engineering Measures:** Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask. When using this material, use explosive dust handling controls to minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks and flame; prevent the build-up of static charges with appropriate earthing of equipment and personnel.

**Personal Protection Equipment:** SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, DUST MASK.

Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-

using.

**Hygiene measures:** Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Form:</b>	Powder
<b>Colour:</b>	Various
<b>Odour:</b>	Mild, characteristic
<b>Solubility:</b>	Insoluble in water.
<b>Specific Gravity:</b>	1.1 - 1.6
<b>Relative Vapour Density (air=1):</b>	N App
<b>Vapour Pressure (20 °C):</b>	N App
<b>Flash Point (°C):</b>	N App
<b>Explosion/Flammability Limits:</b>	20 g/m <sup>3</sup> - 70 g/m <sup>3</sup>
<b>Autoignition Temperature (°C):</b>	N Av
<b>Melting Point/Range (°C):</b>	N Av
<b>Boiling Point/Range (°C):</b>	N Av
<b>pH:</b>	N App
<b>Viscosity:</b>	N App
<b>Total VOC (g/Litre):</b>	N Av

(Typical values only - consult specification sheet)  
N Av = Not available, N App = Not applicable

### 10. STABILITY AND REACTIVITY

**Chemical stability:** This material is thermally stable when stored and used as directed.

**Conditions to avoid:** Avoid the generation of airborne dust, ensure all potential ignition sources are eliminated, including the build-up of static charges

**Incompatible materials:** Oxidising agents.

**Hazardous decomposition products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.

**Hazardous reactions:** Airborne dust may result in an explosion if ignited by static discharge or other sources of ignition. Keep away from heat, hot surfaces, sparks and flame.

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### Acute Effects

**Inhalation:** Material may be an irritant to mucous membranes and respiratory tract.

**Skin contact:** Contact with skin may result in irritation.

**Ingestion:** Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

# Safety Data Sheet



**POWDER  
COATINGS**

**Eye contact:** May be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

## Acute toxicity

**Inhalation:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 5.0 mg/L

**Skin contact:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

**Ingestion:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >5,000 mg/Kg bw

**Corrosion/Irritancy:** Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

**Aspiration hazard:** This material has been classified as non-hazardous.

**Specific target organ toxicity (single exposure):** This material has been classified as non-hazardous.

## Chronic Toxicity

**Mutagenicity:** This material has been classified as non-hazardous.

**Carcinogenicity:** This material has been classified as non-hazardous.

## Reproductive toxicity (including via lactation):

This material has been classified as non-hazardous.

**Specific target organ toxicity (repeat exposure):** This material has been classified as non-hazardous.

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Acute aquatic hazard:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

**Long-term aquatic hazard:** This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K<sub>ow</sub> < 4.

**Ecotoxicity in the soil environment:** This material has been classified as non-hazardous.

**Ecotoxicity to terrestrial vertebrates:** This material has been classified as non-hazardous.

**Ecotoxicity to terrestrial invertebrates:** This material has been classified as non-hazardous.

**Ecotoxicity:** No information available.

**Persistence and degradability:** No information available.

**Bioaccumulative potential:** No information available.



**Mobility:** No information available.

### 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

### 14. TRANSPORT INFORMATION

#### ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

#### MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### 15. REGULATORY INFORMATION

#### **This material is not subject to the following international agreements:**

Montreal Protocol (Ozone depleting substances)  
The Stockholm Convention (Persistent Organic Pollutants)  
The Rotterdam Convention (Prior Informed Consent)  
Basel Convention (Hazardous Waste)  
International Convention for the Prevention of Pollution from Ships (MARPOL)

#### **This material/constituent(s) is covered by the following requirements:**

- All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).
- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).

### 16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.