



NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: 906-LINE & 92L-LINE ELECTRO (non-haz)

Synonyms

POWDERS ELECTRO FLAT WHITE FLAT 20KG
 POWDERS ELECTRO FLAT WHITE 3KG
 POWDERS ELECTRO FLAT WHITE
 POWDERS ELECTRO FLAT WHITE RIPPLE
 POWDERS ELECTRO HUNZA ARCTIC WHITE
 POWDERS ELECTRO CLEAN LINEN K FLAT 20KGS
 POWDERS ELECTRO CLEAN LINEN 20KG
 POWDERS ELECTRO CLEAN LINEN 3KG
 POWDERS ELECTRO SHIMMERING CHAMPAGNE
 POWDERS ELECTRO PEAK WHITE FLAT 20KG
 POWDERS ELECTRO PEAK WHITE FLAT
 POWDERS ELECTRO SURFMIST 20KGS
 POWDERS ELECTRO HUNZA BIRCH
 POWDERS ELECTRO BRIGHT SPARK 20KG
 POWDERS ELECTRO BRIGHT SPARK 3KG
 POWDERS ELECTRO BLUE SUEDE SHOES
 POWDERS ELECTRO FRESH GOLD 20KG
 POWDERS ELECTRO FRESH GOLD 3KG
 POWDERS ELECTRO CANARY 20KG
 POWDERS ELECTRO CANARY 3KG
 POWDERS ELECTRO TIBERIUS 20KG
 POWDERS ELECTRO TIBERIUS 3KG
 POWDERS ELECTRO TIBERIUS
 POWDERS ELECTRO GOLD PEARL 20KGS
 POWDERS ELECTRO GOLD PEARL 3KGS
 POWDERS ELECTRO DUSIT GOLD
 POWDERS ELECTRO CC SILVER KINETIC SIT
 POWDERS ELECTRO SHIMMERING CHAMPAGNE FLAT 20KG
 POWDERS ELECTRO SENSATIONAL CHAMPAGNE 20KG
 POWDERS ELECTRO SENSATIONAL CHAMPAGNE 3KG
 POWDERS ELECTRO ANO SAND DUNE 20KGS
 POWDERS ELECTRO ANO SAND DUNE
 POWDERS ELECTRO FRED 20KG
 POWDERS ELECTRO FRED 3KG
 POWDERS ELECTRO TRENTHAM
 POWDERS ELECTRO T TUSCAN RED
 POWDERS ELECTRO SUBTLE BLUE FLAT 20KG
 POWDERS ELECTRO SUBTLE BLUE
 POWDERS ELECTRO BLUE SUEDE SHOES FLAT 20KG
 POWDERS ELECTRO BLUE GOLD 20KG
 POWDERS ELECTRO BLUE GOLD 3KG
 POWDERS ELECTRO BLUEIT 20KG
 POWDERS ELECTRO BLUEIT 3KG
 POWDERS ELECTRO BLUE NIGHT FLAT 20KG
 POWDERS ELECTRO BLUE NIGHT 3KG
 POWDERS ELECTRO POYPLE 20KG
 POWDERS ELECTRO POYPLE 3KG
 POWDERS ELECTRO LIGHT BLUE FLAT 20KGS
 POWDERS ELECTRO CC POYPLE 20KGS
 POWDERS ELECTRO CC POYPLE

Product Code

9061200F-20KGS
 9061200F-3KGS
 9061200F-KG
 9061200Z-KG
 9061239F-KG
 9061302F-KG
 9061302K-20KGS
 9061302K-3KGS
 9061302K-KG
 9061381F-20KGS
 9061381F-KG
 9062088F-20KGS
 9062088F-KG
 9062205K-20KGS
 9062205K-3KGS
 9062205K-KG
 9062208K-20KGS
 9062208K-3KGS
 9062209K-20KGS
 9062209K-3KGS
 9062210K-20KGS
 9062210K-3KGS
 9062210K-KG
 9062221K-20KGS
 9062221K-3KGS
 9062248Q-KG
 9063086K-KG
 9063116K-20KGS
 9063187K-20KGS
 9063187K-3KGS
 9063237K-20KGS
 9063237K-KG
 9064164K-20KGS
 9064164K-3KGS
 9064401F-KG
 9064414F-KG
 9065177K-20KGS
 9065177K-KG
 9065178K-20KGS
 9065301K-20KGS
 9065301K-3KGS
 9065302K-20KGS
 9065302K-3KGS
 9065303K-20KGS
 9065303K-3KGS
 9065304K-20KGS
 9065304K-3KGS
 9065401F-20KGS
 9065408K-20KGS
 9065408K-KG

Bar Code

9300611512826
 9300611522467
 9300611510921
 9300611521187
 9300611564801
 9300611578587
 9300611578730
 9300611566430
 9300611652058
 9300611652195
 9300611583253
 9300611582348
 9300611578549
 9300611578709
 9300611571007
 9300611578600
 9300611578754
 9300611578570
 9300611578723
 9300611578679
 9300611578808
 9300611572394
 9300611608420
 9300611621979
 9300611629494
 9300611634207
 9300611575050
 9300611578631
 9300611578785
 9300611643568
 9300611632128
 9300611578594
 9300611578747
 9300611646781
 9300611653192
 9300611512604
 9300611510884
 9300611512659
 9300611578495
 9300611578686
 9300611578532
 9300611576293
 9300611578525
 9300611578693
 9300611578624
 9300611578778
 9300611633545
 9300611637857
 9300611637567

Safety Data Sheet

Dulux®

POWDER COATINGS

POWDERS ELECTRO GREEN TEA FLAT 20KG	9066197K-20KGS	9300611590862
POWDERS ELECTRO GREEN TEA	9066197K-KG	9300611510914
POWDERS ELECTRO HUNZA HAWTHORN GREEN	9066306F-KG	9300611545305
POWDERS ELECTRO GREEN LANTERN 20KG	9066342K-20KGS	9300611578617
POWDERS ELECTRO GREEN LANTERN 3KG	9066342K-3KGS	9300611578761
POWDERS ELECTRO LIGHT GREEN 20KGS	9066442F-20KGS	9300611630346
POWDERS ELECTRO NATURAL SILVER FLAT 20KG	9067365K-20KGS	9300611514547
POWDERS ELECTRO NATURAL SILVER 3KG	9067365K-3KGS	9300611522504
POWDERS ELECTRO NATURAL SILVER	9067365K-KG	9300611506238
POWDERS ELECTRO DOMINO FLAT	9067367F-20KGS	9300611631800
POWDERS ELECTRO VINTAGE SILVER FLAT 20KG	9067377K-20KGS	9300611536051
POWDERS ELECTRO VINTAGE SILVER	9067377K-KG	9300611510860
POWDERS ELECTRO HUNZA DARK GREY	9067460F-KG	9300611525727
POWDERS ELECTRO ELECTRO DUNE	9067590F-KG	9300611604231
POWDERS ELECTRO SILVER REIGN 20KG	9067614K-20KGS	9300611578655
POWDERS ELECTRO SILVER REIGN 3KG	9067614K-3KGS	9300611578792
POWDERS ELECTRO VENERABLE SILVER 20KG	9067621K-20KGS	9300611576484
POWDERS ELECTRO VENERABLE SILVER 3KG	9067621K-3KGS	9300611578815
POWDERS ELECTRO C/B BASALT 20KG	9067645F-20KGS	9300611579379
POWDERS ELECTRO SHALE GREY 20KGS	9067672F-20KGS	9300611583260
POWDERS ELECTRO SHALE GREY	9067672F-KG	9300611582300
POWDERS ELECTRO DUNE	9067673F-20KGS	9300611583277
POWDERS ELECTRO INSOL PEARL	9067678Q-KG	9300611585295
POWDERS ELECTRO ASSA SILVER P-775	9067693Q-KG	9300611593153
POWDERS ELECTRO ARB VNTG SILV 20KGS	9067713K-20KGS	9300611637802
POWDERS ELECTRO ALPOLIC SILVER KINETIC 20KGS	9067744K-20KGS	9300611611185
POWDERS ELECTRO BRIGHT SILVER KINETIC 20KGS	9067749K-20KGS	9300611612649
POWDERS ELECTRO TIDAL DRIFT	9067786Q-KG	9300611622228
POWDERS ELECTRO GREY FLAT 20KGS	9067821F-20KGS	9300611635143
POWDERS ELECTRO GREY FLAT	9067821F-KG	9300611632692
POWDERS ELECTRO UNIVERSAL CHARCOAL GREY FLAT	9067822Q-20KGS	9300611634689
POWDERS ELECTRO CC TIDAL DRIFT MATTE	9067844Z-KG	9300611638298
POWDERS ELECTRO REYNODUEL GREIGE	9067845F-KG	9300611638304
POWDERS ELECTRO NATURANODE FLAT	9067857Q-KG	9300611647214
POWDERS ELECTRO CC SILK GREY 7044 20KGS	9067862F-20KGS	9300611649812
POWDERS ELECTRO CC SILK GREY 7044	9067862F-KG	9300611648563
POWDERS ELECTRO CELTIC GREY FLAT 20KGS	9067891F-20KGS	9300611657527
POWDERS ELECTRO CELTIC GREY FLAT	9067891F-KG	9300611656469
POWDERS ELECTRO GOLDEN TOUCH FLAT 20KG	9068182K-20KGS	9300611512628
POWDERS ELECTRO GOLDEN TOUCH	9068182K-KG	9300611509895
POWDERS ELECTRO MEDIUM BRONZE FLAT 20KG	9068183K-20KGS	9300611512673
POWDERS ELECTRO MEDIUM BRONZE 3KG	9068183K-3KGS	9300611522498
POWDERS ELECTRO MEDIUM BRONZE	9068183K-KG	9300611510754
POWDERS ELECTRO DARK BRONZE FLAT 20KG	9068184K-20KGS	9300611512680
POWDERS ELECTRO DARK BRONZE 3KG	9068184K-3KGS	9300611522450
POWDERS ELECTRO DARK BRONZE	9068184K-KG	9300611510747
POWDERS ELECTRO BURNISHED COPPER FLAT 20KG	9068185K-20KGS	9300611512635
POWDERS ELECTRO BURNISHED COPPER 3KG	9068185K-3KGS	9300611522443
POWDERS ELECTRO BURNISHED COPPER	9068185K-KG	9300611510846
POWDERS ELECTRO SCINTILLATION FLAT 20KG	9068186K-20KGS	9300611512666
POWDERS ELECTRO SCINTILLATION	9068186K-KG	9300611510891
POWDERS ELECTRO BRILLIANCE 20KG	9068281K-20KGS	9300611578563
POWDERS ELECTRO BRILLIANCE 3KG	9068281K-3KGS	9300611578716
POWDERS ELECTRO TERRAIN PEARL	9068292Q-KG	9300611573551
POWDERS ELECTRO LARSON DARK BRONZE	9068304Q-KG	9300611580337
POWDERS ELECTRO PURE GOLD	9068310K-20KGS	9300611586377
POWDERS ELECTRO TERRACOTTA MET 20KGS	9068380Q-20KGS	9300611630353
POWDERS ELECTRO TERRACOTTA METALLIC	9068380Q-KG	9300611629876
POWDERS ELECTRO LIGHT BROWN 20KGS	9068381F-20KGS	9300611630407
POWDERS ELECTRO WEST END BRONZE 20KGS	9068392Q-20KGS	9300611634740

Safety Data Sheet



POWDERS ELECTRO WEST END BRONZE	9068392Q-KG	9300611633705
POWDERS ELECTRO BROWN GREY	9068400Q-KG	9300611638014
POWDERS ELECTRO GLASURIT	9068404F-KG	9300611640376
POWDERS ELECTRO GRAND CHANCELLOR BRONZE 20KGS	9068412K-20KGS	9300611650092
POWDERS ELECTRO GRAND CHANCELLOR BRONZE	9068412K-KG	9300611648952
POWDERS ELECTRO RIMEX COPPER GRANEX PEARL	9068428Q-KG	9300611656872
POWDERS ELECTRO ECL TERRACOTTA	9068435F-KG	9300611669124
POWDERS ELECTRO BLACK ACE FLAT 20KG	9069116F-20KGS	9300611512642
POWDERS ELECTRO BLACK ACE 3KG	9069116F-3KGS	9300611522429
POWDERS ELECTRO BLACK ACE	9069116F-KG	9300611510716
POWDERS ELECTRO C/B MONUMENT 20KG	9069171F-20KGS	9300611604347
POWDERS ELECTRO PREISGRUPPE 1	9069201Q-KG	9300611614582
POWDERS ELECTRO CS G10 BLACK	9069232F-KG	9300611650894
POWDERS ELECTRO HUNZA BIRCH	9062160F-KG	
POWDERS ELECTRO FRESH GOLD	9062208K-KG	9300611571410
POWDERS ELECTRO CANARY	9062209K-KG	9300611570963
POWDERS ELECTRO GOLD PEARL	9062221K-KG	9300611585646
POWDERS ELECTRO SHIMMERING CHAMPAGNE *	9063116K-KG	9300611510778
POWDERS ELECTRO SENSATIONAL CHAMPAGNE	9063187K-KG	9300611566256
POWDERS ELECTRO FRED	9064164K-KG	9300611570314
POWDERS ELECTRO MANOR RED GOLD	9064329K-KG	9300611585660
POWDERS ELECTRO BLUE GOLD	9065301K-KG	9300611570130
POWDERS ELECTRO BLUEIT	9065302K-KG	9300611570147
POWDERS ELECTRO BLUE NIGHT	9065303K-KG	9300611572288
POWDERS ELECTRO POYPLE	9065304K-KG	9300611570192
POWDERS ELECTRO LIGHT BLUE FLAT	9065401F-KG	9300611632678
POWDERS ELECTRO NZ ARMY GREEN	9066332F-KG	9300611556110
POWDERS ELECTRO GREEN LANTERN	9066342K-KG	9300611571717
POWDERS ELECTRO CTEC LIGHT GREEN	9066422F-KG	9300611615466
POWDERS ELECTRO LIGHT GREEN	9066442F-KG	9300611629982
POWDERS ELECTRO GREY SILVERSMITH	9067600K-KG	9300611555748
POWDERS ELECTRO SILVER REIGN	9067614K-KG	9300611566232
POWDERS ELECTRO VENERABLE SILVER	9067621K-KG	9300611566324
POWDERS ELECTRO DRURY GREY	9067636F-KG	9300611574428
POWDERS ELECTRO BASALT FLAT	9067645F-KG	9300611579317
POWDERS ELECTRO ANODISED C31	9067732K-KG	9300611607614
POWDERS ELECTRO ALPOLIC SILVER KINETIC	9067744K-KG	9300611608710
POWDERS ELECTRO BRIGHT SILVER KINETIC	9067749K-KG	9300611612625
POWDERS ELECTRO AZTEC GREY SAHARA	9067793Z-KG	9300611624093
POWDERS ELECTRO QUARTZ GREY FINE TEXTURE	9067806Z-KG	9300611629906
POWDERS ELECTRO PCG GREY METALLIC	9067813Z-KG	9300611631626
POWDERS ELECTRO TS BRAUNSTYLE 26	9068273K-KG	9300611556028
POWDERS ELECTRO HERVY BRONZE	9068274K-KG	9300611556134
POWDERS ELECTRO BRILLIANCE	9068281K-KG	9300611566577
POWDERS ELECTRO COPPER PEARL 2	9068309K-KG	9300611585653
POWDERS ELECTRO LIGHT BROWN	9068381F-KG	9300611630032
POWDERS ELECTRO ANO ULTRA GREY BLACK	9069169F-KG	9300611574978
POWDERS ELECTRO MONUMENT FLAT	9069171F-KG	9300611579324
POWDERS ELECTRO NIMBUS WHITE 2	9061300F-KG	9300611564658
POWDERS ELECTRO BLUE SUEDE SHOES *	9065178K-KG	9300611509383
POWDERS ELECTRO DOMINO FLAT #	9067367F-KG	9300611630919
POWDERS ELECTRO ARB VINTAGE SILVER	9067713K-KG	9300611603319
POWDERS ELECTRO UNIVERSAL CHARCOAL GREY FLAT	9067822Q-KG	9300611633613
POWDERS ELECTRO MEDIUM BRONZE *	9068183Q-KG	
POWDERS ELECTRO DARK BRONZE *	9068184Q-KG	9300611645630

Recommended use: Powder coating. Applied by electrostatic spray.

Safety Data Sheet



**POWDER
COATINGS**

Supplier: Dulux Powder & Industrial Coatings, a division of DuluxGroup (Australia) Pty Ltd
ABN: 67 000 049 427
Street Address: 1956 Dandenong Road
Clayton VIC 3168
Australia
Telephone: 13 25 25

Emergency Telephone number: Australia – 1800 220 770; New Zealand – 0800 220 770

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Ingredients determined to be non-hazardous or below reporting limits		100 % (w/w)
		100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.



5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
Inspirable dust	-	10	-	-	-

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric



contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask. When using this material, use explosive dust handling controls to minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks and flame; prevent the build-up of static charges with appropriate earthing of equipment and personnel.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, DUST MASK.

Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder
Colour:	Various
Odour:	Mild, characteristic
Solubility:	Insoluble in water
Specific Gravity:	1.1 - 1.6
Relative Vapour Density (air=1):	N App
Vapour Pressure:	N App
Flash Point (°C):	N App
Explosion/Flammability Limits:	20 g/m ³ - 70 g/m ³
Autoignition Temperature (°C):	N Av
Melting Point/Range (°C):	N Av
Boiling Point/Range (°C):	N Av
pH:	N App
Viscosity:	N App
Total VOC (g/Litre):	N Av

(Typical values only - consult specification sheet)
N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Avoid the generation of airborne dust, ensure all potential ignition sources are eliminated, including the build-up of static charges

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: Airborne dust may result in an explosion if ignited by static discharge or other sources of ignition. Keep away from heat, hot surfaces, sparks and flame.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 5.0$ mg/L for dust.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000$ mg/Kg bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000$ mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: AIC listed pure substance.

16. OTHER INFORMATION

Reason for issue: Minor Text Changes

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.