

Hazardous, Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: gleitmo WSP 5040

Recommended use: Grease

Supplier: Fuchs Lubricants (Australasia) Pty Ltd Street Address: Head Office 49 McIntyre Road Sunshine VIC 3020 Australia

Telephone:	+61 3 9300 6400 (Australia)
	+64 6 828 3255 (New Zealand)
Website:	www.fuchs.com.au
Email:	<u>sds.au@fuchs.com</u>

Emergency Telephone number: Australia 1

Australia 1800 638 556 (24hr) New Zealand 0800 154 166 (24hr)

2. HAZARDS IDENTIFICATION

This material is hazardous according to the criteria of Safe Work Australia GHS 7.



Signal Word

Warning

Hazard Classifications

Eye Damage/Irritation - Category 2A Chronic Hazard to the Aquatic Environment - Category 2

Hazard Statements

H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Prevention Precautionary Statements

P262	Do not get in eyes, on skin, or on clothing.
P264	Wash hands, face and all exposed skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing including eye/face protection.

Response Precautionary Statements

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.

Storage Precautionary Statement

Not allocated

Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and



international regulations.

9

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Dangerous Goods Class:

Australian Special Provisions; AU01: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code (ADG 07) when transported by road or rail in;

(a) packagings that do not incorporate a receptacle exceeding 500 Kg (L); or

(b) IBCs.

3. COMPOSITION INFORMATION		
CHEMICAL ENTITY	CAS NO	PROPORTION
Mixture of the substances listed below with harmless additions.		
Lime hydrate	1305-62-0	20-50 %
Inorganic zinc salt	7446-26-6	2.5-5 %
Calcium sulfonate	68584-23-6	1-5 %
Calcium sulfonate	61789-86-4	1-5 %
Ca-sulfonate	1335202-81-7	1-3 %
Triaryl phosphate, alkylated		0.25-1 %
Phenolic antioxidant	128-37-0	0.25-1 %
Ca sulfonate	70024-69-0	0.1-1 %
Zinc compound	1314-13-2	0.1-0.25 %
		100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, chemical goggles. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.



5. FIRE FIGHTING MEASURES

Hazchem Code: 2Z

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear selfcontained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: 47

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for spills.

This material is classified as a Class 9 Miscellaneous Dangerous Good as per the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and/or the "New Zealand NZS5433: Transport of Dangerous Goods on Land" and must be stored in accordance with the relevant regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
2,6-Di-tert-butyl-p-cresol	-	10	-	-	-
Calcium hydroxide	-	5	-	-	-
Zinc oxide (dust)	-	10	-	-	-
Zinc oxide (fume)	-	5	-	10	-

As published by Safe Work Australia.



TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, CHEMICAL GOGGLES.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear safety shoes, overalls, gloves, chemical goggles. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Colour: Odour:	Grease Light brown Characteristic	
Solubility in water: Density: Relative Vapour Der Vapour Pressure (2 Flash Point (°C): Flammability Limits Pour Point/Range (° Boiling Point/Range Dropping Point (°C) pH: Viscosity: Total VOC (g/Litre):	0 °C): ; (%): ;°C): ∌ (°C):	Insoluble 1.2 g/cm3 @ 15°C N App N Av N Av N Av N App N Av 250 N App N App N App N Av

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable



10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Strong oxidizing substances. Strong acids. Strong bases.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: An eye irritant. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 5.0 \text{ mg/L}$ for dust.

Specified substance(s): Zn compound - LC 50 (Rat, 4 h): 5.7 mg/l

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg bw}$

Specified substance(s): Calcium Sulfonate - LD 50 (Rabbit): > 5001 mg/kg Calcium Sulfonate - LD 50 (Rat): > 5001 mg/kg Ca Sulfonate - LD 50 (Rabbit): > 5000 mg/kg (OECD 402) Phenolic antioxidant - LD 50 (Rat): > 5000 mg/kg (OECD 402)

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg bw}$

Specified substance(s): Lime hydrate - LD 50 (Rat): 7340 mg/kg Calcium Sulfonate - LD 50 (Rat): > 5001 mg/kg Calcium Sulfonate - LD 50 (Rat): > 16000 mg/kg Ca Sulfonate - LD 50 (Rat): > 5000 mg/kg (OECD 401) Triaryl phosphate, alkylated - LD 50 (Rat): > 5001 mg/kg Phenolic antioxidant - LD 50 (Rat): > 2930 mg/kg (OECD 401) Zn compound - LD 50 (Rat): > 15000 mg/kg

Corrosion/Irritancy: Eye: this material has been classified as a Category 2A Hazard (reversible effects to eyes). Skin: this material has been classified as not corrosive or irritating to skin.



Specified substance(s): Skin Corrosion/Irritation Calcium Sulfonate OECD 404 (Rabbit): Not irritant. Ca-sulfonate OECD 404: Slightly irritating. Calcium Sulfonate OECD 404 (Rabbit): Not irritant. Ca Sulfonate OECD 404 (Rabbit): Not irritant.

Eye Corrosion/Irritation Calcium Sulfonate OECD 405 (Rabbit): Not irritant. Ca-sulfonate OECD 405: May cause burns.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Specified substance(s): Calcium Sulfonate - May cause sensitization by skin contact. Calcium Sulfonate - May cause sensitization by skin contact. Ca Sulfonate - May cause sensitization by skin contact. Phenolic antioxidant - No sensitizing effect (guinea pig); OECD 406

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as a Category Chronic 2 Hazard. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): 1 - 10 mg/L, where the substance is not rapidly degradable and/or BCF \geq 500 and/or log K_{ow} \geq 4.

Ecotoxicity: No information available.

Specified subs Acute toxicity Fish	tance(s):
	Lime hydrate - LC 50 (Fish, 96 h): 50.6 mg/l (OECD 203)
	Calcium Sulfonate - LL 50 (Cyprinodon variegatus, 96 h): > 10000 mg/l (OECD 203)
	Ca-sulfonate - LL 50 (Fish, 96 h): > 1 mg/l (OECD 203)
	LL 50 (Fish, 96 h): < 10 mg/l (OECD 203)
	Calcium Sulfonate - LC 50 (Fish, 96 h): > 10000 mg/l (OECD 203)
	Ca Sulfonate - LC 50 (Fish, 96 h): > 1001 mg/l (OECD 203)
	Triaryl phosphate, alkylated - LC 50 (Fish, 96 h): 0.8 mg/l



Aquatic Invertebrates

Lime hydrate - EC 50 (Water Flea, 48 h): 49.1 mg/l (OECD 202) Calcium Sulfonate - EL 50 (Daphnia magna, 48 h): > 1000 mg/l Inorganic Zinc salt - EC 50 (Water Flea, 48 h): 26 mg/l Ca-sulfonate - LL 50 (Water Flea, 48 h): 2.9 mg/l (OECD 202) Calcium Sulfonate - EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202) Ca Sulfonate - EC 50 (Water Flea, 48 h): > 1001 mg/l Triaryl phosphate, alkylated - EC 50 (Water Flea, 48 h): 0.202 mg/l Phenolic antioxidant - EC 50 (Water Flea, 48 h): 0.61 mg/l (OECD 202) Zinc compound - EC 50 (Water Flea, 48 h): 2.2 mg/l

Chronic toxicity

Fish

Triaryl phosphate, alkylated - NOEC (Fish, 90 d): 0.093 mg/l Aquatic Invertebrates Triaryl phosphate, alkylated - NOEC (Water Flea, 21 d): 0.0399 mg/l Toxicity to Aquatic Plants Lime hydrate - EC 50 (Alga, 72 h): 184.57 mg/l Calcium Sulfonate - EL 50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 1000 mg/l Ca-sulfonate - EC 50 (Alga, 96 h): 29 mg/l Ca Sulfonate - EC 50 (Alga, 72 h): > 1000 mg/l Zn compound - EC 50 (Alga, 72 h): 0.17 mg/l

Persistence and degradability: No information available.

Specified substance(s): Biodegradation Ca-sulfonate - (OECD 301B) Readily biodegradable Calcium Sulfonate – 8.6 % (28 d) Not easily biodegradable Triaryl phosphate, alkylated - 61 % (28 d) Readily biodegradable Phenolic antioxidant - 30 % (OECD 302C) Not readily degradable.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Australian Special Provisions; AU01: Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subject to this Code (ADG 07) when transported by road or rail in;

- (c) packagings that do not incorporate a receptacle exceeding 500 Kg (L); or
- (d) IBCs.





3077

9

UN No: **Dangerous Goods Class:** Packing Group: Ш Hazchem Code: 2Z **Emergency Response Guide No:** 47 Limited Quantities

5 kg ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (INORGANIC ZINC SALT)

Segregation Dangerous Goods: Not to be loaded with explosives (Class 1). Note 1: Materials that are fire risks are incompatible with oxidising agents (Class 5.1) or organic peroxides (Class 5.2). Exemptions may apply.

MARINE TRANSPORT

Proper Shipping Name:

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. This material is classified as a Marine Pollutant (P) according to the International Maritime Dangerous Goods Code.



UN No:	
Dangerous Goods Class:	
Packing Group:	

Proper Shipping Name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (INORGANIC ZINC SALT)

AIR TRANSPORT

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



UN No: **Dangerous Goods Class:** Packing Group:

3077 9 Ш

3077 9 Ш

Proper Shipping Name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (INORGANIC ZINC SALT)

15. REGULATORY INFORMATION

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.



AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

NZ EPA Status: All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

HSNO Group Standard: HSR002606 - Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2020

16. OTHER INFORMATION

Reason for issue: Revised

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.