

ECOCARE

Wash Treatment System EWTS60

Product Code: EWTS60

Product Description

The Ecocare Wash Treatment System is a multi-function wash-up and treatment system that provides an environmentally responsible solution to capture and treat the wash-up water from the cleaning of painting equipment.

Painting equipment (brushes, rollers, paint trays) can conveniently be cleaned into the unit. The in-built storage tank collects all the waste water, avoiding unsightly paint stains on the job site from the clean-up. Once the tank reaches the fill line it is a simple process to turn the waste water into clean water leaving solids that can be disposed through general waste.

Importantly the Ecocare process is fast, efficient and doesn't require constant attention. Users can walk away from the unit as the water separation process occurs and again when the liquid is being drained. The Ecocare system complies with EPA guidelines for paint disposal and importantly preserves our environment from unnecessary contamination.



Product Features

- ✓ EPA compliant
- ✓ Avoids ground paint stains
- ✓ Reduces water usage
- ✓ Portable and easy to use

Product Specifications

Capacity	60 Litres
Unit dimensions	800mm long x 500mm wide x 550mm high
Weight	15kg
Components	60L plastic tub with lid (assembled) Galvanised steel frame (assembled) Galvanised steel legs x 4 2 metres poly hose with ¾ adaptor Stainless Steel filter bag holder Nylon filter bag Leg clips x 4
Consumables	Nylon Filter Bag Treatment Powder

Directions for use

Preparation	<ol style="list-style-type: none"> 1. Return excess paint from all equipment prior to commencing cleaning. 2. The use of roller cleaners is the most time efficient and effective water saving technique for cleaning rollers.
Set up	<ol style="list-style-type: none"> 1. Set the stand on firm level ground. 2. Insert the leg pins 3. Ensure the ball valve tap is closed.

	<ol style="list-style-type: none"> 4. Hang the filter bag holder and bag. 5. Attach the flexible hose if required.
Washing of equipment	<ol style="list-style-type: none"> 1. All water-based paint brushes, rollers and trays can be washed into the unit after completing Preparation. 2. The unit can be used until the liquid level reaches the bottom edge of the ribbed cleaning shelf.
Treatment of wash-up water	<ol style="list-style-type: none"> 1. Thoroughly stir contents to agitate settlement at the bottom of the unit. 2. Sprinkle 2 scoops of Ecocare Treatment Powder across the surface and continue to stir for one minute. 3. Allow to sit for two minutes and then stir for another two minutes. 4. Allow to stand for a minimum of thirty minutes.
Release of content	<ol style="list-style-type: none"> 1. Open the red lever on the ball valve tap to release the grey water. 2. This can be released into a grey water point or sewer system. Not suitable for stormwater system. Do not allow any liquid to enter gutters or street drains. 3. Ensure the filter bag is positioned directly underneath the unit. 4. Unscrew the bung to allow the solids to drain into the filter bag. 5. Allow the filter bag to drain.
Disposal	<ol style="list-style-type: none"> 1. Empty the solids into a container or tie off filter bag. 2. Dispose of dried solids via general waste. 3. If reusing the filter bag turn inside out and thoroughly clean.

Safety Directions

Causes skin irritation. Causes serious eye damage. Wear protective gloves and eye and face protection. Avoid breathing dust. Can be harmful, causing respiratory tract irritation, if inhaled. Do not re-use empty containers.

First Aid

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. IN ON SKIN Wash skin with soap and copious amounts of water. Seek medical attention. IF INHALED Get medical aid immediately. Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. IF INGESTED DO NOT induce vomiting. Contact the Poison's Information Centre 13 1126. Rinse mouth with water. Seek medical attention.

Manufacturer's comment

This product has been designed as part of a totally integrated system. Use with any other manufacturer's product(s) or failing to follow application instructions, could result in detrimental effects on product performance, for which Henry Haymes Pty. Ltd. cannot be held responsible.

Further information is available in the form of Safety Data and Product Information Sheets from www.haymespaint.com.au. We are continually updating materials and methods, so please ensure you have the latest information.

SIGNAL WORD : DANGER



Disclaimer

The information provided is correct at the time of preparation; however it is the responsibility of those using this information to check that it is current prior to specifying, recommending or using product contained in this information. Because use conditions and applicable laws may differ from one location to another and may change with time, those using this information are responsible for determining whether products and the information in this document are appropriate for their use and for ensuring that workplace and disposal practices are in compliance with applicable laws and other government enactments. Haymes Paint assumes no obligation or liability for the information in this document. No express warranties are given except for any applicable written warranties specifically provided by Haymes Paint. All implied warranties including those of merchantability and fitness for a particular purpose are expressly excluded.

Henry Haymes Pty Ltd
A.B.N. 14 004 201 638
Waringa Drive
Wendouree Industrial Estate
Ballarat Vic 3350
Freecall 1800 033 431
Freefax 1800 801 892
www.haymespaint.com.au

Date of Preparation 30/9/15