# Material Safety Data Sheet

1 of Page:

CS: 1.4.21 Infosafe No™ 1HAWF Issue Date :October 2010 RE-ISSUED by HAYMES

Product Name INTERIOR EXPRESSIONS MATT ACRYLIC WHITE

> Not classified as hazardous according to criteria of NOHSC

#### **COMPANY DETAILS**

HAYMES PAINT **Company Name** 

Address P.O Box 167 WENDOUREE

VICTORIA 3355 Australia

Tel: 03 5342 6200 . Office Hours: 7-30 to 5-30 Monday to Friday Tel/Fax

#### **IDENTIFICATION**

**Product Code** MAW

INTERIOR EXPRESSIONS MATT ACRYLIC WHITE **Product Name** 

Not Scheduled **Poisons Schedule** 

**Product Use** As a high quality matt 100% acrylic finish for use on interior walls and

ceilings.

#### **Physical Data**

White viscous liquid. **Appearance** 

Not Available **Melting Point** 

**Boiling Point** Initial boiling point 100°C

As for water. Vapour Pressure Approx. 1.2 to 1.4 **Specific Gravity** 

Not applicable; water based paint. **Flash Point** 

Not applicable Flamm. Limit LEL Not applicable **Explosion Data** 

## **Other Properties**

Approximately 0% **Volatile Component** Not applicable Autoignition Temp.

Vapour Density Approx. 1 8 - 10 pH Value Low odour Odour Liquid Form

Decomposition

Not available

**Temperature** 

**Formula** N/A.

Molecular Weight Not applicable

Other Information Emulsifiable mixture.

## Ingredients

Ingredients	Name	CAS	Proportion
	Pigment - Inorganic and/or organic	Non-hazardou s	30-55 %
	Polyacrylate emulsion	PROPRIETARY	10-40 %
	Water	7732-18-5	15-25 %
	Extenders,defoame r,dispersant and thickeners	PROPRIETARY	10-25 %
Other Information	Water based coating consisting of a polyacrylate emulsion plus		

stabilisers, pigment, extenders, dispersants, defoamer and a bactericide.

Print Date: 26/10/2010 CS: 1.4.21

# Material Safety Data Sheet

2 of Page:

CS: 1.4.21 Infosafe No™ 1HAWF Issue Date :October 2010 RE-ISSUED by HAYMES

Product Name INTERIOR EXPRESSIONS MATT ACRYLIC WHITE

> Not classified as hazardous according to criteria of NOHSC

#### HEALTH HAZARD INFORMATION

#### **Health Effects**

No adverse effects expected due to swallowing of small amounts incidental Acute - Swallowed

to industrial handling. However it is good work practice to avoid ingestion

May cause slight eye irritation. Acute - Eye

Contact with skin will result in mild irritation. Repeated or prolonged skin Acute - Skin

contact may lead to irritation.

No adverse effects anticipated by this route of exposure. However it is good Acute - Inhaled

work practice to avoid prolonged inhalation of the vapours which may cause

slight irritation of nose and respiratory tract.

No information available for this product. Chronic

N/A. Other Information

#### First Aid

**Swallowed** If swallowed, rinse mouth thoroughly with water.

Give water to drink, DO NOT induce vomiting. Seek medical advice.

If in eyes wash with flowing water for at least 15 minutes. Seek medical Eye

if effects persists.

Skin Wash affected areas with copious quantities of water.

If effects occur remove to fresh air. Seek medical attention. Inhaled

No other information available. First Aid Facilities

#### Advice to Doctor

No specific antidote. Supportive care. Treat symptomatically. Advice to Doctor

#### **Other Health Hazard Information**

#### PRECAUTIONS FOR USE

**Exposure Limits** None established for this product.

Paint contains titanium dioxide(C.I. Pigment White 6), calcium carbonate (chalk, whiting) each of which has a WES, but solids are bound

into the paint and as such the applicable standards are not meaningful.

Use in a well ventilated area only. **Eng. Controls** 

Other Information No other information available.

#### **Personal Protection**

Protective Equip. Avoid skin and eye contact.

Wear clean body-covering clothing. Use gloves that provide a water barrier and wear safety glasses. Wash hands thoroughly before eating or drinking.

#### **Flammability**

Non combustible. Non flammable. Fire Hazards

## SAFE HANDLING INFORMATION

## **Storage and Transport**

Not classified as Dangerous Goods, according to the Australian Code for the **Transport** 

Transport of Dangerous Goods by Road and Rail.

Not classified as a dangerous good for transport by road or rail in the Storage and

Australian Dangerous Goods Code. **Transport** 

Store in a cool place out of direct sun.

Other Storage Info. Read the use instructions on the label and observe recommendations.

#### Spills and Disposal

Print Date: 26/10/2010 CS: 1.4.21

## Material Safety Data Sheet

3 of 3 Page:

CS: 1.4.21 Infosafe No™ 1HAWF Issue Date :October 2010 RE-ISSUED by HAYMES

Product Name INTERIOR EXPRESSIONS MATT ACRYLIC WHITE

> Not classified as hazardous according to criteria of NOHSC

Spills & Disposal

Contain using sand and earth - prevent runoff into drains and waterways. Prevent contamination of sewers, drains and waterways. Collect wastes and store in labelled containers for disposal. Dispose of waste materials in approved landfill. Wash residues from contaminated area with copious quantity of water.

Fire/Explosion Hazard

Product is water based emulsion and will not burn. Dried resin may burn. Fire/Explos. Hazard

Use water to extinguish burning dried resin.

Stable at normal conditions. Addition of chemicals and freezing temperatures **Hazardous Reaction** 

may cause coagulation.

OTHER INFORMATION

**Toxicology** No acute or chronic toxicity data available for this product. If

recommended precautions for handling and use are adhered to no adverse effects are anticipated. Trace residual monomers in the polymer emulsion are not considered to present a significant hazard under normal work

practices and conditions.

No data available for this formulation. **Environ. Protection** 

May be harmful to aquatic life. Avoid contamination of waterways, drains or

sewers. Dilution in water will make the water milky and possibly solids in

the paint will separate and sink to bottom of system.

Pkg. & Labelling No specific requirements with respect to dangerous goods regulations,

workplace OH & S regulations or poisonous substances control regulations. Paint conforms with the Uniform paint Standard, Schedule 'P' of SUSDP.

N/A.

N/A.

Regulatory Information Manufacturers Advice

When surfaces, previously sealed with this coating or similar coatings containing titanium dioxide and/or kaolin and/or calcium carbonate, are prepared by dry sanding or dry blasting techniques it is recommended that an air-purifying (dust) respirator be worn to control the inhalable dust concentrations to less than the recommended Workplace Exposure Standards published by Worksafe Australia (See reference below). For some operations local exhaust ventilation may be required to meet this level of control.

**Technical Data** N/A.

'Standard for the Uniform Scheduling of Drugs and Poisons' National Health References

and Medical Research Council as amended.

'Exposure Standards for Atmospheric Contaminants in the Occupational

Environment' Worksafe Australia Standard, May 1995.

**Empirical Formula** 

& Structural **Formula** 

**Other Information** N/A.

**CONTACT POINT** 

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed on this site is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be

Print Date: 26/10/2010 CS: 1.4.21