

HAYMES ANCILLARY

Unikleen

Product Code: UK

Product description

A heavy duty pre-painting hard surface cleaner capable of removing difficult soils and preparing surfaces for redecoration.



Key Features

- ✓ Concentrate – 1L makes up to 5L
- ✓ Universal cleaner
- ✓ Effectively removes dirt, grease and grime

Where to Use

Haymes Uni-Kleen Sugar Soap can be used in its recommended diluted form for cleaning a variety of surfaces ranging from floors, bench tops, cupboard doors, walls etc. While it's major use is to clean prior to painting, it's cleaning capabilities make it a very versatile cleaner.

Note: Due to the alkaline nature of this product, prolonged contact with aluminium or zinc coated (eg. galvanised iron) surfaces should be avoided.

Typical properties

Application tools	Use cloth or sponge for difficult areas. A scrubbing brush may assist removal.
Clean-up	Wash all equipment with fresh water after use.
Sizes	500ml, 1L, 4L

Application

- Note: The use of rubber gloves is highly recommended.
- For cleaning of slightly soiled surfaces, use 1 part UNIKLEEN to 4 parts water.
- For heavily smoked, soiled or greasy surfaces, use 1 part UNIKLEEN to 2 parts warm water.
- Apply by brush or sponge thoroughly wetting the surface.
- After 5 minutes rinse with clean water.
- Allow to dry completely before redecorating.

Care and Maintenance

When cleaning with Haymes Uni-Kleen Sugar Soap, take care with fabrics or carpets neighbouring the work area. When cleaning horizontal surfaces, do not allow Uni-Kleen to form pools on surfaces not being re-decorated.

Safety & First Aid

Keep out of reach of children. Avoid contact with skin and eyes. Wear suitable protective clothing when using. If swallowed, drink plenty of water. Contact a doctor or Poisons Information Centre (Phone 131126). If skin contact occurs wash skin thoroughly with soap and water. If symptoms persist seek medical advice. Contact Haymes for disposal advice.

Protect our environment

DO NOT pour any leftover product down the drain. Retain in a marked sealed container for future use or disposal via special chemical waste collection programs. Dried empty containers can be recycled and should be disposed of via recycling facilities.

Manufacturer's comment

This product has been designed as part of a totally integrated application system. Use with any other manufacturer's product(s) or failing to follow application instructions, could result in detrimental effects on product performance, for which Henry Haymes Pty. Ltd. cannot be held responsible. Further information is available in the form of Safety Data and Product Information Sheets from Haymes Paint www.haymespaint.com.au. We are continually updating materials and methods, so please ensure you have the latest information.

Disclaimer

The information provided is correct at the time of preparation; however it is the responsibility of those using this information to check that it is current prior to specifying, recommending or using product contained in this information. Because use conditions and applicable laws may differ from one location to another and may change with time, those using this information are responsible for determining whether products and the information in this document are appropriate for their use and for ensuring that workplace and disposal practices are in compliance with applicable laws and other government enactments. Haymes Paint assumes no obligation or liability for the information in this document. No express warranties are given except for any applicable written warranties specifically provided by Haymes Paint. All implied warranties including those of merchantability and fitness for a particular purpose are expressly excluded.

Henry Haymes Pty Ltd
A.B.N. 14 004 201 638
Waringa Drive
Wendouree Industrial Estate
Ballarat Vic 3350
Free call 1800 033 431
Free fax 1800 801 892
www.haymespaint.com.au

Date of Preparation 20/09/2016