

HAYMES ARTISAN COLLECTION

Oxidising Patina

Product Code: ACOP

Product description

Haymes Artisan Collection Oxidising Patina is a specially formulated oxidant for use with the Artisan Collection Real Iron or Real Copper paints. The oxidant reacts with these paints to create a rusted iron finish or Copper Verdigris finish. Oxidising Patina is suitable for Interior & Exterior use. To seal and isolate the effect created by the oxidising patina, apply one coat of Artisan Collection Natural Clear Matte.



Key Features;

- ✓ Interior and exterior use
- ✓ Achieves a rusted look on Real Iron Paint
- ✓ Achieves a Verdigris appearance on Real Copper Paint
- ✓ Speeds up the oxidization process

Where to use

Surfaces previously painted with Haymes Artisan Collection Real Iron or Real Copper Paint.

Typical properties

Application Tools	Brush, spray, cloth, sponge
Clean Up	Water
Dry Time	3 - 6 hours
Coverage	Dependent on application technique
Colour	Aqua liquid
Sizes	250 ml, 1 L
VOC	<5 g/L

Application

Do NOT apply if the ambient temperature is less than 10°C or greater than 35°C, or if conditions will drop below 10°C during the drying period. Under warmer conditions refer to Thinning advice. All times quoted assume ambient conditions of 25°C and 50% relative humidity. At cooler temperature or higher humidity drying times will be extended.

To avoid skin contact, we recommend the use of disposable or rubber gloves.

1. Use only on surfaces pre-painted with Haymes Real Iron or Real Copper Paint. Drying time of the Real Iron or Real Copper paint will affect the finished appearance. Prior to commencing application to your project, practice your application technique on an off-cut or large piece of board.
2. Rust - Load a broad bristle brush with oxidant and apply over Real Iron Paint with sweeping crisscross strokes.
3. Verdigris - Oxidising Patina may be applied over Real Copper Paint using a variety of techniques such as spray, brush, fabric or sponge.
4. Oxidising continues after the Oxidising Patina has dried. If a more obvious effect is required apply a second or third coat.

IMPORTANT NOTE:

The finished result of decorative finishes will vary dependent upon the applicator and the application technique used. Haymes Paint recommend a sample application be conducted prior to undertaking your project to ensure consistency of outcome. This is due to the variance that may be experienced between the Haymes finished sample and that achieved by the applicator. We recommend viewing our instructional videos located at www.haymespaint.com.au/artisancollection

Thinning

For a Rust effect over Real Iron Paint, thinning is not recommended. For a Verdigris effect over Real Copper Paint, a more subtle finish may be achieved if desired by thinning with up to 90% water.

Care and maintenance

Apply one coat of Artisan Collection Natural Clear Matte to achieve a more durable finish.

Storage

Protect from extremes of temperature. Store between 5°C and 30°C.

Reacts with iron, steel, aluminium and copper. Store only in the original container. Store away from incompatible materials such as reducing agents and solvents.

Safety and First Aid

Keep out of reach of children. Read label before use. Wash exposed skin thoroughly after handling. Wear eye protection/face protection. IF IN EYES, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

If swallowed rinse mouth. **DO NOT INDUCE VOMITING.** Call a Poisons Information Centre or doctor if you feel unwell (Phone Australia 13 11 26). If skin contact occurs, remove contaminated clothing and wash skin thoroughly with soap and water. In case of eye contact, hold eyes open and flush with running water for at least 15 minutes and seek medical advice. Consult a doctor if symptoms persist.

Dangerous Goods Classification

Dangerous Goods Class: 9
UN number: 3082
Contains; Ammonium chloride 5 -15%, Copper Nitrate <5%

Refer to Section 14 of the Safety Data Sheet for more information.

Protect Our Environment

DO NOT pour any leftover product down the drain. Retain in a marked, sealed container for future use or disposal via special chemical waste collection programs. Dried empty containers can be recycled and should be disposed of via recycling facilities.

Manufacturer's Comment

This product has been designed as part of a totally integrated application system. Use with any other manufacturer's product(s) or failing to follow application instructions, could result in detrimental effects on product performance, for which Henry Haymes Pty. Ltd. cannot be held responsible. Further information is available in the form of Safety Data and Product Information Sheets from Haymes Paint www.haymespaint.com.au . We continually update materials and methods; please ensure you have the latest information.

Disclaimer

The information provided is correct at the time of preparation; however, it is the responsibility of those using this information to check that it is current prior to specifying, recommending or using product contained in this information. Because use conditions and applicable laws may differ from one location to another and may change with time, those using this information are responsible for determining whether products and the information in this document are appropriate for their use and for ensuring that workplace and disposal practices are in compliance with applicable laws and other government enactments. Haymes Paint assumes no obligation or liability for the information in this document. No express warranties are given except for any applicable written warranties specifically provided by Haymes Paint. All implied warranties including those of merchantability and fitness for a particular purpose are expressly excluded.

Henry Haymes Pty Ltd
A.B.N. 14 004 201 638
Waringa Drive
Wendouree Industrial Estate
Ballarat Vic 3350
Free call 1800 033 431
Free fax 1800 801 892
www.haymespaint.com.au

Versioned: Updated 3rd April, 2020
Replaces version dated 12th December 2019