

GLEAM

STAINLESS STEEL POLISH

DESCRIPTION

Gleam was specifically designed to use on stainless steel, chrome, aluminium, zinc, brass, steel copper and silver surfaces. When used according to the directions, a brilliant "like new" shine is left whilst leaving a protective coating to help prevent further tarnishing of the metal.

APPLICATIONS

Hospitals, Restaurants, Council, etc...



TECHNICAL DATA

FORM: Aerosol	FLASH POINT: 55°C
ODOUR: Lemon	FLAME EXTENSION: LEL 1.1% - UEL 7.4%
COLOUR: Clear	BOILING POINT: 142 °C
DETERGENCY: N/A	SOLUBILITY IN WATER: Immiscible
TOXICITY: Poison S5	SPECIFIC GRAVITY: 0.8 g/ml
WETTING ABILITY: N/A	%VOLATILE BY VOLUME: 100%
STORAGE ABILITY: 2 Years	pH: N/A
COLD STABILITY: Do not freeze	PROPELLANT: Hydrocarbon
VAPOUR DENSITY: Above 1	EVAPORATION RATE: 0.2
VAPOUR PRESSURE: 0.5 mmHg	BIODEGRADABILITY: No

DIRECTIONS FOR USE

Gleam can be used by Institutional Staff, Hospitals, Restaurants. Any establishment with chrome, brass, stainless steel furniture or facades. Commercial Cleaners & Council Workers.