

## Enviro-Caustic™ Drain Opener

*Safer-Caustic Drain Opener Technology*

Enviro-Caustic™ Drain Opener is a true breakthrough in drain opener technology. With a pH of greater than 12 and caustic formulation, this fast-acting product offers the performance of traditional caustic drain openers, but is biodegradable, non-irritating to skin, and ships DOT non-hazardous. Its high density, thickened formula is heavier than water, so it sinks and clings to the blockage and begins working quickly. Highly effective against obstructions caused by fats, oils, lint and hair. Enviro-Caustic™ Drain Opener is odorless, nonflammable, and safer to use than traditional drain openers.

### Features and Benefits

- pH of >12, but non-irritating to skin
- Thickened formula sinks and clings to the point of obstruction
- Improved formula is highly effective against fats, oils, lint and hair
- Odorless, biodegradable, nonflammable
- Ships DOT non-hazardous

### Properties

Appearance: Milky liquid  
 Fragrance: Mild odor  
 Ready-to-Use: Yes  
 Specific Gravity: 1.12  
 pH: >12.0  
 Solubility in Water: Soluble

### Directions *Complete directions on product label*

**For Sewer Mains:** Pour 2-4 gallons into manhole or drain upstream and as close to the obstruction as possible. For best results, use regularly to keep sewer main open and free flowing.

**For Laterals:** Pour 1 gallon into drain upstream and as close to the obstruction as possible.

**For Drains:** Pour 1/2-1 quart slowly into the drain. Allow to work for 30 minutes. For difficult obstructions, a second application may be necessary. Where there is a history of obstructions, the regular use of this product at weekly intervals (or more often if required) will keep the line open and free flowing.

### Safety

Caution. May cause eye and skin irritation. Ingestion of large amounts may cause gastrointestinal irritation. Do not take internally.

### DOT Shipping (Ground Transportation)

Proper Shipping Name: None  
 Class: None  
 ID Number: None  
 Packing Group: None

### Quantities

30, 35 & 50 gallon  
 5 or 6 gallon  
 6 X 1 gallon  
 4 X 1 gallon  
 12 quarts / case

