

NON-Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: PaveCoat H2O Colours

Synonyms	Product Code
PÁVECOAT H2O BEIGE 10L	CSH2OBEI10
PAVECOAT H2O BEIGE 1L	CSH2OBEI01
PAVECOAT H2O BEIGE 20L	CSH2OBEI20
PAVECOAT H2O BEIGE 4L	CSH2OBEI04
PAVECOAT H2O BLACK 10L	CSH2OBLK10
PAVECOAT H2O BLACK 1L	CSH2OBLK01
PAVECOAT H2O BLACK 20L	CSH2OBLK20
PAVECOAT H2O BLACK 4L	CSH2OBLK04
PAVECOAT H2O BLUESTONE 10L	CSH2OBST10
PAVECOAT H2O BLUESTONE 1L	CSH2OBST01
PAVECOAT H2O BLUESTONE 20L	CSH2OBST20
PAVECOAT H2O BLUESTONE 4L	CSH2OBST04
PAVECOAT H2O BURGUNDY 10L	CSH2OBUR10
PAVECOAT H2O BURGUNDY 1L	CSH2OBUR01
PAVECOAT H2O BURGUNDY 20L	CSH2OBUR20
PAVECOAT H2O BURGUNDY 4L	CSH2OBUR04
PAVECOAT H2O BUSHLAND 10L	CSH2OBUS10
PAVECOAT H2O BUSHLAND 1L	CSH2OBUS01
PAVECOAT H2O BUSHLAND 20L	CSH2OBUS20
PAVECOAT H2O BUSHLAND 4L	CSH2OBUS04
PAVECOAT H2O CHARCOAL 10L	CSH2OCHA10
PAVECOAT H2O CHARCOAL 1L	CSH2OCHA01
PAVECOAT H2O CHARCOAL 20L	CSH2OCHA20
PAVECOAT H2O CHARCOAL 4L	CSH2OCHA04
PAVECOAT H2O CHOCOLATE 10L	CSH2OCHO10
PAVECOAT H2O CHOCOLATE 1L	CSH2OCHO01
PAVECOAT H2O CHOCOLATE 20L	CSH2OCHO20
PAVECOAT H2O CHOCOLATE 4L	CSH2OCHO04
PAVECOAT H2O COLOUR 10L	CSH2OCOL10
PAVECOAT H2O COLOUR 1L	CSH2OCOL01
PAVECOAT H2O COLOUR 20L	CSH2OCOL20
PAVECOAT H2O COLOUR 4L	CSH2OCOL04
PAVECOAT H2O CORAL 10L	CSH2OCOR10
PAVECOAT H2O CORAL 1L	CSH2OCOR01
PAVECOAT H2O CORAL 20L	CSH2OCOR20
PAVECOAT H2O CORAL 4L	CSH2OCOR04
PAVECOAT H2O DEEP OCEAN 10L	CSH2ODEE10
PAVECOAT H2O DEEP OCEAN 1L	CSH2ODEE01
PAVECOAT H2O DEEP OCEAN 20L	CSH2ODEE20
PAVECOAT H2O DEEP OCEAN 4L	CSH2ODEE04
PAVECOAT H2O DUNE 10L	CSH2ODUN10
PAVECOAT H2O DUNE 1L	CSH2ODUN01
PAVECOAT H2O DUNE 20L	CSH2ODUN20
PAVECOAT H2O DUNE 4L	CSH2ODUN04
PAVECOAT H2O EARL GREY 10L	CSH2OEAR10
PAVECOAT H2O EARL GREY 1L	CSH2OEAR01
PAVECOAT HOO EARL GREY 20L	CSH2OEAR20
PAVECOAT H2O EARL GREY 4L	CSH2OEAR04
PAVECOAT H2O ESS SAFETY YEL 20	CSH2OESSAF20
PAVECOAT H2O GREC T/COTTA 10L	CSH2OGRE10
PAVECOAT H2O GREC T/COTTA 1L	CSH2OGRE01
PAVECOAT H2O GREC T/COTTA 20L	CSH2OGRE20
PAVECOAT H2O GREC T/COTTA 4L	CSH2OGRE04
Dreduct Name: DaveCast U20 Calavira	Deference

Product Name: PaveCoat H2O Colours Reference No: CSH7



PAVECOAT H2O GUNMETAL 10L CSH2OGUN10 PAVECOAT H2O GUNMETAL 1L CSH2OGUN01 PAVECOAT H2O GUNMETAL 20L CSH2OGUN20 PAVECOAT H2O GUNMETAL 4L CSH2OGUN04 PAVECOAT H2O HEADLAND 10L CSH2OHEA10 PAVECOAT H2O HEADLAND 1L CSH2OHEA01 PAVECOAT H2O HEADLAND 20L CSH2OHEA20 PAVECOAT H2O HEADLAND 4L CSH2OHEA04 PAVECOAT H2O INDIAN RED 10L CSH2OIND10 PAVECOAT H2O INDIAN RED 1L CSH2OIND01 PAVECOAT H2O INDIAN RED 20L CSH2OIND20 PAVECOAT H2O INDIAN RED 4L CSH2OIND04 PAVECOAT H2O IRONSTONE 10L CSH2OIRO10 PAVECOAT H2O IRONSTONE 1L CSH2OIRO01 PAVECOAT H2O IRONSTONE 20L CSH2OIRO20 PAVECOAT H2O IRONSTONE 4L CSH2OIRO04 PAVECOAT H2O JASPER 10L CSH2OJAS10 PAVECOAT H2O JASPER 1L CSH2OJAS01 PAVECOAT H2O JASPER 20L CSH2OJAS20 PAVECOAT H2O JASPER 4L CSH2OJAS04 PAVECOAT H2O LIGHT GREY 10L CSH2OLIG10 PAVECOAT H2O LIGHT GREY 1L CSH2OLIG01 PAVECOAT H2O LIGHT GREY 20L CSH2OLIG20 PAVECOAT H2O LIGHT GREY 4L CSH2OLIG04 PAVECOAT H2O MANOR RED 10L CSH2OMAN10 PAVECOAT H2O MANOR RED 1L CSH2OMAN01 PAVECOAT H2O MANOR RED 20L CSH2OMAN20 PAVECOAT H2O MANOR RED 4L CSH2OMAN04 PAVECOAT H2O MID BRUNS GRN 10L CSH2OMBG10 PAVECOAT H2O MID BRUNS GRN 1L CSH2OMBG01 PAVECOAT H2O MID BRUNS GRN 20L CSH2OMBG20 PAVECOAT H2O MID BRUNS GRN 4L CSH2OMBG04 PAVECOAT H2O MIDNIGHT 10L CSH2OMID10 PAVECOAT H2O MIDNIGHT 1L CSH2OMID01 PAVECOAT H2O MIDNIGHT 20L CSH2OMID20 PAVECOAT H2O MIDNIGHT 4L CSH2OMID04 PAVECOAT H2O MISSION BROWN 10L CSH2OMIS10 PAVECOAT H2O MISSION BROWN 1L CSH2OMIS01 PAVECOAT H2O MISSION BROWN 20L CSH2OMIS20 PAVECOAT H2O MISSION BROWN 4L CSH2OMIS04 PAVECOAT H2O OXIDE RED 10L CSH2OOXI10 PAVECOAT H2O OXIDE RED 1L CSH2OOXI01 PAVECOAT H2O OXIDE RED 20L CSH2OOXI20 PAVECOAT H2O OXIDE RED 4L CSH2OOXI04 PAVECOAT H2O PALE EUCALYPT 10L CSH2OPAL10 PAVECOAT H2O PALE EUCALYPT 1L CSH2OPAL01 PAVECOAT H2O PALE EUCALYPT 20L CSH2OPAL20 PAVECOAT H2O PALE EUCALYPT 4L CSH2OPAL04 PAVECOAT H2O PAPERBARK 10L CSH2OPAP10 PAVECOAT H2O PAPERBARK 1L CSH2OPAP01 PAVECOAT H2O PAPERBARK 20L CSH2OPAP20 PAVECOAT H2O PAPERBARK 4L CSH2OPAP04 PAVECOAT H2O SADDLE BROWN 10L CSH2OSAD10 PAVECOAT H2O SADDLE BROWN 1L CSH2OSAD01 PAVECOAT H2O SADDLE BROWN 20L CSH2OSAD20 PAVECOAT H2O SADDLE BROWN 4L CSH2OSAD04 PAVECOAT H2O SAFETY YELLOW 10L CSH2OSAF10 PAVECOAT H2O SAFETY YELLOW 1L CSH2OSAF01 PAVECOAT H2O SAFETY YELLOW 20L CSH2OSAF20 PAVECOAT H2O SAFETY YELLOW 4L CSH2OSAF04 PAVECOAT H2O SAHARA 10L CSH2OSAH10 PAVECOAT H2O SAHARA 1L CSH2OSAH01

Product Name: PaveCoat H2O Colours Reference No: CSH7

Issued: 2024-01-02 Version: 3 Page 2 of 9



PAVECOAT H2O SAHARA 20L PAVECOAT H2O SAHARA 4L PAVECOAT H2O SANDSTONE 10L PAVECOAT H2O SANDSTONE 1L PAVECOAT H2O SANDSTONE 20L PAVECOAT H2O SANDSTONE 4L PAVECOAT H2O SHALE GREY 10L PAVECOAT H2O SHALE GREY 1L PAVECOAT H2O SHALE GREY 20L PAVECOAT H2O SHALE GREY 4L PAVECOAT H2O SIENNA 10L PAVECOAT H2O SIENNA 1L PAVECOAT H2O SIENNA 20L PAVECOAT H2O SIENNA 4L PAVECOAT H2O SIGNAL RED 10L PAVECOAT H2O SIGNAL RED 1L PAVECOAT H2O SIGNAL RED 20L PAVECOAT H2O SIGNAL RED 4L PAVECOAT H2O SUNSET 10L PAVECOAT H2O SUNSET 1L PAVECOAT H2O SUNSET 20L PAVECOAT H2O SUNSET 4L PAVECOAT H2O SURFMIST 10L PAVECOAT H2O SURFMIST 1L PAVECOAT H2O SURFMIST 20L PAVECOAT H2O SURFMIST 4L PAVECOAT H2O TERRACOTTA 10L PAVECOAT H2O TERRACOTTA 1L PAVECOAT H2O TERRACOTTA 20L PAVECOAT H2O TERRACOTTA 4L PAVECOAT H2O WHEAT 10L PAVECOAT H2O WHEAT 1L PAVECOAT H2O WHEAT 20L PAVECOAT H2O WHEAT 4L PAVECOAT H2O WHITE 10L PAVECOAT H2O WHITE 1L PAVECOAT H2O WHITE 20L PAVECOAT H2O WHITE 4L PAVECOAT H2O WILDERNESS 10L PAVECOAT H2O WILDERNESS 1L PAVECOAT H2O WILDERNESS 20L PAVECOAT H2O WILDERNESS 4L PAVECOAT H2O WOODLAND GREY 10L PAVECOAT H2O WOODLAND GREY 1L PAVECOAT H2O WOODLAND GREY 20L PAVECOAT H2O WOODLAND GREY 4L

CSH2OSAH20 CSH2OSAH04 CSH2OSAN10 CSH2OSAN01 CSH2OSAN20 CSH2OSAN04 CSH2OSHE10 CSH2OSHE01 CSH2OSHE20 CSH2OSHE04 CSH2OSIE10 CSH2OSIE01 CSH2OSIE20 CSH2OSIE04 CSH2OSIG10 CSH2OSIG01 CSH2OSIG20 CSH2OSIG04 CSH2OSUN10 CSH2OSUN01 CSH2OSUN20 CSH2OSUN04 CSH2OSUR10 CSH2OSUR01 CSH2OSUR20 CSH2OSUR04 CSH2OTER10 CSH2OTER01 CSH2OTER20 CSH2OTER04 CSH2OWHE10 CSH2OWHE01 CSH2OWHE20 CSH2OWHE04 CSH2OWHI10 CSH2OWHI01 CSH2OWHI20 CSH2OWHI04 CSH2OWIL10 CSH2OWIL01 CSH2OWIL20 CSH2OWIL04 CSH2OWOO10 CSH2OWOO01 CSH2OWOO20

CSH2OWOO04

Recommended use: SURFACE COATING

Supplier: Nutech Paint Pty Ltd
ABN: 94 242 116 396
Street Address: 4 Keppler Circuit

Seaford VIC 3198

Australia

Telephone: 03 9770-3000 **Facsimile:** 03 9775-1680

Emergency Telephone number: 03 9770-3000 (7:45 am-4:30 pm; Mon-Fri, AEST)

2. HAZARDS IDENTIFICATION

Product Name: PaveCoat H2O Colours Reference No: CSH7

Issued: 2024-01-02 Version: 3 Page 3 of 9



Reference No: CSH7

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Signal Word

_

Hazard Classification

Acute Hazard to the Aquatic Environment - Category 3

Hazard Statement

H402 Harmful to aquatic life.

Prevention Precautionary Statements

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Response Precautionary Statement

Not allocated

Storage Precautionary Statement

Not allocated

Disposal Precautionary Statement

Not allocated

CONTAINS ISOTHIAZOLINONES. May cause an allergic skin reaction.

Poison Schedule: Not Applicable

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Acrylic polymer(s) Proprietary Ingredients 3(2H)-Isothiazolone, 2-octyl- Ingredients determined to be Non-Hazardous	26530-20-1	30 - 60 % 10 - 30 % < 0.0015 % Balance
		100%

4. FIRST AID MEASURES

Product Name: PaveCoat H2O Colours

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.



Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or reusing.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Fire fighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

This product is a "Manufactured Product" as defined in the ADG Code.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Product Name: PaveCoat H2O Colours Reference No: CSH7

Issued: 2024-01-02 Version: 3 Page 5 of 9



National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear safety shoes, overalls, gloves, safety glasses. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units: Litres Form: Liquid

Colour: Various Colours

Odour: Slight Ammoniacal Odour

Solubility: Soluble in Water **Solubility in water:** Miscible with Water

Specific Gravity: 1.10 - 1.15
Relative Vapour Density (air=1): Unknown
Flash Point (°C): Non Flammable

Flammability Limits (%):

Autoignition Temperature (°C):

Melting Point/Range (°C):

Boiling Point/Range (°C):

pH:

75 - 90

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

Product Name: PaveCoat H2O Colours Reference No: CSH7

Issued: 2024-01-02 Version: 3 Page 6 of 9



11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin may result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): $LC_{50} > 20.0$ mg/L for vapours or $LC_{50} > 5.0$ mg/L for dust and mist.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg}$ bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): $LD_{50} > 2,000 \text{ mg/Kg bw}$

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as a Category Acute 3 Hazard. Acute toxicity estimate (based on ingredients): $> 10 \le 100 \text{ mg/L}$

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the

Product Name: PaveCoat H2O Colours Reference No: CSH7

Issued: 2024-01-02 Version: 3 Page 7 of 9



substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land". This product is a "Manufactured Product" as defined in the ADG Code.

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)

This material is subject to the following international agreements:

International Convention for the Prevention of Pollution from Ships (MARPOL)

• Annex III - Harmful Substances carried in Packaged Form

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

16. OTHER INFORMATION

Product Name: PaveCoat H2O Colours Reference No: CSH7

Issued: 2024-01-02 Version: 3 Page 8 of 9



Reasons for issue: Revised

5 Yearly Revision

Change in Hazardous Substance Classification

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

Product Name: PaveCoat H2O Colours Reference No: CSH7