

Safety Data Sheet



SDS: Nu-EcoSafe Graffiti

Date of Issue: NOVEMBER 2012
Supersedes Issue Date: JUNE 2014

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: NU-ECOSAFE GRAFFITI

Other Name(s): Coating Remover

Recommended Use: Coating Remover

Supplier: Nutech Paint Pty Ltd
ABN: 94 242 116 396
Street Address: 4 Keppler Circuit
Seaford, Victoria, Australia 3198

Telephone Number: +61 3 9770 3000
Fax Number: +61 3 9775 1680
Website: www.nutech.com.au

Emergency Numbers: +61 3 9770 3000 7.45am-4.30pm Mon-Fri
000 Police, Fire and Ambulance
131 126 For poisons advice contact a Poisons Information
Centre (New Zealand 0800 764 7660) or a
Doctor at once.

2. HAZARDS IDENTIFICATION

MAIN HAZARDS: Irritating to the Eyes, Skin and Respiratory System.

OTHER HAZARDS: May cause long term adverse effect in the Aquatic Environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	C.A.S No	% by Weight
Sulphoxide	67-68-5	<15
Aromatic Solvent	34590-94-8	<25
Glycol Ether	112-34-5	<40

4. FIRST AID MEASURES (SYMPTOMS)

Skin Contact: Is irritating to skin. There may be a risk of dermatitis and it may be absorbed by the skin.

Eye Contact: Highly irritating and risk of irreversible damage.

Ingestion: Harmful and may cause lung damage if swallowed.

Inhalation There may be irritation.

4. FIRST AID MEASURES (ACTIONS)

Skin Contact: Use hand cleaner/soap and water. Remove contaminated clothing. With severe cases consult a Doctor.

Eye Contact: Rinse immediately with plenty of water. Seek medical advice If symptoms persist.



NUTECH PAINT PTY LTD

Safety Data Sheet



SDS: Nu-EcoSafe Graffiti

Date of Issue: NOVEMBER 2012
Supersedes Issue Date: JUNE 2014

Ingestion: Wash out the mouth with plenty of water. Do not induce vomiting. Seek medical attention.

Inhalation Move to fresh air. In case of discomfort seek medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Containers can burst in a fire. Can form explosive vapour/air mixture. Use foam, CO₂ dry powder.
DO NOT Use Water Jets. Cool containers in case of fire.

Exposure Hazards: In combustion emits Toxic fumes.

Protection of Fire fighters: Wear self – contained breathing apparatus.
Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Ensure sufficient ventilation. Contain and collect spillage with non-combustible absorbent material and dispose of according to local regulations.

Environmental Precautions: Do not discharge into drains or rivers.

Clean up procedures: Contain and collect spillage with non-combustible absorbent material and dispose of according to local regulations.

7. HANDLING AND STORAGE

Handling Requirements: Avoid the formation or spread of mists in the air. Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage Requirements: Store separately from any reactive substances – Oxidisers in particular. Keep away from ignition sources. Store in well ventilated and dry environment. Store away from direct sun, heat and severe cold.

Products must only be kept in original packaging.
DO NOT use Aluminium or Steel Containers.

Storage Temperature: 4°C - 30°C



NUTECH PAINT PTY LTD

Safety Data Sheet



SDS: Nu-EcoSafe Graffiti

Date of Issue: NOVEMBER 2012
Supersedes Issue Date: JUNE 2014

8. PERSONAL PROTECTION / EXPOSURE CONTROL

- Engineering Measures:** Ensure there is sufficient ventilation of the area.
- Respiratory Protection:** In Case of insufficient ventilation, use suitable respiratory protection.
- Hand Protection:** AVOID CONTACT – Use Barrier Cream and Impervious gloves.
- Eye Protection:** Safety glasses, Safety goggles. Avoid direct contact.
- Skin Protection:** AVOID CONTACT – Use Barrier Cream and Impervious gloves.
- Ingestion:** Observe the rules of hygiene. Wash before eating, drinking or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance:** Clear colourless liquid
- Odour:** N/A
- Evaporation Rate:** N/A
- Oxidising:** N/A
- Solubility in Water:** Miscible
- Viscosity:** 14 seconds (F4C)
- Flash Point °C** 86.5 °C
- Relative density:** 0.99 g/ml
- pH:** 8.9
- VOC g/l:** N/A

10. STABILITY AND REACTIVITY

- General:** This product is stable and hazardous polymerisation will not occur.
- Conditions to Avoid:** Hot or cold storage.
- Incompatible Materials:** Strong Oxidising agents. Acids. Alkalis.
- Hazardous decomposition:** Thermal decomposition (combustion) will produce carbon monoxide and dioxide.
- Sensitivity to mechanical impact:** This product is not sensitive to mechanical impact.
- Sensitivity to static discharge:** This product is not sensitive to static discharge.



NUTECH PAINT PTY LTD

Safety Data Sheet



SDS: Nu-EcoSafe Graffiti

Date of Issue: NOVEMBER 2012
Supersedes Issue Date: JUNE 2014

11. TOXICOLOGICAL INFORMATION

Hazardous Ingredients :	No carcinogenic, mutagenic or genetic effects established.
Chronic Toxicity:	Toxicity levels not established.
Routes of Exposure:	Refer to section 4 of MSDS for routes of exposure and Corresponding Symptoms.

12. ECOLOGICAL INFORMATION

Mobility:	Readily absorbed into soil.
Persistence and degradability:	Biodegradable.
Other adverse affects:	May have short term environmental effects.

13. DISPOSAL INFORMATION

Disposal Operations:	Exercise caution in disposal of used containers. Empty containers should be thoroughly rinsed with water and disposed of according to local regulations. Do not completely fill containers with the resulted paint waste. Wet paint waste has a tendency to expand slightly, therefore do not seal containers airtight to allow a breathing period. Use reputable waste disposal contractors.
-----------------------------	--

14. TRANSPORT INFORMATION

SIN/UN No:	1263
Shipping Name:	Paint Related Material
Packaging Group:	II
Class:	3.2

15. REGULATORY INFORMATION

Classification:	N/A
Risk Phrase(s):	R20/21: Harmful by inhalation and contact with skin. R38: Irritating to skin
Safety Phrase(s):	S2: Keep out of reach of children S13: Keep away food, drink and animal feeding. S24/25: Avoid contact with Skin and Eyes.



NUTECH PAINT PTY LTD

Safety Data Sheet



SDS: Nu-EcoSafe Graffiti

Date of Issue: NOVEMBER 2012
Supersedes Issue Date: JUNE 2014

- S51: Use only in well ventilated areas.
- S62: If swallowed do not induce vomiting, seek medical advice immediately and show this container and label.

Note:

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet.

The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

In case of discomfort always seek medical advice.

16. OTHER INFORMATION

Legal Disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Nutech Paint Pty Ltd has prepared this Material Safety Data Sheet.



NUTECH PAINT PTY LTD

Nu-EcoSafe- Strip Graffiti Remover MSDS009-V1-1112

Page 5 of 5

Tel: +61 3 9770 3000 Fax: +61 3 9775 1680
Website: www.nutech.com.au Email: sales@nutech.com.au

NUTECH PAINT THOMASTOWN 216 Settlement Road Thomastown Victoria Australia 3074 Tel: +61 3 9465 5111 Fax: +61 3 9465 5222
NUTECH PAINT SYDNEY 18 South Street Rydalmere NSW Australia 2116 Tel: +61 2 9638 7089 Fax: +61 2 9638 7911
NUTECH PAINT BRISBANE 3325 Pacific Highway Slacks Creek QLD Australia 4127 Tel: +61 7 3808 74222 Fax: +61 7 3290 2366
NUTECH PAINT WESTERN AUSTRALIA 41 Jade Street Maddington WA Australia 6109 Tel: +61 8 9459 1139 Fax: +61 8 9459 1171
NUTECH PAINT UK Tel: +44 (0)141 945 2005
NUTECH PAINT USA Tel: 1 888 801 6343