

Nutech EcoSafe Range®

Nutech Paint
Application Instructions & Guidelines
Nutech EcoSafe Range



Nu-EcoSafe-Strip Industrial High Strength Degreaser

Nu-EcoSafe-Strip Industrial High Strength Degreaser is a heavy duty cleaner that is biodegradable, user-friendly and environmentally safe. It is extremely effective for commercial, residential, automotive and the marine industry

Features

SUPER CONCENTRATED FORMULA...

Nu-EcoSafe-Strip Industrial High Strength Degreaser quickly cuts through grease, industrial soils and petroleum-based liquid products.

Nu-EcoSafe-Strip Industrial High Strength Degreaser can be used as a Varsol® and solvent substitute; its power and versatility will tackle all of your cleaning and degreasing needs.

Nu-EcoSafe-Strip Industrial High Strength Degreaser is safe for use in parts washers, steam cleaners and hot or cold pressure-washers.

Nu-EcoSafe-Strip Industrial High Strength Degreaser will replace many specialized cleaning and degreasing products.

- Water-based
- Biodegradable
- Non-flammable
- Non-abrasive
- No phosphate or Chlorine
- Contains no TAPs or HAPs
- (Toxic / Hazardous Air Pollutants)
- Easy clean up with running water
- Non-ozone-depleting
- As quick as conventional products

Packaging	Sizes Available
12 Per Carton	1 L Plastic Jerry Can
2 Per Carton	5 L Plastic Jerry Can
Each	10 L Cube
Each	20 L Cube

Typical Properties

Appearance:	Clear Orange Liquid	Viscosity (cPs):	N/A
Specific Gravity:	1.056	Shelf Life:	24months
Boiling Point:	N/A	Coverage:	1 to 12 sq.m/L (depending on degree of soiling)
Freezing Point:	N/A	Worker Health and Safety:	See MSDS
pH (direct reading):	>13.0		
VOC content:	46.8 g/L		
Flash point:	N/A		

Nutech EcoSafe Range®

Nutech Paint
Application Instructions & Guidelines
Nutech EcoSafe Range



Nu-EcoSafe-Strip Industrial High Strength Degreaser

Typical Uses

Typical projects include:

- Concrete Driveways
- Garage Floors
- Engine Parts Machinery
- Wheels
- Rims
- Tires
- Shop Walls

Typical projects include:

- Lockers
- Barbecues
- Stove Tops
- Lawn Mowers
- Chain Saws
- Saw Blades
- Tools
- Fireplaces

Application & Features

Preparation: Ensure that all project surfaces are dry, remove all loose material

For Concrete: DO NOT DILUTE.

For All Purpose Cleaner Mix: Add 4 litre of water to 1 litre of Nu-EcoSafe-Strip Industrial High Strength Degreaser as an all-purpose cleaner. Solution can be adjusted according to specific cleaning needs

Test Patch: Conduct a small test patch in an inconspicuous area to ensure product performance, requirements and coverage

Application Guidelines

Application Procedure: Use brush, hand sprayer, pump style garden sprayer or chemical applicator.

Coverage: 1 to 12 sq.m./L depending on the degree of soiling..

Removal & Clean Up: Clean all surfaces using a brush, mop, sponge or pressure washer. Wash vertical surfaces from the top down. Thoroughly rinse all project surfaces.

Disposal: Dispose of waste product in accordance with applicable environmental regulations.

Nutech EcoSafe Range®

Nutech Paint
Application Instructions & Guidelines
Nutech EcoSafe Range



Nu-EcoSafe-Strip Industrial High Strength Degreaser

SAFETY PRECAUTIONS: Avoid ingestion, skin and eye contact. Wear eye protection and rubber or synthetic gloves.

When applying product using spray applicators wear NIOSH approved respirator. In case of eye or skin irritation, flush with cold water for 15 minutes.

If swallowed do not induce vomiting, seek immediate medical attention.

Dispose of product in accordance with applicable environmental regulations.

When using the soap injector line of a pressure washer, be sure to measure dilution ratios according to the setting of the intake valve.

DISCLAIMER: Warranty and Limitation of liability:

Warranty

Nutech warrants its products to be free from defects in material and workmanship. Nutech's sole obligation and Buyer's exclusive remedy in connection with the products shall be limited, at Nutech's option, to either replacement of products not conforming to this Warranty or credit to Buyer's account in the invoiced amount of the nonconforming products.

Any claim under this Warranty must be made by Buyer to Nutech in writing within five (5) days of Buyer's discovery of the claimed defect, but in no event later than the expiration of the applicable shelf life, or one year from the delivery date, whichever is earlier.

Buyer's failure to notify Nutech of such non-conformance as required herein shall bar Buyer from recovery under this Warranty.

Nutech makes no other warranties concerning the product. No other warranties, whether express, implied, or statutory, such as warranties of merchantability or fitness for a particular purpose, shall apply. In no event shall Nutech be liable for consequential or incidental damages.

Any recommendation or suggestion relating to the use of the products made by Nutech, whether in its technical literature, or in response to specific inquiry, or otherwise, is based on data believed to be reliable; however, the products and information are intended for use by Buyers having requisite skill and know-how in the industry, and therefore it is for Buyer to satisfy itself of the suitability of the products for its own particular use and it shall be deemed that Buyer has done so, at its sole discretion and risk. Variation in environment, changes in procedures of use, or extrapolation of data may cause unsatisfactory results.

Limitation of Liability

Nutech's liability on any claim of any kind, including claims based upon Nutech's negligence or strict liability, for any loss or damage arising out of, connected with, or resulting from the use of the products, shall in no case exceed the purchase price allocable to the products or part thereof which gives rise to the claim. In no event shall Nutech be liable for consequential or incidental damages.

Important Note

The information given on this data sheet is based on many years experience and is correct to the best of our knowledge. However since the use of our product, surface conditions, weather and a number of other factors are completely beyond our control, we can only be responsible for the quality of our product at the time of dispatch. For more information please contact our Company. As this information is of a general nature, we cannot assume any responsibility in individual cases.