

SDS: EcoPaint Trim & Door Date of Issue: June 2014
Supersedes Issue Date: June 2009

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: EcoPaint Trim & Door

Other Name(s): Interior Acrylic Trim Gloss

Recommended Use: For use as a Surface Coating applied by Spray, Roller or Brush

Supplier: Nutech Paint Pty Ltd ABN: 94 242 116 396 Street Address: 4 Keppler Circuit

Seaford, Victoria, Australia 3198

 Telephone Number:
 +61 3 9770 3000

 Fax Number:
 +61 3 9775 1680

 Website:
 www.nutech.com.au

Emergency Numbers: +61 3 9770 3000 7.45am-4.30pm Mon-Fri

000 Police, Fire and Ambulance

131 126 For poisons advice contact a Poisons Information Centre

(New Zealand 0800 764 7660) or a Doctor at once.

2. HAZARDS IDENTIFICATION

Not hazardous according to the criteria set out by ASCC (NOHSC) based on currently available information.

Not classified as Dangerous Goods according to the criteria of the Australian Dangerous Goods Code for transport by Rail or Road.

Poisons schedule: Not classified.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Substance | CAS# | Proportion % | Risk Phrase(s) |
|--|-----------|--------------|----------------|
| Pigments | | 10 – 30 | - |
| Acrylic Polymer(s) | | 30 - 60 | - |
| Water | 7732-18-5 | 10 – 30 | - |
| Ingredients deemed not to be hazardous at level used | | to 100% | - |



SDS: EcoPaint Trim & Door Date of Issue: June 2014
Supersedes Issue Date: June 2009

4. FIRST AID MEASURES

Swallowed If swallowed do not induce vomiting. Give a glass of water and seek medical

attention.

Eye Immediately open eye and flush with plenty of running water for at least

15 minutes. Seek medical attention.

Skin Remove contaminated clothing and wash affected area with plenty of soap and

water.

Inhalation Remove victim to fresh air, remove any contaminated clothing to prevent further

exposure. Keep victim warm. If symptoms persist seek medical attention.

Medical Advice Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog or spray, foam, Carbon Dioxide or Dry Chemical

Powder.

Hazards from Combustion Products: Material is not combustible once the water component has

evaporated. The residual material can burn if ignited and

will produce toxic fumes.

Special Protective precautions and

equipment for Fire fighters:

Breathing apparatus should be worn to protect against any

potential toxic fumes that may be present.

Hazchem Code: None allocated.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures: If waterways or sewers become contaminated with product

advise the local authorities of the contamination.

Methods and Materials for Do not contaminate the waterways or sewer with spill. Do not flush into drains and sewer. If sewer or waterway

not flush into drains and sewer. If sewer or waterway becomes contaminated contact the local authority. Dike and contain spill with sand, earth or an absorbent material. Clean up before material dries. Place collected material in an appropriate container and dispose of material in

accordance with the local authority.



SDS: EcoPaint Trim & Door Date of Issue: June 2014
Supersedes Issue Date: June 2009

7. HANDLING AND STORAGE

Precautions for Safe Handling: Keep out of the reach of children.

Avoid contact with eyes or mouth and avoid repeated

prolonged contact with skin.

Conditions for Safe Storage: Store in a cool dry place out of direct sunlight. Containers

should be sealed when not in use and should be checked

on a regular basis for signs of damage or leaks.

8. PERSONAL PROTECTION / EXPOSURE CONTROL

Protective Equipment:







Personal: Normal working clothes covering arms and legs, eyewash

facility and emergency shower. Avoid repeated prolonged

contact.

Gloves: PVC Coated.

Eyes: Goggles (AS1337).

Respiratory: Use with adequate ventilation. If applying via spray and

approved respirator is recommended (AS1716 approved

type).

Other: Practice strict hygiene – wash hands before breaks and

after finishing.

National Exposure Limits: No value assigned to this specific material according to

ASCC.

Biological Limit Values: No value assigned to this specific material according to

ASCC.

Engineering Controls: Adequate ventilation should be provided at all times and

avoid heating product.



SDS: EcoPaint Trim & Door Date of Issue: June 2014

Supersedes Issue Date: June 2009

9. PHYSICAL AND CHEMICAL PROPERTIES

| Property | Units | Result |
|---------------------------|-------|-------------------------|
| Physical State | | Viscous Liquid |
| Colour | | White |
| Odour | | Slight Ammoniacal Odour |
| PH | | 8.5 – 9.5 |
| Vapour Pressure | | N/A |
| Vapour Density | | N/A |
| Boiling Point | °C | 100 |
| Freezing Point | °C | 0 |
| Solubility | | Miscible with Water |
| Specific Gravity | Kg/Lt | 1.10 – 1.30 |
| Flash Point | °C | N/A |
| Upper Flammability Limit | °C | N/A |
| Lower Flammability Limit | °C | N/A |
| Auto Ignition Temperature | °C | N/A |
| Volatile Organic Content | % | 3 |
| | | |

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal use conditions.

Conditions to Avoid: Avoid repeated contact with person, contact

with food and high temperature conditions with

sealed containers.

Incompatible Materials: No Information Available No Information Available **Hazardous Decomposition Products:** No Information Available Hazardous Reactions:

11. **TOXICOLOGICAL INFORMATION**

If used in accordance with the manufacturers recommendations and this Material Safety Data Sheet no negative health results should occur. If exposure results in symptoms, the following may be observed:

Acute and Chronic Exposure and Routes of Exposure

Acute: No information Available on product

Chronic: No information available on product



SDS: EcoPaint Trim & Door Date of Issue: June 2014
Supersedes Issue Date: June 2009

Supersedes issue Date. June 2009

11. TOXICOLOGICAL INFORMATION cont'd...

Routes of Exposure

General: Large amounts may result in vomiting and nausea. Small

amounts should not result in any expected reactions.

Eyes: Irritation may occur.

Respiratory System: If excess inhalation occurs, headache, nausea or irritation to

respiratory tract may occur.

Skin: Irritation may occur.

Long Term Effects: No information is available for this product currently.

Toxicological Information: No LD₅₀ Value has been determined for this product.

Toxicological Information for Product Components:

No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity: Avoid contaminating the sewer system and waterways.

13. DISPOSAL INFORMATION

Disposal Methods:

Small: Unwanted paint should not be disposed of down the drain system

but instead should be brushed out on newspaper and allowed to dry. This can then be disposed of via the domestic waste collections. The empty paint containers should be allowed to dry out and disposed of in accordance with the recommendations of

the local authorities.

Large: The disposal of large quantities of paint must be handled by a

licensed waste handling contractor and can normally be disposed

of at a licensed landfill waste site



SDS: EcoPaint Trim & Door Date of Issue: June 2014
Supersedes Issue Date: June 2009

14. TRANSPORT INFORMATION

UN Number: None allocated

UN Proper Shipping Name: Paint

Class and Subsidiary Risk(s): None allocated

Packing Group: None allocated

Special Precautions for User: Avoid transporting with oxidising materials in close

proximity

Hazchem Code: None allocated

Not classified as a DANGEROUS GOOD according to the Australian Dangerous Goods Code for Transport via Road and Rail.

15. REGULATORY INFORMATION

Hazard Status: Not classified as Hazardous according to the criteria for ASCC (NOHSC)

based on currently available information.

Poisons Schedule: No Poisons Schedule applicable.

Risk Phrase(s): Not hazardous according to the criteria set out by ASCC (NOHSC)

based on currently available information

Safety Phrase(s): as above

AICS: All materials contained in this product appear in the AICS (Australian

Inventory of Chemical Substances) database.

16. OTHER INFORMATION

Nutech Paint Pty Ltd has prepared this Material Safety Data Sheet.



NUTECH PAINT PTY LTD

4 Keppler Circuit Seaford Victoria Australia 3198 Tel: +61 3 9770 3000 Fax: +61 3 9775 1680

Website: www.nutech.com.au Email: sales@nutech.com.au

Page 6 of 6