

Safety Data Sheet

HiTEC® 4313 Performance Additive

SDS no.

H4313

Section 1. Identification

Product identifier : HiTEC® 4313 Performance Additive

Product use : Petrochemical industry: Corrosion inhibitor.

Date of issue/Revisions : 6 October 2022

In case of emergency - Chemical

+1-703-527-3887 (International)

+65-3158-1349 (Asia Pacific)

+61-290372994 (Australia)

4001-204937 (China)

+81-345209637 (Japan)

00-308-13-2549 (South Korea)

+1-703-741-5979 (Spanish language)

+44-870-8200418 (UK)

1-800-424-9300 (ÙS & Canada)

Manufacturer / Supplier

Afton Chemical Asia Pte. Ltd. 103 Penang Road #09-01 Visioncrest Commercial Singapore 238467

Telephone number: +65 6732 0822

Fax: +65 6737 4123

Afton Chemical (Suzhou) Co., Ltd. No. 26 Pingsheng Road, Suzhou Industrial Park, Suzhou

215126 China

Tel: +86-512-62605099

Afton Chemical (Beijing) Co., Ltd. Room 707 China World Office 1
No. 1 Jian Guo Men Wai Avenue

Beijing 100004 China

Telephone number: +86 10 6535 0000

Afton Chemical Japan Corporation Hirakawacho Mori Tower 7F, 2-16-1 Hirakawacho, Chiyoda-ku Tokyo Japan Afton Chemical Asia Pacific Company Level 12, 20 Berry Street North Sydney, NSW 2060 Australia

Telephone number: +61 299785800 Business Hours: 9:00am - 5:00pm Afton Chemical Korea Co., Ltd. 511 Yeongdong-daero, Gangnam-gu, 27th Floor Trade Tower Seoul City 06164 Republic of Korea Telephone number: +82- 2 -2191-4000

Afton Chemical Corporation 500 Spring St. Richmond, VA 23219 USA

Non-Emergency Telephone: +1-804-788-5800

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 1/16

Section 2. Hazards identification

Classification of the substance or mixture

: SKIN CORROSION/IRRITATION - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

GHS label elements

Hazard pictograms

Signal word : Warning

Hazard statements : Causes mild skin irritation.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention : Avoid release to the environment.

Response : If skin irritation occurs: Get medical advice or attention.

Storage : Store in a well-ventilated place.

Disposal : Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Other hazards which do

not result in classification

: None known.

Please note some GHS hazard classifications listed above may not be applicable in your country or region and are shown for informational purposes only.

For other GHS hazard classifications not listed above, the classification is not applicable in your region.

Section 3. Composition/information on ingredients

Substance/mixture : Substance

Ingredient name	CAS number	%	GHS Classification	Туре
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	89347-09-1	>88	SKIN CORROSION/IRRITATION - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	[1]
1,3,4-Thiadiazole-2(3H)-thione, 5-(tert-nonyldithio)-	97503-12-3	<11	SKIN CORROSION/IRRITATION - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	[2]

Section 3. Composition/information on ingredients

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Please note some GHS hazard classifications listed above may not be applicable in your country or region and are shown for informational purposes only.

Type

- [*] Substance
- [1] Constituent
- [2] Impurity

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Inhalation

: If inhaled, remove to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if adverse health effects persist or are severe. Wash clothing before reuse. Clean shoes thoroughly before reuse. Continue to rinse for at least 15 minutes.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes mild skin irritation.

Ingestion : No known significant effects or critical hazards.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 3/16

Section 4. First aid measures

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing media

: In case of fire, use water spray (fog), foam, dry chemical or CO_2 .

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon dioxide

carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
Hydrogen sulfide

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 4/16

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 5/16

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Hand Protection: Wear chemical resistant gloves. Nitrile gloves of minimum thickness 0.4 mm have an expected breakthrough time of 480 minutes or less when in frequent contact with the product. Due to variable exposure conditions the user must consider that the practical use of a chemical-protective glove in practice may be much shorter than the permeation time above. Manufacturer's directions for use, especially about the minimum thickness and the minimum breakthrough time, must be observed. This information does not replace suitability tests by the end user since glove protection varies depending on the conditions under which the product is used.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Physical state : Liquid. [Clear. Viscous]

Colour : Yellow. Amber. [Light]

Odour : Pungent. [Slight]

Odour threshold : Not available.

: Not available.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 6/16

HiTEC® 4313 Performance Additive In case of emergency 4001-204937 (China) +65-3158-1349 (Asia Pacific)

Section 9. Physical and chemical properties

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: 130°C (266°F) [Minimum Pensky-Martens]

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper : Not available.

explosive (flammable)

limits

Vapour pressure : Not available.

Relative vapour density : Not available.

Vapour density : Not available.

Density : 1.12 g/cm³ [59°F (15°C)]

Relative density : 1.12

Solubility(ies)

Media	Result
cold water	Not soluble

Partition coefficient: n-

octanol/water

: Not applicable.

Auto-ignition

: Not available.

: Not available.

temperature

Decomposition

temperature

Viscosity

: Kinematic (40°C): 340 mm²/s (340 cSt)

Minimum

Page: 7/16

11.5 cSt @ 100°C

Explosive properties : Not available.

Oxidising properties : Not available.

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : High temperatures, sparks, and open flames.

Incompatible materials: Strong oxidising and reducing agents.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 7/16

Section 10. Stability and reactivity

Hazardous

decomposition products

: Hydrogen sulfide

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Test	Result	Species	Dose	Exposure	Remarks
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	403 Acute Inhalation Toxicity	LC50 Inhalation Vapour	Rat	>2.75 mg/l	4 hours	Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>2000 mg/kg	-	Based on data for a similar substance.
	401 Acute Oral Toxicity	LD50 Oral	Rat	>10000 mg/kg	-	Based on data for a similar substance.
1,3,4-Thiadiazole-2(3H)-thione, 5-(tert-nonyldithio)-	403 Acute Inhalation Toxicity	LC50 Inhalation Vapour	Rat	>2.75 mg/l	4 hours	Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>2000 mg/kg	-	Based on data for a similar substance.
	401 Acute Oral Toxicity	LD50 Oral	Rat	>10000 mg/kg	-	Based on data for a similar substance.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Test	Species	Result	Remarks
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	Based on data for a similar substance.
1,3,4-Thiadiazole-2(3H)-thione, 5-(tert-nonyldithio)-	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	Based on data for a similar substance.

Skin

: Causes mild skin irritation.

Eyes

: Based on available data, the classification criteria are not met.

Respiratory

: Based on available data, the classification criteria are not met.

Sensitisation

Product/ingredient	Test	Route of	Species	Result	Remarks
name		exposure			
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole 1,3,4-Thiadiazole-2(3H)-	406 Skin Sensitization 406 Skin	skin skin	Guinea pig Guinea pig	Not	Based on data for a similar substance. Based on data for a
thione, 5-(tert-nonyldithio)-	Sensitization			sensitizing	similar substance.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 8/16

Section 11. Toxicological information

Conclusion/Summary

Skin: Based on available data, the classification criteria are not met.

Respiratory: Based on available data, the classification criteria are not met.

Mutagenicity

Product/ingredient	Test	Experiment	Result	Remarks
name				
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
1,3,4-Thiadiazole-2(3H)- thione, 5-(tert-nonyldithio)-	471 Bacterial Reverse Mutation Test 473 In vitro Mammalian	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product/ingredient name	Test	Route of exposure		Maternal toxicity	Fertility	Developmental toxin	Remarks
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative	Negative	Based on data for a similar substance.
1,3,4-Thiadiazole-2(3H) -thione, 5-(tert- nonyldithio)-	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative		Based on data for a similar substance.

Conclusion/Summary: Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard

Name	Result
Based on available data, the classification criteria are not met.	

Information on likely routes of exposure

Skin, Eyes, Ingestion, and Inhalation

Potential acute health effects

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 9/16

Section 11. Toxicological information

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes mild skin irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation watering

redness
Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed

effects

: Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed

effects

: Not available.

Potential chronic health effects

Product/ingredient name	Test	Species	Dose	Exposure	Result	Remarks
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	407 Repeated Dose 28-day Oral Toxicity Study in Rodents	Rat	200 mg/kg	-	Sub-acute NOAEL Oral	Based on data for a similar substance.
	None available.	Rat	1000 mg/kg	-	Sub-acute NOAEL Oral	-
	421 Reproduction/ Developmental Toxicity Screening Test	Rat	250 mg/kg	-	Sub-acute NOAEL Oral	-
1,3,4-Thiadiazole-2(3H)- thione, 5-(tert-nonyldithio)-	407 Repeated Dose 28-day Oral Toxicity Study in Rodents	Rat	200 mg/kg	-	Sub-acute NOAEL Oral	Based on data for a similar substance.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

General

: No known significant effects or critical hazards.

Carcinogenicity

: No known significant effects or critical hazards.

Mutagenicity

: No known significant effects or critical hazards.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 10/16

Section 11. Toxicological information

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	Remarks
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	Acute EC50 ≥8000 mg/l	Micro-organism	16 hours	Based on data for a similar substance.
	Acute EL50 >100 mg/	Algae - Pseudokirchneriella subcapitata	72 hours	-
	Acute EL50 41 mg/l	Daphnia - Daphnia magna	48 hours	-
	Acute LL50 >1000 mg/l	Fish - Pimephales promelas	96 hours	-
	Chronic EL10 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	-
1,3,4-Thiadiazole-2(3H)- thione, 5-(tert-nonyldithio)-	Acute EC50 >8000 mg/l	Micro-organism - Pseudomonas putida	16 hours	Based on data for a similar substance.
	Acute EL50 >100 mg/	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Acute EL50 41 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute LL50 >1000 mg/l	Fish - Pimephales promelas	96 hours	Based on data for a similar substance.
	Chronic EL10 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.

Conclusion/Summary

: Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product/ingredient name	Test	Result	Remarks
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	OECD 301C Ready Biodegradability - Modified MITI Test (I)	2 % - Not readily - 28 days	Based on data for a similar substance.
1,3,4-Thiadiazole-2(3H)-thione, 5-(tert-nonyldithio)-	OECD 301C Ready Biodegradability - Modified MITI Test (I)	0 % - Not readily - 28 days	Based on data for a similar substance.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 11/16

Section 12. Ecological information

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility

Hazardous to the ozone

Not available.Not applicable.

layer

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	ADG	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class (es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 12/16

Page:

HiTEC® 4313 Performance Additive

Section 14. Transport information

14.7 Transport in bulk according to IMO

: Not available.

instruments

Section 15. Regulatory information

China

List of Goods banned for Importing

None of the components are listed.

List of Goods banned for Exporting

None of the components are listed.

List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

Singapore

Singapore - hazardous chemicals under government control

None.

Australia

Standard for the Uniform Scheduling of Medicines and Poisons

Not applicable.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Japan

Fire Service Law

Category	Substance name/Type	Danger category
Category IV	Class III petroleums	III

Industrial Safety and Health Act

Label Requirements and Chemicals Requiring Notification

Ingredient name	%
None of the components are listed.	

Chemical Substances Control Law (CSCL)

None of the components are listed.

Poisonous and Deleterious Substances

None of the components are listed.

Pollutant Release and Transfer Registers (PRTR)

None of the components are listed.

Japan - Water Pollution Control Law

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 13/16

HiTEC® 4313 Performance Additive

Page:

Section 15. Regulatory information

Not listed.

Korea

Regulation according to ISHA

ISHA article 117

: None of the components are listed.

(Harmful substances prohibited from manufacture)

ISHA article 118

: None of the components are listed.

(Harmful substances requiring permission)

Regulation according to K-REACH/CCA

Chemical name % Remarks

K-REACH/CCA : None of the components are listed.

Toxic chemicals

K-REACH/CCA -

Banned

: None of the components are listed.

K-REACH/CCA -

Restricted

: None of the components are listed.

K-REACH/CCA

Article - TRI

: None of the components are listed.

Dangerous Materials
Safety Management

Safety Management

Act

: Class: Class 4 - Flammable Liquid

Item: 5. Class 3 petroleums - Water-insoluble liquid

Threshold: 2000 L Danger category: III

Signal word: Contact with sources of ignition prohibited

International Inventory Status

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : For information on compliance with this regulation please contact your Afton

representative

(EHS.CustomerVolumes@AftonChemical.com).

Japan : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Switzerland: For information on compliance with this regulation please contact your Afton representative

(EHS.CustomerVolumes@AftonChemical.com).

Turkey : For information on compliance with this regulation please contact your Afton representative

(EHS.CustomerVolumes@AftonChemical.com).

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 14/16

Section 15. Regulatory information

Taiwan

: All components are listed or exempted.

United Kingdom (UK)

: For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).

United States
Active

: All components are active or exempted.

Section 16. Other information

History

Date of issue/Date of

: 10/6/2022

revision

EHS Department (Tel: +1 804 788 5800)

Key to abbreviations

: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations
WOE = Weight of Evidence

Procedure used to derive the classification

Classification	Justification
SKIN CORROSION/IRRITATION - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	

lacksquare Indicates information that has changed from previously issued version.

Notice to reader

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Afton makes no representation as to completeness or accuracy. In no event will Afton be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.

Date of issue/Date of revision : 10/6/2022 Date of previous issue : 8/30/2022 Version : 1.06 15/16