



# Safety Data Sheet

**HiTEC® 3421J Performance Additive**

**SDS no.** H3421J

## Section 1. Identification

**Product identifier** : HiTEC® 3421J Performance Additive  
**Product use** : Petrochemical industry: Automatic Transmission Fluid Additive Package  
**Date of issue/Revisions** : 2 May 2023

### In case of emergency - Chemical

+1-703-527-3887 (International)  
+65-3158-1349 (Asia Pacific)  
+61-290372994 (Australia)  
4001-204937 (China)  
+81-345209637 (Japan)  
00-308-13-2549 (South Korea)  
+1-703-741-5979 (Spanish language)  
+44-870-8200418 (UK)  
1-800-424-9300 (US & Canada)

### Manufacturer / Supplier

Afton Chemical Asia Pte. Ltd.  
103 Penang Road  
#09-01 Visioncrest Commercial  
Singapore 238467  
Telephone number: +65 6732 0822  
Fax: +65 6737 4123

Afton Chemical (Suzhou) Co., Ltd.  
No. 26 Pingsheng Road,  
Suzhou Industrial Park, Suzhou  
215126 China  
Tel: +86-512-62605099

Afton Chemical (Beijing) Co., Ltd.  
Room 707 China World Office 1  
No. 1 Jian Guo Men Wai Avenue  
Beijing 100004 China  
Telephone number: +86 10 6535 0000

Afton Chemical Japan Corporation  
Hirakawacho Mori Tower 7F, 2-16-1  
Hirakawacho, Chiyoda-ku  
Tokyo  
Japan

Afton Chemical Asia Pacific Company  
Level 12, 20 Berry Street  
North Sydney, NSW 2060  
Australia  
Telephone number: +61 299785800  
Business Hours: 9:00am - 5:00pm

Afton Chemical Korea Co., Ltd.  
511 Yeongdong-daero, Gangnam-gu,  
27th Floor Trade Tower  
Seoul City 06164  
Republic of Korea  
Telephone number: +82- 2 -2191-4000

Afton Chemical Corporation  
500 Spring St.  
Richmond, VA 23219  
USA

Non-Emergency Telephone: +1-804-788-5800

## Section 2. Hazards identification

**Classification of the substance or mixture** : SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 2  
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

### GHS label elements

**Hazard pictograms** :

**Signal word** : No signal word.

**Hazard statements** : Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

### Precautionary statements

**Prevention** : Avoid release to the environment.

**Response** : Not applicable.

**Storage** : Store in a well-ventilated place.

**Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Other hazards which do not result in classification** : None known.

**Please note some GHS hazard classifications listed above may not be applicable in your country or region and are shown for informational purposes only.**

**For other GHS hazard classifications not listed above, the classification is not applicable in your region.**

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

Ingredient name	CAS number	%	GHS Classification	Type
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	≥15 - ≤25	ASPIRATION HAZARD - Category 1	[1] [2]
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	≥15 - ≤25	Not classified.	[2]
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	≥10 - ≤15	ASPIRATION HAZARD - Category 1	[1] [2]
3-(decyloxy)tetrahydrothiophene 1,1-dioxide	18760-44-6	≥5 - ≤7.4	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2	[1]
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	≥5 - ≤10	Not classified.	[2]

### Section 3. Composition/information on ingredients

bis(nonylphenyl)amine	36878-20-3	≥3 - ≤5	SKIN CORROSION/IRRITATION - Category 3	[1]
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	61791-44-4	≥1 - ≤1.3	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 1C SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 (M=10) LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 (M=1)	[1]
methyl-1H-benzotriazole	29385-43-1	≥0.3 - ≤0.5	ACUTE TOXICITY (oral) - Category 4 REPRODUCTIVE TOXICITY (Unborn child) - Category 2 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2	[1]
2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol	27136-73-8	≥0.1 - ≤0.29	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 1C SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (gastrointestinal tract, thymus) (oral) - Category 2 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 (M=10) LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 (M=1)	[1]
phenol, (tetrapropenyl) derivatives	74499-35-7	≥0.1 - <0.3	ACUTE TOXICITY (oral) - Category 5 SKIN CORROSION/IRRITATION - Category 1C SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 REPRODUCTIVE TOXICITY (Fertility) - Category 1B SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 (M=10) LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 (M=10)	[1]

**There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

**Please note some GHS hazard classifications listed above may not be applicable in your country or region and are shown for informational purposes only.**

## Section 3. Composition/information on ingredients

### Type

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : If inhaled, remove to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

## Section 4. First aid measures

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

**Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

**Unsuitable extinguishing media** : Do not use water jet.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### Methods and material for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), hydrotreated light paraffinic	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Mist
Distillates (petroleum), hydrotreated heavy paraffinic	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Mist
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Mist
Distillates (petroleum), hydrotreated light paraffinic	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Mist

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Section 8. Exposure controls/personal protection

### Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Hand Protection: Wear chemical resistant gloves. Nitrile gloves of minimum thickness 0.4 mm have an expected breakthrough time of 480 minutes or less when in frequent contact with the product. Due to variable exposure conditions the user must consider that the practical use of a chemical-protective glove in practice may be much shorter than the permeation time above. Manufacturer's directions for use, especially about the minimum thickness and the minimum breakthrough time, must be observed. This information does not replace suitability tests by the end user since glove protection varies depending on the conditions under which the product is used.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

- Physical state** : Liquid. [Opaque.]
- Colour** : Amber. [Light]
- Odour** : Petroleum-like
- Odour threshold** : Not available.
- pH** : Not available.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: 120°C (248°F) [Pensky-Martens Minimum]
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapour pressure** : Not available.
- Relative vapour density** : Not available.

## Section 9. Physical and chemical properties

**Vapour density** : Not available.

**Density** : 0.904 g/cm<sup>3</sup>

**Relative density** : 0.905

**Solubility(ies)** :

Media	Result
cold water	Not soluble

**Partition coefficient: n-octanol/water** : Not applicable.

**Auto-ignition temperature** : Not available.

**Decomposition temperature** : Not available.

**Viscosity** : Kinematic (40°C): 919 mm<sup>2</sup>/s (919 cSt) Minimum  
124 cSt at 100°C

**Explosive properties** : Not available.

**Oxidising properties** : Not available.

### Particle characteristics

**Median particle size** : Not applicable.

## Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : High temperatures, sparks, and open flames.

**Incompatible materials** : Strong oxidising and reducing agents.

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity



## Section 11. Toxicological information

Product/ingredient name	Test	Result	Species	Dose	Exposure	Remarks
Distillates (petroleum), hydrotreated light paraffinic	403 Acute Inhalation Toxicity	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours	Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	
Distillates (petroleum), hydrotreated heavy paraffinic	403 Acute Inhalation Toxicity	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours	Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	403 Acute Inhalation Toxicity	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours	Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	None available.	LD50 Dermal	Rabbit	4000 to 8000 mg/kg	-	-
	None available.	LD50 Oral	Rat	>10000 mg/kg	-	-
Distillates (petroleum), hydrotreated light paraffinic	403 Acute Inhalation Toxicity	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours	Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	
bis(nonylphenyl)amine	402 Acute Dermal Toxicity	LD50 Dermal	Rat	>2000 mg/kg	-	Based on data for a similar substance. Based on data for a similar substance.
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	None available.	LC50 Inhalation Vapour	Rat	220 ppm	1 hours	-
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>2000 mg/kg	-	-
	401 Acute Oral Toxicity	LD50 Oral	Rat	300 to 2000 mg/kg	-	-
methyl-1H-benzotriazole	None available.	LC50 Inhalation Vapour	Rat	>1730 mg/m <sup>3</sup>	1 hours	-
	402 Acute	LD50 Dermal	Rabbit	>2000 mg/kg	-	Based on data

## Section 11. Toxicological information

2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol  phenol, (tetrapropenyl) derivatives	Dermal Toxicity					for a similar substance.
	401 Acute Oral Toxicity	LD50 Oral	Rat	720 mg/kg	-	-
	401 Acute Oral Toxicity	LD50 Oral	Rat	1265 mg/kg	-	Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	15000 mg/kg	-	-
	401 Acute Oral Toxicity	LD50 Oral	Rat	2200 mg/kg	-	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Irritation/Corrosion

Product/ingredient name	Test	Species	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance. Based on data for a similar substance. WOE does not support classification
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	
	None available.	Rabbit	Skin - Not an Irritant	
Distillates (petroleum), hydrotreated heavy paraffinic	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance. Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Not an Irritant	
	None available.	Rabbit	Skin - Not an Irritant	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance. Based on data for a similar substance.
	None available.	Rabbit	Skin - Not an Irritant	
	None available.	Rabbit	Eyes - Not an Irritant	
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	None available.	Rabbit	Skin - Not an Irritant	-
	None available.	Rabbit	Eyes - Not an Irritant	
	None available.	Rabbit	Skin - Not an Irritant	
Distillates (petroleum), hydrotreated light paraffinic	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance. Based on data for a similar substance. WOE does not support classification
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	
	None available.	Rabbit	Skin - Not an Irritant	
bis(nonylphenyl)amine	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	Based on data for a similar substance. Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	
	None available.	Rabbit	Eyes - Severe irritant	
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	None available.	Rabbit	Eyes - Severe irritant	-
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Visible necrosis	
	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	
methyl-1H-benzotriazole	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Not an Irritant	-
	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not an Irritant	

## Section 11. Toxicological information

2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Visible necrosis	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Visible necrosis	Based on data for a similar substance.
phenol, (tetrapropenyl) derivatives	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Visible necrosis	-
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Visible necrosis	-

**Skin** : Non-irritating to the skin. Based on test data for this or similar products.

**Eyes** : Non-irritating to the eyes. Based on test data for this or similar products.

**Respiratory** : Based on available data, the classification criteria are not met.

### Sensitisation

Product/ingredient name	Test	Route of exposure	Species	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	-
Distillates (petroleum), hydrotreated light paraffinic	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
bis(nonylphenyl)amine	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
methyl-1H-benzotriazole	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	-
2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
phenol, (tetrapropenyl) derivatives	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	-

### Conclusion/Summary

**Skin** : Based on available data, the classification criteria are not met.

**Respiratory** : Based on available data, the classification criteria are not met.

### Mutagenicity

Product/ingredient name	Test	Experiment	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.

## Section 11. Toxicological information

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	Test 476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	474 Mammalian Erythrocyte Micronucleus Test	Experiment: In vivo Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	-
	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	-
Distillates (petroleum), hydrotreated light paraffinic	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Human	Negative	-
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
bis(nonylphenyl)amine	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	478 Genetic Toxicology: Rodent Dominant Lethal Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. methyl-1H-benzotriazole	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	-
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	-
	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	-
phenol, (tetrapropenyl) derivatives	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	-
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Carcinogenicity

## Section 11. Toxicological information

Product/ingredient name	Test	Species	Exposure	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	451 Carcinogenicity Studies	Mouse	78 weeks	Negative - Dermal - NOAEL	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	451 Carcinogenicity Studies	Mouse	78 weeks	Negative - Dermal - NOAEL	Based on data for a similar substance.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	451 Carcinogenicity Studies	Mouse	78 weeks	Negative - Dermal - TD	Based on data for a similar substance.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Reproductive toxicity

Product/ingredient name	Test	Route of exposure	Species	Maternal toxicity	Fertility	Developmental toxin	Remarks
Distillates (petroleum), hydrotreated light paraffinic	421 Reproduction/ Developmental Toxicity Screening Test		Rat	Negative	Negative	Negative	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	421 Reproduction/ Developmental Toxicity Screening Test		Rat	Negative	Negative	Negative	Based on data for a similar substance.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	421 Reproduction/ Developmental Toxicity Screening Test		Rat	Negative	Negative	Negative	Based on data for a similar substance.
	421 Reproduction/ Developmental Toxicity Screening Test		Rat	Negative	Negative	Negative	Based on data for a similar substance.
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	421 Reproduction/ Developmental Toxicity Screening Test		Rat	Positive	Negative	Negative	-
Distillates (petroleum), hydrotreated light paraffinic	421 Reproduction/ Developmental Toxicity Screening Test		Rat	Negative	Negative	Negative	Based on data for a similar substance.
2-(heptadecenyl) -4,5-dihydro-1H-imidazole-1-ethanol	422 Combined Repeated Dose Toxicity Study with the Reproduction/ Developmental Toxicity Screening Test		Rat	Positive	Negative	Negative	Based on data for a similar substance.
phenol, (tetrapropenyl) derivatives	416 Two-Generation Reproduction Toxicity Study		Rat	Positive	Positive	Positive	-

**Conclusion/Summary** : North America and South America GHS classification:May damage fertility. Suspected of damaging the unborn child.For other regional GHS classifications:Not classified.

### Teratogenicity

## Section 11. Toxicological information

Product/ingredient name	Test	Species	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
Distillates (petroleum), hydrotreated light paraffinic	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
bis(nonylphenyl)amine	414 Prenatal Developmental Toxicity Study	Rat	Negative - Oral	-
methyl-1H-benzotriazole	414 Prenatal Developmental Toxicity Study	Rat	Positive - Oral	-

**Conclusion/Summary** : The classification of this product is based on the concentration of the reproductive substance present: methyl-1H-benzotriazole

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
dodecyl methacrylate	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol	Category 2	oral	gastrointestinal tract, thymus

### Aspiration hazard

Name	Result
Distillates (petroleum), hydrotreated light paraffinic Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

**Information on likely routes of exposure** : Skin, Eyes, Ingestion, and Inhalation

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.

## Section 11. Toxicological information

**Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation. Ingestion may cause gastrointestinal irritation and diarrhoea.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Product/ingredient name	Test	Species	Dose	Exposure	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	410 Repeated Dose Dermal Toxicity: 21/28-day Study	Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
	411 Subchronic Dermal Toxicity: 90-day Study	Rat	30 mg/kg	-	Sub-chronic NOAEL Dermal	Based on data for a similar substance.
	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	125 mg/kg	-	Sub-chronic NOAEL Oral	Based on data for a similar substance.
	None available.	Rat	0.15 mg/l	13 weeks	Sub-chronic NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
	None available.	Rat	0.22 mg/l	4 weeks	Sub-acute NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	412 Repeated Dose Inhalation Toxicity: 28-day or 14-day Study	Rat	0.05 mg/l	4 weeks	Sub-acute NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	125 mg/kg	-	Sub-chronic LOAEL Oral	Based on data for a similar substance.
	410 Repeated Dose Dermal Toxicity: 21/28-day Study	Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
	411 Subchronic Dermal Toxicity: 90-day Study	Rat	30 mg/kg	-	Sub-chronic NOAEL Dermal	Based on data for a similar substance.
	None available.	Rat	0.15 mg/l	13 weeks	Sub-chronic NOAEL	Based on data for a similar substance.

## Section 11. Toxicological information

	None available.	Rat	0.22 mg/l	4 weeks	Inhalation Dusts and mists Sub-chronic NOAEL	substance. Based on data for a similar substance.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	125 mg/kg	-	Inhalation Dusts and mists Sub-chronic LOAEL Oral	Based on data for a similar substance.
	410 Repeated Dose Dermal Toxicity: 21/28-day Study	Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
	None available.	Rat	0.15 mg/l	13 weeks	Sub-chronic NOAEL Inhalation Vapour	Based on data for a similar substance.
	None available.	Rat	0.98 mg/l	4 weeks	Sub-acute NOAEL Inhalation Vapour	Based on data for a similar substance.
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	500 mg/kg	-	Sub-acute NOAEL Oral	-
Distillates (petroleum), hydrotreated light paraffinic	410 Repeated Dose Dermal Toxicity: 21/28-day Study	Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
	411 Subchronic Dermal Toxicity: 90-day Study	Rat	30 mg/kg	-	Sub-chronic NOAEL Dermal	Based on data for a similar substance.
	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	125 mg/kg	-	Sub-chronic NOAEL Oral	Based on data for a similar substance.
	None available.	Rat	0.15 mg/l	13 weeks	Sub-chronic NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
	None available.	Rat	0.22 mg/l	4 weeks	Sub-acute NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
	412 Repeated Dose Inhalation Toxicity: 28-day or 14-day Study	Rat	0.05 mg/l	4 weeks	Sub-acute NOAEL Inhalation Dusts and mists	-
bis(nonylphenyl)amine	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	100 mg/kg	-	Sub-chronic LOAEL Oral	-
Ethanol, 2,2'-iminobis-, N- tallow alkyl derivs.	None available.	Rat	12 mg/kg	-	Sub-chronic NOAEL Oral	-
methyl-1H-benzotriazole	407 Repeated Dose 28-day Oral Toxicity Study in Rodents	Rat	150 mg/kg	-	Sub-acute NOAEL Oral	-
2-(heptadecenyl)-4,5-dihydro- 1H-imidazole-1-ethanol	422 Combined Repeated Dose	Rat	20 mg/kg	-	Sub-acute NOAEL Oral	Based on data for a similar



## Section 11. Toxicological information

	Toxicity Study with the Reproduction/ Developmental Toxicity Screening Test					substance.
phenol, (tetrapropenyl) derivatives	407 Repeated Dose 28-day Oral Toxicity Study in Rodents	Rat	60 mg/kg	-	Sub-acute NOAEL Oral	-
	416 Two-Generation Reproduction Toxicity Study	Rat	15 mg/kg	-	Sub-chronic NOAEL Oral	-
	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	100 mg/kg	-	Sub-chronic NOAEL Oral	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure	Remarks
Distillates (petroleum), hydrotreated light paraffinic	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Pimephales promelas	96 hours	Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days	Based on data for a similar substance.
	Chronic NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	14 days	QSAR result.
Distillates (petroleum), hydrotreated heavy paraffinic	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Pimephales promelas	96 hours	Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days	Based on data

## Section 12. Ecological information

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	mg/l				for a similar substance. QSAR result.
	Chronic NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	14 days		
	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours		Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Pimephales promelas	96 hours		Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours		Based on data for a similar substance.
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days		Based on data for a similar substance.
	Chronic NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	14 days		QSAR result.
	Acute EL50 63 mg/l	Algae - Desmodesmus subspicatus	72 hours		Based on data for a similar substance.
	Acute EL50 4.6 mg/l	Daphnia - Daphnia magna	48 hours		Based on data for a similar substance.
	Acute EL50 >10000 mg/l	Micro-organism	3 hours		Based on data for a similar substance.
Distillates (petroleum), hydrotreated light paraffinic	Acute LL50 2.4 mg/l	Fish - Oncorhynchus mykiss	96 hours		Based on data for a similar substance.
	Chronic NOEL 0.313 mg/l	Algae - Desmodesmus subspicatus	72 hours		Based on data for a similar substance.
	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours		Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Pimephales promelas	96 hours		Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours		Based on data for a similar substance.
bis(nonylphenyl)amine	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days		Based on data for a similar substance.
	Chronic NOEL ≥1000 mg/l	Fish - Oncorhynchus mykiss	14 days		-
	Acute EL50 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours		-
	Acute EL50 >100 mg/l	Daphnia - Daphnia magna	48 hours		-
	Acute IC50 >100 mg/l	Micro-organism	3 hours		Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Danio rerio	96 hours		Based on data for a similar substance.
	Chronic EL10 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours		-

## Section 12. Ecological information

Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	Chronic EL10 4.12 mg/l Fresh water	Crustaceans - Daphnia magna	21 days	-
	Chronic NOEL 10 mg/l Fresh water	Fish - Danio rerio	34 days	-
	Acute EC50 0.043 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute EL50 0.0538 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Acute EL50 167 mg/l	Micro-organism	3 hours	Based on data for a similar substance.
methyl-1H-benzotriazole	Acute LC50 0.1 mg/l	Fish - Danio rerio	96 hours	Based on data for a similar substance.
	Chronic EL10 0.0156 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Chronic EL10 0.0107 mg/l	Daphnia - Daphnia magna	21 days	Based on data for a similar substance.
	Acute EL50 75 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Acute EL50 8.58 mg/l Fresh water	Daphnia - Daphnia galeata	48 hours	Based on data for a similar substance.
	Acute EL50 1060 mg/l	Micro-organism	24 hours	Based on data for a similar substance.
	Acute LL50 180 mg/l Fresh water	Fish - Danio rerio	96 hours	Based on data for a similar substance.
	Chronic EL10 1.18 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours	Based on data for a similar substance.
2-(heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol	Chronic EL10 0.4 mg/l Fresh water	Daphnia - Daphnia galeata	21 days	Based on data for a similar substance.
	Acute EC50 0.03 mg/l	Algae - Desmodesmus subspicatus	72 hours	Based on data for a similar substance.
	Acute EC50 0.163 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
phenol, (tetrapropenyl) derivatives	Acute EC50 48 mg/l	Micro-organism	3 hours	-
	Acute LL50 0.33 mg/l	Fish - Danio rerio	96 hours	-
	Chronic EC10 0.014 mg/l	Algae - Desmodesmus subspicatus	72 hours	Based on data for a similar substance.
	Acute EL50 0.36 mg/l	Algae - Desmodesmus subspicatus	72 hours	-
	Acute EL50 0.037 mg/l	Daphnia - Daphnia magna	48 hours	-
	Acute EL50 >1000 mg/l	Micro-organism	3 hours	-
	Acute LL50 40 mg/l	Fish - Pimephales promelas	96 hours	-

## Section 12. Ecological information

	Chronic NOEL 0.07 mg/l	Algae - Desmodesmus subspicatus	72 hours	-
	Chronic NOEL 0.0037 mg/l	Daphnia - Daphnia magna	21 days	-

**Conclusion/Summary** : Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

### Persistence and degradability

Product/ingredient name	Test	Result	Remarks
Distillates (petroleum), hydrotreated light paraffinic	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Not readily - 28 days	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Not readily - 28 days	Based on data for a similar substance.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Inherent - 28 days	Based on data for a similar substance.
3-(decyloxy) tetrahydrothiophene 1,1-dioxide	OECD 301B Ready Biodegradability - CO2 Evolution Test	9.6 % - Not readily - 28 days	Based on data for a similar substance.
Distillates (petroleum), hydrotreated light paraffinic	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Not readily - 28 days	Based on data for a similar substance.
bis(nonylphenyl)amine	OECD 301C Ready Biodegradability - Modified MITI Test (I)	24 % - Not readily - 28 days	-
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.	OECD 301F Ready Biodegradability - Manometric Respirometry Test	75 % - Readily - 28 days	Based on data for a similar substance.
methyl-1H-benzotriazole	OECD 301F Ready Biodegradability - Manometric Respirometry Test	4 % - Not readily - 28 days	-
2-(heptadecenyl)-4,5-dihydro-	OECD 301F	<20 % - Not readily - 28 days	-

## Section 12. Ecological information

1H-imidazole-1-ethanol	Ready Biodegradability - Manometric Respirometry Test		
phenol, (tetrapropenyl) derivatives	OECD 301B Ready Biodegradability - CO2 Evolution Test	6 to 25 % - Not readily - 28 days	-

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
bis(nonylphenyl)amine	3.64 to 7.02	1730	high
methyl-1H-benzotriazole	1.081	-	low
phenol, (tetrapropenyl) derivatives	-	289 to 1601	high

### Mobility in soil

- Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.
- Mobility** : Not available.
- Hazardous to the ozone layer** : Not applicable.
- Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

- Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

## Section 14. Transport information

	UN	ADG	IMDG	IATA
<b>14.1 UN number</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>14.2 UN proper shipping name</b>	-	-	-	-
<b>14.3 Transport hazard class (es)</b>	-	-	-	-
<b>14.4 Packing group</b>	-	-	-	-
<b>14.5 Environmental hazards</b>	No.	No.	No.	No.

**14.6 Special precautions for user** : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### China

#### List of Goods banned for Importing

None of the components are listed.

#### List of Goods banned for Exporting

None of the components are listed.

#### List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

### Singapore

#### Singapore - hazardous chemicals under government control

None.

### Australia

#### Standard for the Uniform Scheduling of Medicines and Poisons

Not applicable.

#### Model Work Health and Safety Regulations - Scheduled Substances

## Section 15. Regulatory information

No listed substance

### Japan

#### Fire Service Law

Category	Substance name/Type	Danger category
Category IV	Class III petroleum	III

#### Industrial Safety and Health Act

##### Label Requirements and Chemicals Requiring Notification

None of the components are listed.

#### Chemical Substances Control Law (CSCL)

Ingredient name	%	Status	Reference number
alpha,alpha'-[Alkyl(C=8-18, normal chain)azanediyl]di(ethane-2,1-diyl)] bis[omega-hydroxypoly(oxyethane-1,2-diyl)](The repeating number of repeating unit is an integer 0 or more.) (It is limited that the number-average molecular weight of the polymer is less than 1,000.)	≥1.0 - ≤3.0	Priority assessment	266

#### Poisonous and Deleterious Substances

None of the components are listed.

#### Pollutant Release and Transfer Registers (PRTR)

None of the components are listed.

#### Japan - Water Pollution Control Law

Ingredient name
n-Hexane Extracts (mineral oil) Boron compounds Phenol derivative compounds

### Korea

#### Regulation according to ISHA

**ISHA article 117** : None of the components are listed.  
(Harmful substances prohibited from manufacture)

**ISHA article 118** : None of the components are listed.  
(Harmful substances requiring permission)

#### Regulation according to K-REACH/CCA

Chemical name	%	Remarks
<b>K-REACH/CCA Toxic chemicals</b> : diphenylamine	<0.1	Impurity

## Section 15. Regulatory information

- K-REACH/CCA - Banned** : None of the components are listed.
- K-REACH/CCA - Restricted** : None of the components are listed.
- K-REACH/CCA Article - TRI** : The following components are listed: Boron compounds
- Dangerous Materials Safety Management Act** : **Class:** Class 4 - Flammable Liquid  
**Item:** 5. Class 3 petroleum - Water-insoluble liquid  
**Threshold:** 2000 L  
**Danger category:** III  
**Signal word:** Contact with sources of ignition prohibited

### New Zealand

- HSNO Approval Number** : HSR002605

### International Inventory Status

- Australia (AIIC)** : All components are listed or exempted.
- Canada (DSL/NDSL)** : All components are listed or exempted.
- China (IECSC)** : All components are listed or exempted.
- Europe (REACH)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).
- Japan (ENCS)** : All components are listed or exempted.
- Republic of Korea (ECL)** : All components are listed or exempted.
- New Zealand (NZIoC)** : All components are listed or exempted.
- Philippines (PICCS)** : All components are listed or exempted.
- Switzerland (SWISS)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).
- Turkey (KKDIK)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).
- Taiwan (TCSI)** : All components are listed or exempted.
- United Kingdom (UK REACH)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).
- United States Active (TSCA)** : All components are active or exempted.

## Section 16. Other information

### History

- Date of issue/Date of revision** : 5/2/2023

EHS Department (Tel: +1 804 788 5800)



## Section 16. Other information

**Key to abbreviations** : ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 UN = United Nations  
 WOE = Weight of Evidence

### Procedure used to derive the classification

Classification	Justification
SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 2	Calculation method
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	Calculation method

**Toxicological and Ecotoxicological Test Data Summary(s)** : CMR\_A1, CORR\_A15, ECO\_A8

 Indicates information that has changed from previously issued version.

### Notice to reader

**This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Afton makes no representation as to completeness or accuracy. In no event will Afton be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.**