

**HiTEC® 3080 Performance Additive**

**SDS no.** H3080

## Section 1. Identification

**Product identifier** : HiTEC® 3080 Performance Additive  
**Product use** : Petrochemical industry: Lubricating Oil Additive.

**Date of issue/Revisions** : 15 March 2024

### In case of emergency - Chemical

+1-703-527-3887 (International)  
+65-3158-1349 (Asia Pacific)  
+61-290372994 (Australia)  
4001-204937 (China)  
+81-345209637 (Japan)  
00-308-13-2549 (South Korea)  
+1-703-741-5979 (Spanish language)  
+44-870-8200418 (UK)  
1-800-424-9300 (US & Canada)

### Manufacturer / Supplier

Afton Chemical Asia Pte. Ltd.  
103 Penang Road  
#09-01 Visioncrest Commercial  
Singapore 238467  
Telephone number: +65 6732 0822  
Fax: +65 6737 4123

Afton Chemical (Suzhou) Co., Ltd.  
No. 26 Pingsheng Road,  
Suzhou Industrial Park, Suzhou  
215126 China  
Tel: +86-512-62605099

Afton Chemical (Beijing) Co., Ltd.  
Room 707 China World Office 1  
No. 1 Jian Guo Men Wai Avenue  
Beijing 100004 China  
Telephone number: +86 10 6535 0000

Afton Chemical Japan Corporation  
Hirakawacho Mori Tower 7F, 2-16-1  
Hirakawacho, Chiyoda-ku  
Tokyo  
Japan

Afton Chemical Asia Pacific Company  
Suite 2, Level 1, 9-11 Grosvenor Street,  
Neutral Bay, NSW 2089  
Australia  
Telephone number: +61 299785800  
Business Hours: 9:00am - 5:00pm

Afton Chemical Korea Co., Ltd.  
511 Yeongdong-daero, Gangnam-gu,  
27th Floor Trade Tower  
Seoul City 06164  
Republic of Korea  
Telephone number: +82- 2 -2191-4000

Afton Chemical Corporation  
500 Spring St.  
Richmond, VA 23219  
USA

Non-Emergency Telephone: +1-804-788-5800

## Section 2. Hazards identification

**Classification of the substance or mixture** : SKIN CORROSION/IRRITATION - Category 2  
 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A  
 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1  
 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1

### GHS label elements

#### Hazard pictograms



#### Signal word

: Warning

#### Hazard statements

: Causes skin irritation.  
 Causes serious eye irritation.  
 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

#### Prevention

:  Wear protective gloves. Wear eye or face protection. Avoid release to the environment. Wash hands thoroughly after handling.

#### Response

:  Collect spillage. Get medical attention if you feel unwell. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

#### Storage

: Store in a well-ventilated place.

#### Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Other hazards which do not result in classification** : None known.

**Please note some GHS hazard classifications listed above may not be applicable in your country or region and are shown for informational purposes only.**

**For other GHS hazard classifications not listed above, the classification is not applicable in your region.**

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

Ingredient name	CAS number	%	GHS Classification	Type
<input checked="" type="checkbox"/> Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	≥15 - ≤25	ASPIRATION HAZARD - Category 1	[1] [2]
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	≥15 - ≤25	Not classified.	[2]
Alkylamine trialkyldithiophosphate phosphate	141904-03-2	≥5 - ≤10	ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A SKIN SENSITISATION - Category 1B	[1]

## Section 3. Composition/information on ingredients

			SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2	
1-Propene, 2-methyl-, sulfurized	68511-50-2	≥5 - ≤10	FLAMMABLE LIQUIDS - Category 4	[1]
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	≥5 - ≤10	Not classified.	[2]
bis(nonylphenyl)amine	36878-20-3	≥5 - ≤6.4	SKIN CORROSION/IRRITATION - Category 3	[1]
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	89347-09-1	≥3 - ≤3.5	SKIN CORROSION/IRRITATION - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	[1]
(Z)-octadec-9-enylamine	112-90-3	≥1 - ≤3	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 1B SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (gastrointestinal tract, immune system, liver) - Category 2 ASPIRATION HAZARD - Category 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 (M=10) LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 (M=10)	[1]

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

**Please note some GHS hazard classifications listed above may not be applicable in your country or region and are shown for informational purposes only.**

### Type

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

## Section 4. First aid measures

### Description of necessary first aid measures

#### Eye contact

: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

## Section 4. First aid measures

- Inhalation** : If inhaled, remove to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. Continue to rinse for at least 15 minutes.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness
- Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

**Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

**Unsuitable extinguishing media** : Do not use water jet.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides  
metal oxide/oxides  
Hydrogen sulphide

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

### Methods and material for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), solvent-dewaxed heavy paraffinic	<p><b>Safe Work Australia (Australia, 10/2022). [Oil mist, refined mineral]</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Mist</p> <p><b>Japan Society for Occupational Health (Japan, 9/2022). [Oil mist, mineral]</b> OEL-M: 3 mg/m<sup>3</sup> 8 hours. Form: Mist</p> <p><b>Workplace Safety and Health Act (Singapore, 2/2006). [Oil Mist, mineral]</b> PEL (long term): 5 mg/m<sup>3</sup> 8 hours. Form: Mist PEL (short term): 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p>
Distillates (petroleum), hydrotreated heavy paraffinic	<p><b>Safe Work Australia (Australia, 10/2022). [Oil mist, refined mineral]</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Mist</p> <p><b>Japan Society for Occupational Health (Japan, 9/2022). [Oil mist, mineral]</b></p>

## Section 8. Exposure controls/personal protection

Distillates (petroleum), solvent-refined heavy paraffinic

OEL-M: 3 mg/m<sup>3</sup> 8 hours. Form: Mist  
**Workplace Safety and Health Act (Singapore, 2/2006). [Oil Mist, mineral]**  
 PEL (long term): 5 mg/m<sup>3</sup> 8 hours. Form: Mist  
 PEL (short term): 10 mg/m<sup>3</sup> 15 minutes. Form: Mist  
**Safe Work Australia (Australia, 10/2022). [Oil mist, refined mineral]**  
 TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Mist  
**Japan Society for Occupational Health (Japan, 9/2022). [Oil mist, mineral]**  
 OEL-M: 3 mg/m<sup>3</sup> 8 hours. Form: Mist  
**Workplace Safety and Health Act (Singapore, 2/2006). [Oil Mist, mineral]**  
 PEL (long term): 5 mg/m<sup>3</sup> 8 hours. Form: Mist  
 PEL (short term): 10 mg/m<sup>3</sup> 15 minutes. Form: Mist

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Hand Protection: Wear chemical resistant gloves. Nitrile gloves of minimum thickness 0.4 mm have an expected breakthrough time of 480 minutes or less when in frequent contact with the product. Due to variable exposure conditions the user must consider that the practical use of a chemical-protective glove in practice may be much shorter than the permeation time above. Manufacturer's directions for use, especially about the minimum thickness and the minimum breakthrough time, must be observed. This information does not replace suitability tests by the end user since glove protection varies depending on the conditions under which the product is used.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



## Section 8. Exposure controls/personal protection

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

<b>Physical state</b>	: Liquid.	
<b>Colour</b>	: Hazy Brown.	
<b>Odour</b>	: Aromatic. [Slight]	
<b>Odour threshold</b>	: Not available.	
<b>pH</b>	: Not available.	
<b>Melting point</b>	: Not available.	
<b>Boiling point</b>	: Not available.	
<b>Flash point</b>	: Closed cup: 95°C (203°F) [Minimum Pensky-Martens]	
<b>Evaporation rate</b>	: Not available.	
<b>Flammability (solid, gas)</b>	: Not available.	
<b>Lower and upper explosive (flammable) limits</b>	: Not available.	
<b>Vapour pressure</b>	: Not available.	
<b>Relative vapour density</b>	: Not available.	
<b>Vapour density</b>	: Not available.	
<b>Density</b>	: 0.999 g/cm <sup>3</sup> [59°F (15°C)]	
<b>Relative density</b>	: 1	
<b>Solubility(ies)</b>	: Not available.	
<b>Partition coefficient: n-octanol/water</b>	: Not applicable.	
<b>Auto-ignition temperature</b>	: Not available.	
<b>Decomposition temperature</b>	: Not available.	
<b>Viscosity</b>	: Kinematic (40°C): 226 mm <sup>2</sup> /s (226 cSt) 23 cSt at 100 °C	Minimum
<b>Explosive properties</b>	: Not available.	
<b>Oxidising properties</b>	: Not available.	
<b>Particle characteristics</b>		
<b>Median particle size</b>	: Not applicable.	



## Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : High temperatures, sparks, and open flames.

**Incompatible materials** : Strong oxidising and reducing agents.

**Hazardous decomposition products** : Hydrogen sulphide

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Test	Result	Species	Dose	Exposure	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	403 Acute Inhalation Toxicity	LC50 Inhalation Vapour	Rat	>5.53 mg/l	4 hours	-
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	-
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	-
Distillates (petroleum), hydrotreated heavy paraffinic	403 Acute Inhalation Toxicity	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours	Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	Based on data for a similar substance.
	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	Based on data for a similar substance.
Alkylamine trialkyldithiophosphate phosphate 1-Propene, 2-methyl-, sulfurized	OECD 401 Acute Oral Toxicity	LD50 Oral	Rat	2000 mg/kg	-	Based on data for a similar substance.
	None available.	LC50 Inhalation Vapour	Rat	>0.39 mg/l	4 hours	-
	None available.	LC50 Inhalation Vapour	Rat	>2 mg/l	6 hours	-
	None available.	LD50 Dermal	Rabbit	>7940 mg/kg	-	-
	None available.	LD50 Oral	Rat	5700 mg/kg	-	-
Distillates (petroleum), solvent-refined heavy paraffinic	None available.	LD50 Oral	Rat	9800 mg/kg	-	-
	403 Acute Inhalation Toxicity	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours	Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>5000 mg/kg	-	Based on data for a similar substance.

## Section 11. Toxicological information

bis(nonylphenyl)amine	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance. Based on data for a similar substance.
	402 Acute Dermal Toxicity	LD50 Dermal	Rat	>2000 mg/kg	-	
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	401 Acute Oral Toxicity	LD50 Oral	Rat	>5000 mg/kg	-	
	403 Acute Inhalation Toxicity	LC50 Inhalation Vapour	Rat	>2.75 mg/l	4 hours	
(Z)-octadec-9-enylamine	402 Acute Dermal Toxicity	LD50 Dermal	Rabbit	>2000 mg/kg	-	
	401 Acute Oral Toxicity	LD50 Oral	Rat	>10000 mg/kg	-	
	401 Acute Oral Toxicity	LD50 Oral	Rat	1689 mg/kg	-	

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Irritation/Corrosion

Product/ingredient name	Test	Species	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not irritant	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Not irritant	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not irritant	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Not irritant	Based on data for a similar substance.
Alkylamine trialkyldithiophosphate phosphate	OECD 405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Irritant	Not H319 at <50%. On basis of test data
	OECD 404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Not irritant	Based on data for a similar substance.
1-Propene, 2-methyl-, sulfurized	None available.	Rabbit	Eyes - Not irritant	-
	None available.	Rabbit	Skin - Not irritant	-
Distillates (petroleum), solvent-refined heavy paraffinic	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not irritant	Based on data for a similar substance.
	None available.	Rabbit	Skin - Not irritant	Based on data for a similar substance.
bis(nonylphenyl)amine	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not irritant	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	Based on data for a similar substance.
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	405 Acute Eye Irritation/Corrosion	Rabbit	Eyes - Not irritant	Based on data for a similar substance.
	404 Acute Dermal Irritation/Corrosion	Rabbit	Skin - Mild irritant	Based on data for a similar substance.

## Section 11. Toxicological information

(Z)-octadec-9-enylamine	Irritation/Corrosion 405 Acute Eye Irritation/Corrosion 404 Acute Dermal Irritation/Corrosion	Rabbit  Rabbit	Eyes - Severe irritant  Skin - Visible necrosis	similar substance. Based on data for a similar substance. -
-------------------------	---	----------------------	---	--

**Skin** : Causes skin irritation.

**Eyes** : Causes serious eye irritation.

**Respiratory** : Based on available data, the classification criteria are not met.

### Sensitisation

Product/ingredient name	Test	Route of exposure	Species	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
Alkylamine trialkyldithiophosphate phosphate	OECD 429 Skin Sensitisation: Local Lymph Node Assay	skin	Mouse	Sensitising	Based on data for a similar substance.
1-Propene, 2-methyl-, sulfurized	None available.	skin	Guinea pig	Not sensitizing	-
Distillates (petroleum), solvent-refined heavy paraffinic	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
bis(nonylphenyl)amine	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.
(Z)-octadec-9-enylamine	406 Skin Sensitization	skin	Guinea pig	Not sensitizing	Based on data for a similar substance.

### Conclusion/Summary

**Skin** : Not classified as a skin sensitizer. Based on test data for this or similar products.

**Respiratory** : Based on available data, the classification criteria are not met.

### Mutagenicity

Product/ingredient name	Test	Experiment	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	474 Mammalian Erythrocyte Micronucleus	Experiment: In vivo Subject: Mammalian-Animal	Negative	Based on data for a similar substance.

## Section 11. Toxicological information

Alkylamine trialkyldithiophosphate phosphate	Test OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
1-Propene, 2-methyl-, sulfurized	OECD 476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	None available.	Experiment: In vitro Subject: Bacteria	Negative	-
Distillates (petroleum), solvent-refined heavy paraffinic	None available.	Experiment: In vivo Subject: Mammalian-Animal	Negative	-
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
bis(nonylphenyl)amine	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	478 Genetic Toxicology: Rodent Dominant Lethal Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	Based on data for a similar substance.
(Z)-octadec-9-enylamine	473 In vitro Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	Based on data for a similar substance.
	471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative	-
	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Carcinogenicity

Product/ingredient name	Test	Species	Exposure	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	451 Carcinogenicity Studies	Mouse	78 weeks	Negative - Dermal - NOAEL	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	451 Carcinogenicity Studies	Mouse	78 weeks	Negative - Dermal - NOAEL	Based on data for a similar substance.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Reproductive toxicity

## Section 11. Toxicological information

Product/ingredient name	Test	Route of exposure	Species	Maternal toxicity	Fertility	Developmental toxin	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	421 Reproduction/ Developmental Toxicity Screening Test	Dermal	Rat	Negative	Negative	Negative	Based on data for a similar substance.
	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative	Negative	
Distillates (petroleum), hydrotreated heavy paraffinic	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative	Negative	Based on data for a similar substance.
Alkylamine trialkyldithiophosphate phosphate	OECD 421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Positive	Equivocal	Equivocal	Based on data for a similar substance. WOE does not support classification
1-Propene, 2-methyl-, sulfurized	422 Combined Repeated Dose Toxicity Study with the Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative	Negative	Based on data for a similar substance.
Distillates (petroleum), solvent-refined heavy paraffinic	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative	Negative	Based on data for a similar substance.
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Negative	Negative	Negative	Based on data for a similar substance.
(Z)-octadec-9-enylamine	421 Reproduction/ Developmental Toxicity Screening Test	Oral	Rat	Positive	Negative	Negative	Based on data for a similar substance.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Teratogenicity

Product/ingredient name	Test	Species	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
1-Propene, 2-methyl-, sulfurized	414 Prenatal Developmental Toxicity Study	Rat	Negative - Oral	Based on data for a similar substance.
Distillates (petroleum), solvent-refined heavy paraffinic	414 Prenatal Developmental Toxicity Study	Rat	Negative - Dermal	Based on data for a similar substance.
	414 Prenatal Developmental Toxicity Study	Rat	Negative - Oral	Based on data for a similar substance.

## Section 11. Toxicological information

bis(nonylphenyl)amine	Toxicity Study 414 Prenatal Developmental Toxicity Study	Rat	Negative - Oral	similar substance. -
2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	414 Prenatal Developmental Toxicity Study	Rat	Negative - Oral	-
(Z)-octadec-9-enylamine	None available.	Rat	Negative - Oral	-

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
(Z)-octadec-9-enylamine	Category 3	-	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
(Z)-octadec-9-enylamine	Category 2	-	gastrointestinal tract, immune system, liver

### Aspiration hazard

Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Z)-octadec-9-enylamine	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

**Information on likely routes of exposure** : Skin, Eyes, Ingestion, and Inhalation

### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness
- Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

- Potential immediate effects** : Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation. Ingestion may cause gastrointestinal irritation and diarrhoea.

## Section 11. Toxicological information

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

**Potential delayed effects** : Not available.

### Potential chronic health effects

Product/ingredient name	Test	Species	Dose	Exposure	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	410 Repeated Dose Dermal Toxicity: 21/28-day Study None available.	Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
		Rat	0.05 mg/l	13 weeks	Sub-chronic NOAEL Inhalation Vapour	-
	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents 410 Repeated Dose Dermal Toxicity: 21/28-day Study 411 Subchronic Dermal Toxicity: 90-day Study None available.	Rat	125 mg/kg	-	Sub-chronic LOAEL Oral	Based on data for a similar substance.
		Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	411 Subchronic Dermal Toxicity: 90-day Study None available.	Rat	30 mg/kg	-	Sub-chronic NOAEL Dermal	Based on data for a similar substance.
		Rat	0.15 mg/l	13 weeks	Sub-chronic NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
	None available.	Rat	0.22 mg/l	4 weeks	Sub-chronic NOAEL Inhalation Dusts and mists	Based on data for a similar substance.
	1-Propene, 2-methyl-, sulfurized	None available.	Rabbit	2240 mg/kg	3 weeks; 5 days per week	Sub-acute NOAEL Dermal
None available.		Rabbit	200 mg/kg	4 weeks; 5 days per week	Sub-acute NOAEL Dermal	-
None available.		Rat	100 mg/kg	13 weeks; 5 days per week	Sub-chronic NOAEL Dermal	-
408 Repeated Dose 90-Day Oral Toxicity Study in Rodents		Rat	1000 mg/kg	-	Sub-chronic NOAEL Oral	Based on data for a similar substance.
Distillates (petroleum), solvent-refined heavy paraffinic	410 Repeated Dose Dermal Toxicity: 21/28-day Study 411 Subchronic Dermal Toxicity:	Rabbit	1000 mg/kg	-	Sub-acute NOAEL Dermal	Based on data for a similar substance.
		Rat	2000 mg/kg	13 weeks	Sub-chronic NOAEL Dermal	Based on data for a similar substance.



## Section 11. Toxicological information

bis(nonylphenyl)amine	90-day Study 412 Repeated Dose Inhalation Toxicity: 28-day or 14-day Study	Rat	220 mg/m <sup>3</sup>	4 weeks	Sub-acute NOAEL Inhalation Dusts and mists	substance. Based on data for a similar substance.	
	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	100 mg/kg	-	Sub-chronic LOAEL Oral	-	
	2,5-bis(tert-nonyldithio) -1,3,4-thiadiazole	407 Repeated Dose 28-day Oral Toxicity Study in Rodents	Rat	200 mg/kg	-	Sub-acute NOAEL Oral	Based on data for a similar substance.
		None available.	Rat	1000 mg/kg	-	Sub-acute NOAEL Oral	-
	421 Reproduction/ Developmental Toxicity Screening Test	Rat	250 mg/kg	-	Sub-acute NOAEL Oral	-	
(Z)-octadec-9-enylamine	408 Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	650 mg/kg	-	Sub-chronic NOAEL Oral	-	
	407 Repeated Dose 28-day Oral Toxicity Study in Rodents	Rat	3.25 mg/kg	-	Sub-acute NOAEL Oral	-	

- Conclusion/Summary** : Not available.
- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute LL50 >100 mg/ l	Fish - Pimephales promelas	96 hours	Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days	Based on data for a similar substance.
	Chronic NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	14 days	QSAR result.
Distillates (petroleum), hydrotreated heavy paraffinic	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.

## Section 12. Ecological information

Alkylamine trialkyldithiophosphate phosphate	Acute LL50 >100 mg/l	Fish - Pimephales promelas	96 hours	Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days	Based on data for a similar substance.
	Chronic NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	14 days	QSAR result.
	EC50 >2.4 mg/l	Micro-organism	3 hours	-
	Acute EL50 15 mg/l	Algae - Raphidocelis subcapitata	96 hours	Based on data for a similar substance.
	Acute EL50 91.4 mg/l	Crustaceans - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute LL50 24 mg/l	Fish - Oncorhynchus mykiss	96 hours	Based on data for a similar substance.
1-Propene, 2-methyl-, sulfurized	Chronic EL10 2.8 mg/l	Algae - Raphidocelis subcapitata	96 hours	Based on data for a similar substance.
	Chronic NOEL 0.12 mg/l	Crustaceans - Daphnia magna	21 days	Based on data for a similar substance.
	Acute EL50 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	No effects at saturation.
	Acute EL50 >1000 mg/l	Daphnia - Daphnia magna	48 hours	No effects at saturation.
Distillates (petroleum), solvent-refined heavy paraffinic	Acute LL50 10000 mg/l	Fish - Cyprinodon variegatus	96 hours	-
	Chronic NOEL 5 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	No effects at saturation.
	Acute EL50 >10000 mg/l	Daphnia - Daphnia magna	48 hours	Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Pimephales promelas	96 hours	Based on data for a similar substance.
	Chronic NOEL ≥100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	Based on data for a similar substance.
	Chronic NOEL 10 mg/l	Daphnia - Daphnia magna	21 days	Based on data for a similar substance.
bis(nonylphenyl)amine	Chronic NOEL 1000 mg/l	Fish - Oncorhynchus mykiss	14 days	QSAR result.
	Acute EL50 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	-
	Acute EL50 >100 mg/l	Daphnia - Daphnia magna	48 hours	-
	Acute IC50 >100 mg/l	Micro-organism	3 hours	Based on data for a similar substance.
	Acute LL50 >100 mg/l	Fish - Danio rerio	96 hours	Based on data

## Section 12. Ecological information

2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	Chronic EL10 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	for a similar substance.
	Chronic EL10 4.12 mg/l Fresh water	Crustaceans - Daphnia magna	21 days	-
	Chronic NOEL 10 mg/l Fresh water	Fish - Danio rerio	34 days	-
	Acute EC50 ≥8000 mg/l	Micro-organism	16 hours	Based on data for a similar substance.
(Z)-octadec-9-enylamine	Acute EL50 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	-
	Acute EL50 41 mg/l	Daphnia - Daphnia magna	48 hours	-
	Acute LL50 >1000 mg/l	Fish - Pimephales promelas	96 hours	-
	Chronic EL10 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	-
	EL50 222.5 mg/l	Micro-organism	3 hours	Based on data for a similar substance.
	Acute EL50 0.04 mg/l	Algae - Selenastrum capricornutum	96 hours	-
	Acute EL50 0.011 mg/l	Crustaceans - Daphnia magna	48 hours	-
	Acute LL50 0.06 mg/l	Fish - Pimephales promelas	96 hours	-
Chronic NOEL 0.01 mg/l	Algae - Selenastrum capricornutum	96 hours	-	
Chronic NOEL 0.013 mg/l	Crustaceans - Daphnia magna	21 days	-	

**Conclusion/Summary** : Very toxic to aquatic life with long lasting effects.

### Persistence and degradability

Product/ingredient name	Test	Result	Remarks
Distillates (petroleum), solvent-dewaxed heavy paraffinic	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Not readily - 28 days	Based on data for a similar substance.
Distillates (petroleum), hydrotreated heavy paraffinic	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Not readily - 28 days	Based on data for a similar substance.
Alkylamine trialkyldithiophosphate phosphate	OECD 301B Ready Biodegradability - CO2 Evolution Test	25 % - Not readily - 28 days	-
1-Propene, 2-methyl-, sulfurized	OECD 301B Ready Biodegradability - CO2 Evolution Test	0.3 % - Not readily - 28 days	-

## Section 12. Ecological information

Distillates (petroleum), solvent-refined heavy paraffinic	OECD 301F Ready Biodegradability - Manometric Respirometry Test	31 % - Not readily - 28 days	Based on data for a similar substance.
bis(nonylphenyl)amine	OECD 301C Ready Biodegradability - Modified MITI Test (I)	24 % - Not readily - 28 days	-
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	OECD 301C Ready Biodegradability - Modified MITI Test (I)	2 % - Not readily - 28 days	Based on data for a similar substance.
(Z)-octadec-9-enylamine	OECD 301B Ready Biodegradability - CO2 Evolution Test	66 % - Readily - 28 days	-

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Distillates (petroleum), solvent-refined heavy paraffinic	3.9 to 6	-	high
bis(nonylphenyl)amine	3.64 to 7.02	1730	high

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.





**Hazardous to the ozone layer** : Not applicable.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	UN	ADG	IMDG	IATA
<b>14.1 UN number</b>	UN3082	UN3082	UN3082	UN3082
<b>14.2 UN proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s. (Long-chain alkenyl amine)	Environmentally hazardous substance, liquid, n.o.s. (Long-chain alkenyl amine)	Environmentally hazardous substance, liquid, n.o.s. (Long-chain alkenyl amine) Marine pollutant	Environmentally hazardous substance, liquid, n.o.s. (Long-chain alkenyl amine)
<b>14.3 Transport hazard class (es)</b>	9 	9 	9 	9 
<b>14.4 Packing group</b>	III	III	III	III
<b>14.5 Environmental hazards</b>	Yes.	Yes.	Yes.	Yes.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### China

#### List of Goods banned for Importing

None of the components are listed.

#### List of Goods banned for Exporting

None of the components are listed.

#### List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

### Singapore

#### Singapore - hazardous chemicals under government control

Ingredient name	Status
Anionic surface active agent	Listed

### Australia

#### Standard for the Uniform Scheduling of Medicines and Poisons

Not applicable.

#### Model Work Health and Safety Regulations - Scheduled Substances

## Section 15. Regulatory information

No listed substance

### Japan

#### Fire Service Law

Category	Substance name/Type	Danger category
Category IV	Class III petroleum	III

#### Industrial Safety and Health Act

##### Label Requirements, Chemicals Requiring Notification and/or Substances that are corrosive to the skin

Ingredient name	%
Mineral oil (9-Octadecen-1-Amine, (Z)-	≥35 - ≤45 ≥1.0 - ≤3.0

#### Chemical Substances Control Law (CSCL)

Ingredient name	%	Status	Reference number
Alkan-1-amine(C8,10,12,14,16,18, normal chain), (Z)-Octadec-9-en-1-amine or (9Z,12Z)-Octadeca-9,12-dien-1-amine	≥1.0 - ≤3.0	Priority assessment	164

#### Poisonous and Deleterious Substances

None of the components are listed.

#### Pollutant Release and Transfer Registers (PRTR)

Ingredient name	%	Measured as	Status	Control number
Alkan-1-amine (limited to those the alkane is linear chain and C8,10,12,14,16 or 18 and the mixture thereof), (Z)-octadec-9-en-1-amine, (9Z,12Z)-octadeca-9,12-dien-1-amine and the mixture thereof	≥1.0 - ≤3.0		Class 1	576

For information of a target concentration please contact your Afton representative.

#### Japan - Water Pollution Control Law

Ingredient name
n-Hexane Extracts (mineral oil) Linear Benzenesulfonic acid and its salt

### Korea

#### Regulation according to ISHA

ISHA article 117 : None of the components are listed.

(Harmful substances prohibited from manufacture)

## Section 15. Regulatory information

**ISHA article 118 (Harmful substances requiring permission)** : None of the components are listed.

**Exposure Limits of Chemical Substances and Physical Factors** : None of the components are listed.

**Standard of Industrial Safety and Health Annex 12 (Hazardous substances subject to control)** :  None of the components are listed.

	<b>Ingredient name</b>	<b>Remarks</b>
<b>ISHA Enforcement Regs Annex 19 (Exposure standards established for harmful factors)</b>	<input checked="" type="checkbox"/> toluene benzene	Impurity (<0.1%) Impurity (<0.1%)

**ISHA Enforcement Regs Annex 21 (Harmful factors subject to Work Environment Measurement)** : None of the components are listed.

**ISHA Enforcement Regs Annex 22 (Harmful Factors Subject to Special Health Check-up)** :  metal working fluids: oil mist, mineral

**Wastes regulation** : Designated waste

### Regulation according to K-REACH/CCA

	<b>Chemical name</b>	<b>%</b>	<b>Remarks</b>
<b>K-REACH/CCA Toxic chemicals</b>	<input checked="" type="checkbox"/> diphenylamine	<0.1	Impurity

**K-REACH/CCA - Banned** : None of the components are listed.

**K-REACH/CCA - Restricted** : None of the components are listed.

**K-REACH/CCA Article - TRI** : None of the components are listed.



## Section 15. Regulatory information

**K-REACH/CCA** :  None of the components are listed.

**Article 39 (Accident  
Precaution  
Chemicals)**

**Dangerous Materials Safety Management Act** : **Class:** Class 4 - Flammable Liquid  
**Item:** 5. Class 3 petroleum - Water-insoluble liquid  
**Threshold:** 2000 L  
**Danger category:** III  
**Signal word:** Contact with sources of ignition prohibited

### International Inventory Status

**Australia (AIC)** : All components are listed or exempted.  
**Canada (DSL/NDSL)** : All components are listed or exempted.  
**China (IECSC)** : All components are listed or exempted.  
**Europe (REACH)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).  
**Japan (ENCS)** : All components are listed or exempted.  
**Republic of Korea (ECL)** : All components are listed or exempted.  
**New Zealand (NZIoC)** : All components are listed or exempted.  
**Philippines (PICCS)** : All components are listed or exempted.  
**Switzerland (SWISS)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).  
**Turkey (KKDIK)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).  
**Taiwan (TCSI)** : All components are listed or exempted.  
**United Kingdom (UK REACH)** : For information on compliance with this regulation please contact your Afton representative (EHS.CustomerVolumes@AftonChemical.com).  
**United States Active (TSCA)** : All components are active or exempted.

## Section 16. Other information

### History

**Date of issue/Date of revision** : 3/15/2024

EHS Department (Tel: +1 804 788 5800)

### Key to abbreviations

: ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations  
WOE = Weight of Evidence

### Procedure used to derive the classification

## Section 16. Other information

Classification	Justification
SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1	Calculation method Expert judgment Calculation method Calculation method

**Toxicological and Ecotoxicological Test Data Summary(s)** :  ECO\_A02, SEN\_A06

Indicates information that has changed from previously issued version.

### Notice to reader

**This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Afton makes no representation as to completeness or accuracy. In no event will Afton be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.**