

PEAK ULTRA PLANT XHD GREASE

EXTREME HEAVY DUTY LITHIUM COMPLEX GREASE

PRODUCT DESCRIPTION

PEAK ULTRA PLANT XHD GREASE is a premium, high temperature lithium complex NLGI No. 2 grease for lasting protection in demanding environments.

PEAK ULTRA PLANT XHD GREASE is recommended for anti-friction and plain bearings, gears and couplings in automotive, marine, agricultural and industrial applications requiring grease with a high base oil viscosity and weld load. It is particularly suitable for use in extreme heavy-duty applications and where high thermal resistance is vital. These applications include all industrial, earthmoving, agricultural, automotive and marine equipment.

BENEFITS

- Excellent thermal and mechanical stability over a wide temperature range
- · High load carrying capacity which protects equipment against extreme loading
- · Excellent EP and anti-wear properties resulting in reduced bearing component wear
- Shear-stable tackiness agent that delivers extra tenacity for "STAYPUT" lubrication
- Provides superior protection against rust and corrosion

CHARACTERISTICS

| Test | Typical Value | |
|--------------------------------|-----------------|--|
| NLGI Grade | 2 | |
| Soap/Thickener Type | Lithium Complex | |
| Dropping Point °C | 250 | |
| Oil Viscosity @ 40°C cSt | 1600 | |
| 4 Ball Weld Load kg | 315 | |
| Operating Temperature Range °C | -20 to 160 | |
| Colour | Red / Tacky | |

PRODUCT SIZE

| Part Number | Size | Carton Qty | Pallet Qty |
|-------------|--------|------------|------------|
| PKGXUP.450 | 450 g | 20 | 1600 |
| PKGXUP02.5 | 2.5 kg | 6 | 216 |
| PKGXUP020 | 20 kg | | 32 |
| PKGXUP055 | 55 kg | | 9 |
| PKGXUP180 | 180 kg | | |

PDS published on 31 Mar 2025. Information is correct at time of publishing.

Health, safety and environmental information is provided on the Safety Data Sheet (SDS) for this product.

Characteristics are provided as a guide only and are subject to manufacturing tolerances. They however do not constitute any legal liability.



