

according to WHS Regulations

Printing date 26.10.2020 Version number 1 Revision: 07.08.2019

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Identification of the substance/preparation: euku premium hardwax oil + mat (AUS)
- Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category PROC10 Roller application or brushing
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet
- · Company/undertaking identification:

eukula

a Brand of Dr.Schutz GmbH

Holbeinstraße 17 D-53715 Bonn

Phone: +49 (0) 228 / 95352-50 Fax: +49 (0) 228 / 95352-55

info@eukula.com

Distributor for Australia: Peerless JAL Pty Ltd

ABN: 53 006 489 345

Street Address: 6-12 Raglan Street Preston 3072 Australia

Telephone: +613 9416-6700 Facsimile: +613 9416 8516 Email: sales@peerlessjal.com.au

· Further information obtainable from: Department for product development

Emergency telephone number: 03 9416-6700

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

Combustible liquid.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)



according to WHS Regulations

Printing date 26.10.2020 Version number 1 Revision: 07.08.2019

Identification of the substance/preparation: euku premium hardwax oil + mat (AUS)

(Contd. of page 1)

· **vPvB**: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Substances
- · Identification number(s) CUH0-D01U-K000-GT9S
- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
1174522-09-8	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	50-100%	
	🕸 Asp. Tox. 1, H304		
34590-94-8	Dipropylene glycol monomethyl ether	1-5%	
		≥0.1-<1%	
	🕸 STOT RE 1, H372; 🔱 Acute Tox. 4, H302; Skin Sens. 1, H317		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



according to WHS Regulations

Printing date 26.10.2020 Version number 1 Revision: 07.08.2019

Identification of the substance/preparation: euku premium hardwax oil + mat (AUS)

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store receptacle in a well ventilated area.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Exposure limit values:

34590-94-8 Dipropylene glycol monomethyl ether

WES Long-term value: 308 mg/m³, 50 ppm

Sk

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Occupational exposure controls:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Body protection: Light weight protective clothing

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colour: Light brown

(Contd. on page 4)



according to WHS Regulations

Printing date 26.10.2020 Version number 1 Revision: 07.08.2019

Identification of the substance/preparation: *euku premium hardwax oil + mat* (AUS)

	(Contd. of page 3
· Odour:	Light
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : 179°C
· Flash point:	61°C (Seta Flash Closed Cup)
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>235°C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Not determined.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20°C: Relative density Vapour density Evaporation rate 	0.901 g/cm ³ Not determined. Not determined. Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic at 20°C:	Not determined. 61 s (DIN 53211/4)
· Solvent content: Organic solvents: VOC (EC)	54.4 % 54,5 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- · Reactivity see section "Possibility of hazardous reactions".
- · Chemical stability No information available.
- · Conditions to avoid: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

- AL



according to WHS Regulations

Revision: 07.08.2019 Printing date 26.10.2020 Version number 1

Identification of the substance/preparation: *euku premium hardwax oil + mat* (AUS)

(Contd. of page 4)

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· ADG, ADN, IMDG, IATA	Void	
· UN proper shipping name		
· ADG, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· ADG, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	



according to WHS Regulations

Printing date 26.10.2020 Version number 1 Revision: 07.08.2019

Identification of the substance/preparation: euku premium hardwax oil + mat (AUS)

(Contd. of page 5)

· Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· UN "Model Regulation": Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

96-29-7 2-butanone oxime

S6

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

Combustible liquid.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H372 Causes damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Department for product development
- · Contact: Dr. Reindl
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 7)



according to WHS Regulations

Revision: 07.08.2019 Printing date 26.10.2020 Version number 1

Identification of the substance/preparation: euku premium hardwax oil + mat (AUS)

(Contd. of page 6)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Sens. 1: Skin sensitisation – Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

· * Data compared to the previous version altered.