

Safety Data Sheet

according to WHS Regulations

Printing date 26.10.2020

Version number 2

Revision: 26.10.2020

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

• Product identifier

• **Identification of the substance/preparation:** *euku premium antislip R10 add*

• **Relevant identified uses of the substance or mixture and uses advised against**

• Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• **Product category** PC9a Coatings and paints, thinners, paint removers

• **Process category** PROC10 Roller application or brushing

• **Application of the substance / the mixture** Coating compound/ Surface coating/ paint

• Details of the supplier of the safety data sheet

• Company/undertaking identification:

eukula

a Brand of Dr.Schutz GmbH

Holbeinstraße 17

D-53715 Bonn

Phone: +49 (0) 228 / 95352-50

Fax: +49 (0) 228 / 95352-55

info@eukula.com

Distributor for Australia: Peerless JAL Pty Ltd

ABN: 53 006 489 345

Street Address: 6-12 Raglan Street Preston 3072 Australia

Telephone: +613 9416-6700

Facsimile: +613 9416 8516

Email: sales@peerlessjal.com.au

• **Further information obtainable from:** Department for product development

• **Emergency telephone number:** 03 9416-6700

2 Hazard(s) Identification

• Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

• Label elements

• GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

• **Hazard pictograms** Void

• **Signal word** Warning

• Hazard statements

Combustible liquid.

• Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO₂, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

(Contd. on page 2)

Safety Data Sheet
according to WHS Regulations

Printing date 26.10.2020

Version number 2

Revision: 26.10.2020

Identification of the substance/preparation: *euku premium antislip R10 add*


(Contd. of page 1)

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

1174522-09-8	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	50-100%
	 Asp. Tox. 1, H304	
34590-94-8	Dipropylene glycol monomethyl ether	1-5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Not applicable.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

AU

(Contd. on page 3)

Safety Data Sheet
according to WHS Regulations

Printing date 26.10.2020

Version number 2

Revision: 26.10.2020

Identification of the substance/preparation: *euku premium antislip R10 add*

(Contd. of page 2)

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store receptacle in a well ventilated area.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· Exposure limit values:	
34590-94-8 Dipropylene glycol monomethyl ether	
WES	Long-term value: 308 mg/m ³ , 50 ppm
Sk	

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Occupational exposure controls:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling
- **Body protection:** Light weight protective clothing

9 Physical and Chemical Properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Light brown
· Odour:	Light

(Contd. on page 4)

Safety Data Sheet
according to WHS Regulations

Printing date 26.10.2020

Version number 2

Revision: 26.10.2020

Identification of the substance/preparation: *euku premium antislip R10 add*

(Contd. of page 3)

· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	179-214°C
· Flash point:	65°C (Seta Flash Closed Cup)
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>235°C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20°C:	0.901 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic:	Not determined.
Kinematic at 40°C:	50 mm ² /s (ISO 2431, 3 mm)
· Solvent content: Organic solvents:	79.7 %
VOC (EC)	79.7 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** see section "Possibility of hazardous reactions".
- **Chemical stability** No information available.
- **Conditions to avoid:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**
- **Respiratory or skin sensitisation** No sensitising effects known.

(Contd. on page 5)

Safety Data Sheet
according to WHS Regulations

Printing date 26.10.2020

Version number 2

Revision: 26.10.2020

Identification of the substance/preparation: *euku premium antislip R10 add*

(Contd. of page 4)

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

ADG, ADN, IMDG, IATA Void

UN proper shipping name

ADG, ADN, IMDG, IATA Void

Transport hazard class(es)

ADG, ADN, IMDG, IATA

Class Void

Packing group

ADG, IMDG, IATA Void

Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

UN "Model Regulation":

Void

AU

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 26.10.2020

Version number 2

Revision: 26.10.2020

Identification of the substance/preparation: *euku premium antislip R10 add*

(Contd. of page 5)

15 Regulatory information

• **Safety, health and environmental regulations/legislation specific for the substance or mixture**

• **Australian Inventory of Chemical Substances**

All ingredients are listed.

• **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

• **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

• **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

• **Hazard pictograms** Void

• **Signal word** Warning

• **Hazard statements**

Combustible liquid.

• **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO₂, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Directive 2012/18/EU**

• **Named dangerous substances - ANNEX I** None of the ingredients is listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

• **Department issuing SDS:** eukula, Department Research & Development

• **Contact:** Dr. Reindl

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids – Category 4

Asp. Tox. 1: Aspiration hazard – Category 1

• *** Data compared to the previous version altered.**