

Safety Data Sheet

ALCOHOL SPRAY

Revision: 2022-09-12 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: ALCOHOL SPRAY

1.2 Recommended use and restrictions on use

Identified uses: Cleaner/sanitiser Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
Unit 8, 55 Newton Road, Whetherill Park, NSW, 2164
1-7 Bell Grove, Braeside, VIC 3195
Telephone: 1800 647 779 (toll free)
Email: aucustserv@diversey.com
Website: diversey.com.au

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 2 Eye irritation, Category 2A

2.2 Label elements



Signal word: Danger

Hazard statements:

H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Prevention statement(s):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P235 - Keep cool.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating or lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P363 - Wash contaminated clothing before reuse.

Storage statement(s):

P403 - Store in a well-ventilated place.

Disposal statement(s):

P501 - Dispose of contents and container in accordance with national regulations.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

The product contains no substances classified as hazardous in concentrations which should be taken into account.

Ingredient(s)	CAS#	EC number	Weight percent
ethanol	64-17-5	200-578-6	>= 60

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated Skin contact: clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

No known effects or symptoms in normal use. Inhalation: Skin contact: No known effects or symptoms in normal use.

Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

- 2YE
- •2 Alcohol resistant foam is the preferred firefighting medium but, if it is not available, fine water spray can be used.
- Y Full fire kit and breathing apparatus. Contain.
- E People should be warned to stay indoors with all doors and windows closed, but evacuation may need to be considered.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep from freezing. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
ethanol	1000 ppm		
	1880 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Use only in well ventilated areas. Appropriate engineering controls:

Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to Appropriate organisational controls:

consider national Occupational Exposure Limits or other equivalent values, if available.

Personal protective equipment

Body protection:

Eye / face protection: Safety glasses or goggles (AS/NZS 1337.1).

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability Hand protection: and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions,

such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or Respiratory protection:

aerosols should be avoided. Trigger spray bottle application: No special requirements under normal

use conditions. Apply technical measures to comply with the occupational exposure limits, if

available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Not relevant to classification of this product

OECD 109 (EU A.3)

Physical state: Liquid Colour: Clear , Colourless

Odour: Alcohol

Odour threshold: Not applicable

pH: ≈ 7 (neat) ISO 4316

Melting point/freezing point (°C): Not determined Not relevant to classification of this product Initial boiling point and boiling range (°C): Not determined

Flammability (liquid): Flammable.

Flash point (°C): ≈ 20 °C closed cup

Sustained combustion: The product sustains combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Not relevant to classification of this product

Flammability (solid, gas): Not applicable to liquids

Lower and upper explosion limit/flammability limit (%): Not determined

Vapour pressure: Not determined

Relative vapour density No data available Relative density: ≈ 0.87 (20 °C)

Solubility in / Miscibility with water: Fully miscible

Partition coefficient: n-octanol/water No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

Take action to prevent static discharges.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2 Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
ethanol	LD 50	5000	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
ethanol	LD 50	> 10000	Rabbit	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC 50	> 1800	Rat	Non guideline test	4

Irritation and corrosivity

Okin initation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Lye imation and corrosivity					
I	Ingredient(s)	Result	Species	Method	Exposure time
I	ethanol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

respiratory trast irritation and correctity				
Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			

Sensitisation

Sensitisation by skin contact

Scholled tion by skill contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
ethanol	Not sensitising			

Sensitisation by inhalation

	Ingredient(s)	Result	Species	Method	Exposure time
Γ	ethanol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity				
Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
ethanol	No data available		No data available	

Carcinogenicity

edicinegericity				
Ingredient(s)	Effect			
ethanol	No data available			

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
ethanol			No data				
			available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				

Chronic toxicity

Still Office toxicity								
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
ethanol			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
ethanol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)	
ethanol	No data available	

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC 50	8150	Alburnus alburnus	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC 50	5012	Daphnia	Method not given	48
			magna Straus		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC 50	675	Scenedesmus quadricauda Not specified	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
ethanol		No data			
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
ethanol	EC ₀	6500	Pseudomonas	Method not given	16 hour(s)
			putida		

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready blodegradability - aerobic conditions								
Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation			
		method						
ethanol	Activated sludge,	Oxygen depletion	> 60% in 10 day(s)	OECD 301B	Readily biodegradable			
	aerobe							

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
ethanol	-0.31	Weight of evidence	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
ethanol	0.5		Weight of evidence	No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment							
Ingredient(s)	Adsorption	Desorption	Method	Soil/sediment	Evaluation		
mgroulom(o)			l lilotiiou		Evaluation		
	coefficient	coefficient		type			
	Log Koc	Log Koc(des)					
ethanol	No data available						
011.01.01	. To data a randolo						

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: 1170

14.2 UN proper shipping name:

Ethanol solution (ethyl alcohol solution)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: || 14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: •2YE

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.7 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard

for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classification Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Inventory listing(s) Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are

exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31001187 **Version:** 01.0 **Revision:** 2022-09-12

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- ATE Acute Toxicity Estimate
- · AUH Non GHS hazard statement
- DNEL Derived No Effect Limit
- EC No. European Community Number
- EC50 effective concentration, 50%
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PNEC Predicted No Effect Concentration
- STOT-RE Specific target organ toxicity (repeated exposure)
- STOT-SE Specific target organ toxicity (single exposure)

End of Safety Data Sheet