

Technical innovation and excellence in performance

PRODUCT INFORMATION SHEET

TASMAN CHEMICALS

Re-Issue Date: 03/06/2021 Page 1 of 3

DETERGE HD

Heavy Duty Multi Purpose Cleaner

Description

Deterge HD is designed for use in either pressure washing systems, steam cleaning equipment, or the spraying on and wiping off method.

Directions

Light cleaning – dilute 1 parts to 80 parts water. High pressure washers -1 part to 70 parts water and for heavy soils use 1 part to 50 parts water. Truck chassis – 1 part to parts water. Rinse well.

CLEANING OPERATION	AVERAGE CONCENTRATION	GENERAL DIRECTIONS
Light Cleaning:	1:80 parts water	Apply solution by method best
Painted surfaces, metal		suited to the particular kind of
Furniture, floors, car wheels,		washing being done; either mop,
Porcelain, trams, toilets, buses		brush, rag or sponge. Rinse or wipe using a clean wet cloth or mop.
Floors that are regularly cleaned	1:80 parts water (Light)	
	1 : 40 parts water (Heavy)	Pour hot or cold solution over floor
		And scrub. If time can be allowed for soaking, better results will be obtained with less 'elbow grease'. Brush again and hose off with clean water. If pressure rinsing is not convenient, mopping up with clean water will leave the floor clean.
Cleaning oily, dirty concrete	1:4 parts water	Spray solution on floor, let sit for 10 minutes,
Floors.		agitate solution with Long handled stiff broom
		or Electric machine and rinse.

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied. Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

Head Office: 1 – 7 Bell Grove Braeside, Victoria 3195 - Ph: 61-3-9587 6777 - Fax: 61-3-9587 5255 – 1800 675 529 Email: taschem@tasmanchemicals.com.au - Website: www.tasmanchemicals.com.au



Technical innovation and excellence in performance

PRODUCT INFORMATION SHEET

TASMAN CHEMICALS

Re-Issue Date: 03/06/2021 Page 2 of 3

DETERGE HD Heavy Duty Multi Purpose Cleaner

Directions

CLEANING	AVERAGE	GENERAL
OPERATION	CONCENTRATION	DIRECTIONS
For use in a high pressure	Hot Water	Operate the machine in the usual
Cleaning equipment	1 : 100 parts (Light)	manner. Govern the strength of
	1 : 75 parts (Medium)	the solution by the valve controls.
	1 : 50 parts (Heavy)	
	1 : 30 parts (Manual)	
For use in a high pressure	Cold Water	Operate the machine in the usual
Cleaning equipment	1 : 75 parts (Light)	manner. Govern the strength of
	1 : 50 parts (Medium)	the solution by the valve controls.
	1 : 40 parts (Heavy)	
Wax stripping – to remove	1:25 parts hot water	Allow hot solution to sit for 10 –
Heavy build up of wax, acrylic,		20 minutes, scrub floor by machine
Metallic or similar finishes		or hand, rinse well with cold water.
Automatic Floor Machines	1 : 160 parts (Light)	Operate machine in normal manner
	1 : 80 parts (Heavy)	
For cleaning truck bodies,	1 : 20 parts	Apply by brush, sponge or spray
Wheels, chassis, motors,		immerse in solution, cold or heated
Concrete floors, parts		Easily removes stack carbon.
Ships, shipyards, dry docks	1 : 80 parts (Light)	Can be used successfully in salt
Ships, shipyarus, ury uucks	1. ov parts (Light)	Can be used successfully in sait

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied. Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

Head Office: 1 – 7 Bell Grove Braeside, Victoria 3195 - Ph: 61-3-9587 6777 - Fax: 61-3-9587 5255 – 1800 675 529 Email: taschem@tasmanchemicals.com.au - Website: www.tasmanchemicals.com.au



Technical innovation and excellence in performance

PRODUCT INFORMATION SHEET

TASMAN CHEMICALS

Re-Issue Date: 03/06/2021 Page 3 of 3

DETERGE HD

Heavy Duty Multi Purpose Cleaner

Directions

CLEANING OPERATION	AVERAGE CONCENTRATION	GENERAL DIRECTIONS
Decks, galleys, engine rooms	1 : 25 parts (Heavy)	water – as well as in fresh water.
		Warm or hot water is faster, but
		Cold water is satisfactory.
Air conditioning equipment:	1 : 80 parts (Light)	Use warm solution, agitate as
Filters, washers, pipes, pumps,	1 : 40 parts (Heavy)	much as possible. Rinse and dry.
Fittings, valves, nozzles etc.		Retards scale formation. Checks
		Corrosion, discourages bacteria
		Keeps down the slime. Eliminates
		Undesirable odours.
Interior car cleaning	1 : 30 parts (Light)	Spray solution on seats, carpet etc.
	1 : 15 parts (Heavy)	Let solution stand for 5 mins.
		Respray and scrub interior with
		Scrub brush. Wipe all surfaces
		With damp clean rag.
General maintenance	1 : 80 parts (Light)	The various applications shown
	1 : 20 parts (Heavy)	above will suggest methods that
		can be used.

Packaging

◆ 20 Litre polyethylene drums

Health Hazard Information

See separate Health and Safety Data Sheet, available on request.

The Product Information Sheet supersedes all previous issues for this product. Information contained herein is offered in good faith as being true and accurate to the best of our knowledge, but as the conditions of use are beyond our control, no guarantees are either stated or implied. Where health or safety data given discloses a risk to the user or the environment, it is the responsibility of the purchaser to pass on the information to employees who may be using the product, ensuring that adequate safety procedures are used, including good industrial hygiene.

Head Office: 1 – 7 Bell Grove Braeside, Victoria 3195 - Ph: 61-3-9587 6777 - Fax: 61-3-9587 5255 – 1800 675 529 Email: taschem@tasmanchemicals.com.au - Website: www.tasmanchemicals.com.au